




SYMBOL DEFINITION	
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL () DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.	TOTAL NO OF INSPECTIONS REQUIRED
	10
	LAST NO. USED
	10


MISSING SYMBOLS		DWG STATUS				REVISION HISTORY				AUTH		APVD				
NO MISSING SYMBOL NUMBER		DATE	STG	REV	N/P	CHG	ZONE		CREATED TAXI DRAWING, 15491363 WAS SEPERATE DRAWING, RELEASED 13576952				277670	CJP	CJP	GCD
		23FE06	R	01	-	-										



ASSEMBLY VIEW
SCALE 2:1



TYPE 101



NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED:
DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
- MATERIAL RECYCLING CODE PER ISO 11469. (1.5)X(0.1) CHARACTERS AS SHOWN TO BE LOCATED ON ANY EXTERIOR SURFACE.
- (1.5)X(0.1) DELPHI CORPORATE BRAND TO BE LOCATED ON ANY EXTERIOR SURFACE, PREFERABLY VISIBLE AT FINAL ASSEMBLY. OPTIONAL CONSTRUCTION FOR EXISTING TOOLING MAY BE "PED".
- THIS CABLE TIE IS DESIGNED TO BE USED WITH AN M6 OR M8 STUD.

ASSEMBLY PROCESSING NOTES:

- PART CAN BE USED WITH HARNESS DIAMETER UP TO A MAX OF 28MM TAPED OR 22MM CONDUIT AND A MIN DIA OF APPROXIMATELY 4MM.
- APPLY TO HARNESS WITH PANDUIT GUN GS2B (MANUAL). GUN TO BE SET AT "STD" AND A TENSION OF 6-8 OR EQUIVALENT.

DWG TYPE		PART DRAWING	
STYLE			
VOLUME (CM ³)	SEE CHART	DISTR CODE	D
UNLESS OTHERWISE SPECIFIED			
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE 2003 GLOBAL DIMENSIONING AND TOLERANCING ADDENDUM - 1997. ALL GEOMETRIC TOLERANCES AND RELATED DATUMS APPLY RFS. RULE #1 (PERFECT FORM AT MMC) DOES NOT APPLY WHEN RELATIONSHIP BETWEEN FEATURES IS ESTABLISHED BY ORIENTATION OR LOCATION TOLERANCES. SEPARATE POSITION CALLOUTS MAY BE GAGED SEPARATELY, REGARDLESS OF DATUM REFERENCE.			
ALL DIMENSIONS ARE IN MILLIMETERS			
REFERENCE			
THIRD ANGLE PROJECTION			
DO NOT SCALE USE MATH DATA			

5 PROCESS SENSITIVE DIMENSION	
DIMENSIONS ENCLOSED IN () INDICATE REFERENCE DIMENSIONS AND NO TOLERANCE LIMITS ARE ESTABLISHED	
DIMENSIONAL RANGE (MM)	
FROM	TO
> 0	> 20
> 20	> 30
> 30	> 70
> 70	> 100
> 100	> 150
> 150	> 200
> 200	> 250
> 250	> 300
> 300	> 400
TOLERANCE UNLESS OTHERWISE SPECIFIED	
± 0.15	± 0.2
± 0.3	± 0.4
± 0.5	± 0.6
± 0.8	± 1
± 1.2	
ANGULAR TOLERANCE $\pm 2^\circ$	

DELPHI
DELPHI PACKARD ELECTRIC SYSTEMS
WARREN, OH

DR	DATE
APVD1 C. PAPAS	23FE06
APVD2 C. PAPAS	23FE06
APVD3 GARY C. DETTER	27FE06
APVD4	
APVD5	

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI 10949001

MATERIAL SEE CHART

DRAWING NAME
TAXI MOUN WIRE TIE CLIP HD PUSH NUT

DRAWING NUMBER
13576951

SIZE	SCALE	FRAME NO	SHEET NO	STG	REV	N/P
A1	1:1	1 OF 1	1 OF 1	R	01	-

13576952	01	-	102	-	M3592001 PA66 IM HS BLK	2.732
15491363	04	AC	101	-	M3592018 PA66 IM HS GRA DK	2.732
PART NO	REV	N/P	TYPE	STATUS	MATERIAL SPECIFICATION AND COLOR	VOLUME CM ³
12	11	10	9	8	7	6