
## Technical Data 2103

Effective June 2017 Supersedes May 2009

# HHB 1/4" x 7/8" to 1/4" x 1 1/4" In-line fuse holder



BUSSMANN




## **Product features**

- For 1/4" x 7/8" to 1/4" x 1 1/4" fuses
- Accepts #16 to #12 AWG copper wire •
- Simple crimp assembly
- "Snap-Lock" feature provides strong positive • union
- · High visibility yellow color
- Recommended crimp tools:
  - Thomas & Betts ERG-2001
  - Channelock No. 909
  - General Electric U.S. & Metric
  - Electrical Terminal Tool
- UL flammability rating 94 V2

## **Dimensions - in (mm)**

Drawing Not to Scale



Fuse Length	"L" with fuse installed	
7/8″	2.100 Max.	
1"	2.250 Max.	
11/4″	2.420 Max.	

### Ordering

- Specify packaging code
- Insert packaging code prefix before part number E.g. BK/HHB-R
- Specify option codes if desired Drop "-R" suffix when ordering. E.g. BK/HHB-Y408

Packaging Code		
Packaging Code Prefix	Description	
Blank	10 fuse holders packed into a carton	
BK	1,000 fuse holders packed into a cardboard shelf package	

Option Code			
Option Code	Description		
Y408** <sup>+</sup>	#14 AWG insulated wire with 8 inch yellow leads		
R408 <sup>+</sup>	#14 AWG insulated wire with 8 inch red leads		
B408** <sup>+</sup>	#14 AWG insulated wire with 8 inch black leads		
Y419** <sup>+</sup>	#14 AWG insulated wire with 19 inch yellow leads		
R419** <sup>+</sup>	#14 AWG insulated wire with 19 inch red leads		
B419** <sup>+</sup>	#14 AWG insulated wire with 19 inch black leads		

\*\*Not available in RoHS compliant construction.

+ Drop "-R" suffix when ordering these options.

Specifications				
Part				
Number	Volts	Amps		
HHB-R*	32	30 max		

\*RoHS compliant construction.

Component	Material
Body	Nylon
Crimp	Copper Tin-Plated

Life Support Policy: Eaton does not authorize the use of any of its products for use in life support devices or systems without the express written approval of an officer of the Company. Life support systems are devices which support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user

Eaton reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Eaton also reserves the right to change or update, without notice, any technical information contained in this bulletin,

#### Eaton

Electronics Division 1000 Eaton Boulevard Cleveland, OH 44122 United States www.eaton.com/electronics



© 2017 Eaton All Rights Reserved Printed in USA Publication No. 2103 BU-SB09721 June 2017

Eaton is a registered trademark.

All other trademarks are property of their respective owners