


**930 - 001 F 02**

Product Series \_\_\_\_\_  
Basic Number \_\_\_\_\_  
Dash Number (Table I) \_\_\_\_\_  
Material Symbol (Table II) \_\_\_\_\_

**NOTES:**

1. Identified by bag and tag in suitable quantities.
2. Metric dimensions (mm) are indicated in parentheses.

**930-001**  
**Gasket for Flange Mount**  
**Receptacle Connector**



Miscellaneous  
 Accessories

**TABLE I: DASH NUMBER**

| Dash No. | MIL-DTL-26482,<br>26500, 83723 |                  | MIL-DTL-38999      |         | A              |                | B Dia          |                | C              |  | D Dia |  | F Rad |  |
|----------|--------------------------------|------------------|--------------------|---------|----------------|----------------|----------------|----------------|----------------|--|-------|--|-------|--|
|          | Series I & III<br>NAS1599 B&T  | Series<br>I & II | Series<br>III & IV | AS81703 | ±.005<br>(0.1) | ±.007<br>(0.2) | ±.008<br>(0.2) | ±.005<br>(0.1) | ±.015<br>(0.4) |  |       |  |       |  |
| 01       | 8                              | 8                | -                  | -       | .595 (15.1)    | .562 (14.3)    | .812 (20.6)    | .125 (3.2)     | .105 (2.7)     |  |       |  |       |  |
| 02       | -                              | -                | -                  | 3       | .625 (15.9)    | .603 (15.3)    | .896 (22.8)    | .125 (3.2)     | .105 (2.7)     |  |       |  |       |  |
| 03       | 10                             | 9 & 10           | 9                  | 7       | .719 (18.3)    | .687 (17.4)    | .937 (23.8)    | .125 (3.2)     | .105 (2.7)     |  |       |  |       |  |
| 04       | 12                             | 11 & 12          | 11                 | -       | .812 (20.6)    | .772 (19.6)    | 1.031 (26.2)   | .125 (3.2)     | .105 (2.7)     |  |       |  |       |  |
| 05       | -                              | -                | -                  | 12      | .812 (20.6)    | .828 (21.0)    | 1.114 (28.3)   | .125 (3.2)     | .105 (2.7)     |  |       |  |       |  |
| 06       | 14                             | 13 & 14          | 13                 | 19      | .906 (23.0)    | .937 (23.8)    | 1.125 (28.6)   | .125 (3.2)     | .105 (2.7)     |  |       |  |       |  |
| 07       | 16                             | 15 & 16          | 15                 | 27      | .969 (24.6)    | 1.063 (27.0)   | 1.250 (31.8)   | .125 (3.2)     | .135 (3.4)     |  |       |  |       |  |
| 08       | 18                             | 17 & 18          | 17                 | -       | 1.062 (27.0)   | 1.187 (30.1)   | 1.343 (34.1)   | .125 (3.2)     | .135 (3.4)     |  |       |  |       |  |
| 09       | -                              | -                | -                  | 37      | 1.187 (30.1)   | 1.266 (32.2)   | 1.458 (37.0)   | .125 (3.2)     | .135 (3.4)     |  |       |  |       |  |
| 10       | 20                             | 19 & 20          | 19                 | -       | 1.156 (29.4)   | 1.312 (33.3)   | 1.467 (37.3)   | .125 (3.2)     | .135 (3.4)     |  |       |  |       |  |
| 11       | 22                             | 21 & 22          | 21                 | -       | 1.250 (31.8)   | 1.437 (36.5)   | 1.562 (39.7)   | .125 (3.2)     | .135 (3.4)     |  |       |  |       |  |
| 12       | 24                             | 23 & 24          | 23                 | -       | 1.375 (34.9)   | 1.562 (39.7)   | 1.703 (43.3)   | .152 (3.9)     | .135 (3.4)     |  |       |  |       |  |
| 13       | -                              | -                | -                  | 61      | 1.436 (36.5)   | 1.570 (39.9)   | 1.799 (45.7)   | .125 (3.2)     | .135 (3.4)     |  |       |  |       |  |
| 14       | -                              | 25               | 25                 | -       | 1.500 (38.1)   | 1.600 (40.6)   | 1.812 (46.0)   | .152 (3.9)     | .135 (3.4)     |  |       |  |       |  |

**TABLE II: MATERIAL**

| Symbol   | Material Description                               |
|----------|--|
| <b>B</b> | Fluorosilicone with Silver Aluminum 84 Shore (Ref) |
| <b>C</b> | Conductive — Metex                                 |
| <b>F</b> | Fluorosilicone                                     |
| <b>M</b> | Conductive — Con-Sil II                            |
| <b>N</b> | Neoprene   |
| <b>S</b> | Silicone   |
| <b>V</b> | Viton  |

Metric Dimensions (mm) are indicated in parenthesis.