



IP 44



Kod	Wymiary wewnętrzne
00 800	Ø 60 - H 35
00 802	Ø 80 - H 40
00 808	65x65x32
00 810	80x80x40

IP 55
RAL 7035




Kod	Wymiary wewnętrzne
1SL0816A00	100x100x50
1SL0820A00	105x70x50
1SL0821A00	100x100x80
1SL0822A00	153x110x66
1SL0824A00*	160x135x77
1SL0826A00*	220x170x80
1SL0828A00*	310x240x11

Kod	Wymiary wewnętrzne
1SL0846A00	100x100x50
1SL0850A00	105x70x50
1SL0851A00	100x100x80
1SL0852A00	151x108x66
1SL0854A00*	160x137x77
1SL0856A00*	220x170x80
1SL0858A00*	310x240x110

*Mogą być montowane natynkowo przy użyciu uchwyty o kodzie zamówienia 12 858

IP 55
RAL 7035



Kod	Wymiary (mm) Sz. x Wys. x Gł.
00 816	100x100x50
00 820	105x70x50
00 821	100x100x80
00 822	151x108x66

Kod	Wymiary (mm) Sz. x Wys. x Gł.
00 846	100x100x50
00 850	105x70x50
00 851	100x100x80
00 852	151x108x66

IP 55
RAL 7035



Kod	Wymiary (mm) Sz. x Wys. x Gł.
1SL0830A00	160x135x150
1SL0832A00	220x170x150
1SL0834A00	310x240x160

Kod	Wymiary (mm) Sz. x Wys. x Gł.
1SL0860A00	160x135x150
1SL0862A00	220x170x150
1SL0864A00	310x240x160

2A

Obudowy z tworzyw sztucznych
Puszki natynkowe IP65, z poliwęglanu




Kod	Wymiary (mm) Sz. x Wys. x Gł.
12 804	140x220x140



Kod	Wymiary (mm) Sz. x Wys. x Gł.
12 808	205x220x140



Kod	Wymiary (mm) Sz. x Wys. x Gł.
12 812	275x220x140



Kod	Wymiary (mm) Sz. x Wys. x Gł.
12 814	275x370x140



Kod	Wymiary (mm) Sz. x Wys. x Gł.
12 816	275x570x140



Kod	Wymiary (mm) Sz. x Wys. x Gł.
12 818	380x570x140