
DIN SIZE TIMERS COMMON OPTIONS

Terminal sockets (Unit: mm inch, Tolerance: ±1 ±.039)



Note: The socket's numbering system matches that of the timer terminals.

Sockets (Unit: mm inch, Tolerance: ±1 ±.039)


Туре	Appearance	Dimensions	Terminal wiring (Top view)	Mounting hole dimensions
PM4H-S PM4H-M PM4H-SD PM4H-F8 PM4H-F8R PM4H-W LT4H LT4H-W (8-pin type)	• Rear terminal socket AT78041.496 AT78041.496	38 1.496 1.496 1.614 2 1 8 7 41 1.614 2 1 8 7		_
	• 8P cap 34.6 • 31.4 • 31.4 • 1.362 • 30 • 1.181 AD8-RC	φ31.4 φ1.236 φ1.280 φ32.5 φ1.280 φ31.4 φ1.296 φ31.5 γ1.280 φ32.5 φ32.5 φ3.39 φ32.5 φ3.39 φ3.	100 K S S S S S S S S S S S S S S S S S S	_
PM4H-A PM4H-F11R LT4H LT4H-W (11-pin type)	• Rear terminal socket 121 827 AT78051 772 1.709	5 21 197 187 187 187 187 187 187 187 187 187 18	@ @ @ @ @ @ @ @ 0 @ @	_
	• 11P cap 34.6 -1.362 -1.36	\$31.4 \$30 \$\dot{\phi_14} \dot{\phi_30} \\ \phi_1.236 \\ \dot{\phi_1.236} \\ \phi_	(5 8 7 6) (C 2 1 11 C)	_


Note: The terminal socket's numbering system matches that of the timer terminals.


Mounting parts

Applicable for PM4H

and LT4H series








ACCESSORIES


PM4H series

• Panel cover (Black)



Set ring

• Mounting frame




When you control the fixed time range, the setting rings (a set of 2 pcs.) make it easy to do the time setting and keep the time range all the time. (Excluding PM4H-W)

For holding DIN rails

LT4H series

Panel cover (Black)



The black panel cover is also available so that you can change the appearance of the panel by changing the panel cover. The color of the standard panel cover is ash gray.