
THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



	MATERIAL	WIRE RANGE	SCR EW TYPE	DIMENSIONS - IN [mm] +/02 [.5]						
PANDUIT PART NUMBER				А	В	с	STUD HOLE D DIA	E	TIGHTENING TORQUE	PKG. QTY.
	COPPER	14 - 4 CU AWG	1/4-28 SLOTTED				#12			
LICC4-22-C			STAINLESS STEEL	1.16 [29.5]	.87 [22.1]	.39 [9.9]	.22 [5.6] .19 [4.7]	#14 - #10 = 20 IN-LB	100	
	COPPER, TIN PLATED	14 - 4 CU AWG	1/4-28 SLOTTED				#12	#14 - #10 - 20 IN-LB		
LICC4-22TP-C			STAINLESS STEEL	1.16 [29.5]	.87 [22.1]	.39 [9.9]	.22 [5.6]	.19 [4.7]	#6 - #4 = 35 IN-LB	100
			1/4-28 SLOTTED				#12			
LIAC4-22-C	ALUMINUM, TIN PLATED	14 - 4 CU/AL AWG	STAINLESS STEEL	1.06 [26.9]	.78 [19.8]	.39 [9.9]	.22 [5.6]	.19 [4.7]		100
	ALUMINUM, TIN PLATED	14 - 1/0 CU/AL AWG	3/8-24 SLOTTED STEEL, ZINC PLATED	1.50 [38.1]	1.10 [27.9]	.61 [15.5]		.30 [7.6]	#14 - #10 = 35 IN-LB	50
LIAS1/0-14-L							1/4"		#8 = 40 IN-LB	
							.27 [6.9]		#6 - #4 = 45 IN-LB	
									#3 - #1/0 = 50 IN-LB	
LIAS250-56-Q	ALUMINUM, TIN PLATED	6 - 250 kcmil CU/AL AWG	1/2-18 W/ 1/4" HEX KEY	2.20 [55.9]	1.70 <mark>[</mark> 43.2]	.80 [20.3]	5/16"	.40 [10.2]	200 IN-LB	25
LIA3230-30-Q	ALOWING WI, TIN PLATED		STEEL, ZINC PLATED				.33 [8.4]		200 IN-LD	25

REV		BY	СНК		DESCRIPTION	ECN	ľ
04	6/14	JHNU	JHNU	RGB	REMOVED UL PENDING NOTE RELATING TL LIAS250-56 REVISED TITLE BLOCK	10J018AY-JC	Ì
							Ì
							ŀ

NOTES:

- 1. DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS ARE MILLIMETERS.
- 2. UL LISTED & UL LISTED FOR USE IN CANADA.
- 3. DUAL RATED CU9AL FOR ALUMINUM OR COPPER CONDUCTORS (LIAC4-22-C, LIAS1/0-14-L, & LIAS250-56-Q ONLY).
- 4. RATED FOR DIRECT BURIAL APPLICATIONS (LICC4-22-C & LICC4-22TP-C ONLY).
- 5. ANTI-OXIDANT JOINT COMPOUND RECOMMENDED.
- 6. PACKAGE QTY: Q = 25

$$C^{(U)} US$$

RATED (LICC4-22-C, LICC4-22TP-C ONLY)

 $\mathsf{DB} \perp$

TITLE									
COPPER & AI	luminum	LAY-IN	LUG CON	NECTOR	S				
CUSTOMER DRAWING									
ITEM REVISION NAME	10J018AY/0)4							
DATASET FILE NAME 10J018A	Y-JC/04.SLD		IDUI'						
UNLESS OTHERV DIMENSIONAL TOLERA		MATERIAL							
.X ± .XX ± .02 [.5]	.XXX ANGLES		SE	ee notes					
) ANGLE IECTION	DRAWING NUMBER	10J018A	Y-JC				
DRAWN BY DATE JHNU 2/11	CHK SCALE RGB	N/A	SHEE	ET 1 OF 1	BIZE				