

PI/NI-2D/24 - 5607118

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	100.0 g
Custom tariff number	85369080
Country of origin	United States

Technical data

Product type	Signal conditioner
Approval	UL Listed
	cUL Listed
	UL Listed
	cUL Listed
	cULus Listed

Classifications

eCl@ss

eCl@ss 4.0	27250312
eCl@ss 4.1	27250312
eCl@ss 5.0	27242208
eCl@ss 5.1	27210107
eCl@ss 6.0	27210107
eCl@ss 7.0	27210107
eCl@ss 8.0	27210121

ETIM

ETIM 3.0	EC000310
ETIM 4.0	EC001485
ETIM 5.0	EC001485

UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008

PI/NI-2D/24 - 5607118

Classifications

UNSPSC

UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	43201553

Approvals

Approvals

Approvals

UL Listed / cUL Listed / cULus Listed

Ex Approvals


UL Listed / cUL Listed / cULus Listed

Approvals submitted

Approval details

UL Listed	
mm ² /AWG/kcmil	30-10
Nominal current IN	0.075 A
Nominal voltage UN	35 V

cUL Listed	
mm ² /AWG/kcmil	30-10
Nominal current IN	0.075 A
Nominal voltage UN	35 V

cULus Listed 
--

