

Active module - UMK 33-REL 24/4X21-ST - 5521814

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

VARIOFACE base module for 4PDT relays

Product Features

- Pluggable relay
- Safe isolation between coil and contact side
- 5 amp 4 PDT rating
- Arc barriers between adjacent poles



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	57.0 g
Custom tariff number	85364190
Country of origin	United States

Technical data

Dimensions

Width	33.75 mm
Height	77 mm
Depth with retaining bracket	71.4 mm (with relay)

Ambient conditions

Ambient temperature (operation)	-20 °C ... 65 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C

Connection data, input side

Connection name	Input side
Connection method	Screw connection
Stripping length	6 mm
Screw thread	M3
Conductor cross section solid	0.14 mm ² ... 2.5 mm ²
Conductor cross section flexible	0.14 mm ² ... 1.5 mm ²
Conductor cross section AWG	30 ... 14

Active module - UMK 33-REL 24/4X21-ST - 5521814

Technical data

Connection data, output side

Connection name	Output side
Connection method	Screw connection
Stripping length	6 mm
Screw thread	M3
Conductor cross section solid	0.14 mm ² ... 2.5 mm ²
Conductor cross section flexible	0.14 mm ² ... 1.5 mm ²
Conductor cross section AWG	30 ... 14

General

Nominal voltage U _N	250 V AC/DC
	250 V AC/DC
Nominal current I _N	5 A
Operating mode	100% operating factor
Mounting position	any
Assembly instructions	In rows with zero spacing

Classifications

eCl@ss

eCl@ss 4.0	27250313
eCl@ss 4.1	27250313
eCl@ss 5.0	27250313
eCl@ss 5.1	27141190
eCl@ss 6.0	27261101
eCl@ss 7.0	27440401
eCl@ss 8.0	27371603
eCl@ss 9.0	27371603

ETIM

ETIM 3.0	EC001604
ETIM 4.0	EC002498
ETIM 5.0	EC001456

UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121410

Active module - UMK 33-REL 24/4X21-ST - 5521814

Classifications

UNSPSC

UNSPSC 13.2	39121421
-------------	----------