

## Conductor marking collar - SD-WMS 3 (NU) YE:2 - 0825544:2

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Conductor marking collar, Labeled with the number: 2, yellow, Width: 3.2 mm

The figure shows a version of the article



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Minimum order quantity               | 200 pc   |
| Weight per Piece (excluding packing) | 0.0050 g |
| Custom tariff number                 | 39269097 |
| Country of origin                    | Sweden   |

### Technical data

|  |                                |
|--|--------------------------------|
| Color                                  | yellow                         |
| Flammability rating according to UL 94 | V0                             |
| Components                             | Free from silicone and cadmium |

### Ambient conditions

|                   |                  |
|-------------------|------------------|
| Temperature range | -30 °C ... 60 °C |
|-------------------|------------------|

### Standards and Regulations

|  |                             |
|--|-----------------------------|
| Wipe resistance                        | DIN EN 61010-1 (VDE 0411-1) |
| Flammability rating according to UL 94 | V0                          |

### Classifications

eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
|------------|----------|

## Conductor marking collar - SD-WMS 3 (NU) YE:2 - 0825544:2

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27149103 |
| eCl@ss 5.1 | 27400401 |
| eCl@ss 6.0 | 27400401 |
| eCl@ss 7.0 | 27400401 |
| eCl@ss 8.0 | 27149129 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC001288 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

### Accessories

#### Accessories

#### Assembly tool

Alignment tool for cable markers - SD-WMS 3 TOOL - 0826462



Alignment tool for cable markers, Bare metallic, labeled, Mounting type: Thread on, Cable diameter: 1.3-3 mm

---

#### Assortment box

## Conductor marking collar - SD-WMS 3 (NU) YE:2 - 0825544:2

### Accessories

Range box - SORTI 1/10 - 5020425



Assortment box, dimensions: 170 x 105 x 32 mm, 10 compartments, compartment size: 50 x 32 mm

---

Range box - SORTI 2/12 - 5020674



Assortment box, dimensions: 210 x 105 x 36 mm, 12 compartments, compartment size: 57 x 32 mm

---

Range box - SORTI 3/ 7 - 5020645



Assortment box, dimensions: 250 x 170 x 46 mm, 7 compartments, compartment size 1: 98 x 39 mm, compartment size 2: 66 x 243 mm

---

Range box - SORTI 3/ 8 - 5020438



Assortment box, dimensions: 250 x 170 x 46 mm, 8 compartments, compartment size 1: 48 x 39 mm, compartment size 2: 98 x 39 mm, compartment size 3: 98 x 80 mm, compartment size 4: 66 x 243 mm

---

Range box - SORTI 3/18 - 5028731



Assortment box, dimensions: 250 x 170 x 46 mm, 18 compartments, compartment size 1: 48 x 39 mm, compartment size 2: 66 x 39 mm

---

## Conductor marking collar - SD-WMS 3 (NU) YE:2 - 0825544:2

### Accessories

Range box - SORTI 4/8 - 5145180



Assortment box, 8 compartments

---

Range box - SORTI 4/12 - 5020658



Assortment box, 12 compartments external dimensions 335 x 225 x 55 mm, material: Polystyrene

---

Range box - SORTI 4/24 - 5031524



Assortment box, dimensions: 335 x 225 x 55 mm, 24 compartments, compartment size 1: 53 x 53 mm

---

---