


| REVISIONS |     |                      | DATE    | APPROVED     |
|-----------|-----|----------------------|---------|--------------|
| ZONE      | LTR | DESCRIPTION          | 1/24/80 | <i>Blair</i> |
|           | C   | CHANGE PER DCO 01075 |         |              |



NOTES :

1. MATERIALS

- I-A INSULATION SLEEVE; HEAT SHRINKABLE, RADIATION CROSSLINKED MODIFIED POLYVINYLIDENE FLUORIDE, TRANSPARENT BLUE.
- I-B SOLDER PREFORM; SOLDER PREFORM WITH FLUX TYPE: Sb5 SRAP PER QQ-S-571.
- I-C MELTABLE INSERTS; LOW OUTGASSING IMMERSION RESISTANT THERMOPLASTIC

2. THIS SLEEVE IS DESIGNED TO ATTACH 20 THROUGH 26 GAUGE TIN PLATED OR SILVER PLATED CONDUCTORS TO THE TERMINALS OF A **Raychem** MTC100 SERIES WAFER.

© Raychem Corporation 1979

## CONNECTOR SPECIFICATION CONTROL DRAWING

|   |          |                   |          |  |
|---|----------|-------------------|----------|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES<br>BRACKETED DIMENSIONS ( ) ARE METRIC AND TOLERANCES ARE:<br><br>.XXX: ± ( M. M. )<br>.XX: ± ( M. M. )<br>Δ: ± | DRAWN    | SA. LOPEZ         | 5-7-79   | <b>Raychem</b><br><small>RAYCHEM CORPORATION<br/>300 CONSTITUTION DRIVE<br/>MENLO PARK, CALIFORNIA 94025</small> |
|   | CHECKED  | <i>Ph</i>         |          |  |
|   | APPROVED | <i>Blair</i>      | 5-7-79   |  |
|   | APPROVED | <i>E. Steiner</i> | 5-7-79   |  |
|   | APPROVED | <i>Steiner</i>    | 5-7-79   | TITLE  |
|   |          |                   |          | SOLDER SLEEVE WIRE TERMINATOR<br>DOUBLE SEAL FOR<br>TEMP RATING 150°C(Sb5)MTC100 SERIES                          |
|   | PROJECT  | 6448-7055         | SIZE     | CODE IDENT   |
|   |          |                   | <b>B</b> | NO. 06090  |
|   |          |                   | DWG. NO. | CTA-0025   |
|   |          |                   | WEIGHT   | SHEET 1 OF 1   |

If this document is printed it becomes uncontrolled.  
Check with the web for latest revision.

DO NOT SCALE THIS DRAWING