



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DMN	APVD		
H		REVISED PER 0638-0188-05	4/22/05	SS	GS		
H1		REVISED PER ECO-09-020935	11SEP09	KK	AEG		

NOTES:

- MATES WITH PLUG 207019-1.
- CIRCUITS 1 THRU 8 COMMONED, 9 THRU 16 COMMONED, 17 THRU 24 COMMONED, 25 THRU 32 COMMONED AND 33 THRU 36 COMMONED TOGETHER.
- ALL CURCUITS COMMONED TOGETHER.
- TIN-LEAD OVER NICKEL PER QQ-N-290 OR COPPER PER MIL-C-14550.
- 0.76  $\mu$ m (.000030) MIN GOLD PER MIL-G-45204 FOR A LENGTH OF 5.08 (.200) FROM MATING END, 3.81  $\mu$ m (.000150) MIN TIN-LEAD PER MIL-T-10727 FOR A LENGTH OF 4.83 (.190) MIN. FROM OPPOSITE END, BOTH OVER 1.27  $\mu$ m (.000050) MIN NICKEL PER QQ-N-290.
- TIN OVER NICKEL PER QQ-N-290 OR COPPER PER MIL-C-14550.
- 0.76  $\mu$ m (.000030) MIN GOLD PER MIL-G-45204 FOR A LENGTH OF 5.08 (.200) FROM MATING END, 3.81  $\mu$ m (.000150) MIN TIN PER MIL-T-10727 FOR A LENGTH OF 4.83 (.190) MIN. FROM OPPOSITE END, BOTH OVER 1.27  $\mu$ m (.000050) MIN NICKEL PER QQ-N-290.
- OBSELETE PARTS: OBSELETE CIS STREAMLINING PER D.RENAUD/D.SINISI



OBSELETE	FINISH	BUS TYPE	PART NO.
$\Delta$	$\Delta$	(1) 36 POSITION $\Delta$	1-208062-1
$\Delta$	$\Delta$	(1) 4 POSN AND (4) 8 POSN $\Delta$	1-208062-0
$\Delta$	$\Delta$	(1) 36 POSITION $\Delta$	208062-9
$\Delta$	$\Delta$	(1) 4 POSN AND (4) 8 POSN $\Delta$	208062-8
$\Delta$	$\Delta$	(1) 36 POSITION $\Delta$	208062-7
$\Delta$	$\Delta$	(1) 4 POSN AND (4) 8 POSN $\Delta$	208062-6
$\Delta$	$\Delta$	(1) 36 POSITION $\Delta$	208062-3
$\Delta$	$\Delta$	(1) 4 POSN AND (4) 8 POSN $\Delta$	208062-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN D.GELTZ 08/13/92	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm [INCHES]		CIK R.STONE 9-21-92	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	PRODUCT SPEC	
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		SIZE		
2 PLC ± 0.25[.010]		CAGE CODE		
3 PLC ± -		DRAWING NO		
4 PLC ± -		RESTRICTED TO		
ANGLES ± -		A1 00779 C=208062		
MATERIAL SEE CALLOUTS		FINISH SEE CALLOUTS		WEIGHT
CUSTOMER DRAWING		SCALE 2:1		SHEET 1 OF 1 REV H1