

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	K	REVISED PER ECR-13-004343	30JUL13	KH KR

- 1 FITS 0.51±0.025 X 4.75 [.020±.001 X .187] TAB
- 2 WIRE SIZE: 0.3-0.9mm² [22-18 AWG], STRANDED ONLY.
STRIP LENGTH 7.14 [.281]
- 3 INSULATION SIZE: 4.19 [.165] MAX DIA.
- 4 SUPPLIED AS LOOSE PIECE

WIRE CRIMP AREA
 FUNNEL ENTRY
 TERMINAL LOCKING LANCE

8.13 [.320]
 13.08 [.515]
 16.14 [.636]

.187 22-18
 AMP

WIRE AND RECEPTACLE
 SIZE IDENTIFICATION

INSULATION GUIDE
 HOUSING
 TERMINAL
 TAB SLOTS

5.97 [.235]
 4.75 [.187]

OBSOLETE

TYPE 6/6 NYLON	RED TRANSLUCENT	0.41 [.016] #4H PH BRZ	TIN	2-520335-4
TYPE 6/6 NYLON	RED TRANSLUCENT	BRASS	TIN	2-520335-2
MATERIAL	COLOR	MATERIAL	FINISH	PART NO
HOUSING		TERMINAL		
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P FORTNEY 8/10/90	 TE Connectivity RECEPTACLE ASSEMBLY, ULTRA-FAST FLAG, 4.75 [.187] SERIES, LOOSE PIECE	
DIMENSIONS: mm [INCHES]		CHK MS FEHER 8/23/90		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D BRATINA 8/23/90		
0 PLC ± - 1 PLC ± - 2 PLC ± 0.38 [.015] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 108-2043		
MATERIAL SEE TABLE	FINISH SEE TABLE	APPLICATION SPEC 114-2123	WEIGHT -	SIZE A2
		CUSTOMER DRAWING	SCALE 8:1	SHEET 1 OF 1
			REV K	

1471-9 (3/11)

520335

B

A