




LOC		DIST		REVISIONS			
AD	00	REV	DATE	BY	CHK	APPD	
B		REV PER ECO-11-007577	13APR2011	RKC	JE		




RECOMMENDED PC BOARD LAYOUT
 COMPONENT SIDE SHOWN
 SCALE 4:1

- 1. REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2. MATERIAL:
 CONTACT & SHIELD - PHOSPHOR BRONZE
 HOUSING & CHICKLET - GLASS FILLED POLYESTER
- 3. FINISH: SIGNAL AND GROUND CONTACTS:
 MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
 COMPLIANT PIN AREA: 0.5 μm MIN MATTE TIN OVER BASE PLATING
- 4. CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5. DIMENSION APPLIES TO CENTERLINE OF THRU HOLE
- 6. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995



TOP SURFACE OF DAUGHTER CARD



6469048-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: S.J. MAGARO 25JUN2004	TE Connectivity
DIMENSIONS: mm		CHK: R.A. PATTERSON 25JUN2004	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: -	NAME: HEADER ASSEMBLY, RIGHT ANGLE, 4 PAIR, HMZd
9 PLC ± 5 PLC ± 4 PLC ± 3 PLC ± 2 PLC ± ANGLES ±		PRODUCT SPEC: -	SIZE: A100779
MATERIAL: 2		APPLICATION SPEC: -	CAGE CODE: C=6469048
FINISH: 3		WEIGHT: -	DRAWING NO: -
CUSTOMER DRAWING		SCALE: 6:1	SHEET 1 OF 1