




THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN	WENKE HE	29MAR05	 TE Connectivity
DIMENSIONS: INCHES		CHK	STEVEN YAO	29MAR05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	RENOMOTO	29MAR05	NAME
0. PLC	± -	PRODUCT SPEC		SIMM II RTANG 1.27[.050]	
1. PLC	± -	APPLICATION SPEC		1.27 [.500] CL ASSY.,	
2. PLC	± -	MATERIAL		6.350 [.250] HEIGHT	
3. PLC	± .127(.005)	FINISH		SIZE	
4. PLC	± -	MATERIAL HSG:GLASS REINF		A1	
ANGLES	± -	WEIGHT		00779	
CUSTOMER DRAWING		SCALE		4:1	
SHEET		1		2	
REV		P		REV	



1 FOR OPTIMUM PERFORMANCE, CONTACT PAD PLATING SHOULD BE SMOOTH AND FLAT. COPPER CONTACT PADS ARE TO BE OVERPLATED WITH .00127[.000050] MIN THK NICKEL FOLLOWED WITH 0.00254[.000100] MIN THK TIN PLATING.

2 0.00381 [.000150] MIN. THK TIN OVER 0.00127 [.000050] MIN. THK NICKEL OVER ENTIRE CONTACT.



55.68	121.92	105.41	118.11	60.96	49.53	125.73	111.35	80	8-5382486-0
50.60	111.76	95.25	107.95	55.88	44.45	115.57	101.19	72	7-5382486-2
DIM M	DIM J	DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN WENKE HE 29MAR05		STE		TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: STEVEN YAO 29MAR05		NAME: SIMM II, RTANG, 1.27 [.050] CL ASSY., 6.35 [.250] HGT	
0 PLC ± -		1 PLC ± -		2 PLC ± -		3 PLC ± 0.13 [.005]	
4 PLC ± -		ANGLES ± -		APPLICATION SPEC		SIZE: A1	
MATERIAL: -		FINISH: -		WEIGHT: -		DRAWING NO: 00779	
				CUSTOMER DRAWING		SCALE: 4:1	
						SHEET 2 OF 2	
						REV P	