






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - TE CONNECTIVITY ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
K1		REVISED PER ECO-09-024927	06NOV09	KK AEG
K2		REVISED PER ECO-16-003210	18APR16	RP PS



RECOMMENDED BOARD MOUNTING
(RECOMMENDED BOARD THICKNESS: .055-.070)

- $\triangle 1$ POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE OF BEAMS).
- $\triangle 2$ TOLERANCE NON-CUMULATIVE.
- $\triangle 3$ THE MATING END OF THE CONTACT IS IDENTIFIED BY THE LETTER "A" STAMPED ON THE RECEPTACLE BOX.
- $\triangle 4$ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



OBSOLETE $\triangle 4$	3.120	2.964	20	-2-87985-0
	2.964	2.808	19	-1-87985-9
	2.808	2.652	18	-1-87985-8
	2.652	2.496	17	-1-87985-7
	2.496	2.340	16	-1-87985-6
OBSOLETE $\triangle 4$	2.340	2.184	15	1-87985-5
	2.184	2.028	14	-1-87985-4
$\triangle 4$ OBSOLETE	2.028	1.872	13	-1-87985-3
	1.872	1.716	12	1-87985-2
$\triangle 4$ OBSOLETE	1.716	1.560	11	-1-87985-1
	1.560	1.404	10	1-87985-0
OBSOLETE $\triangle 4$	1.404	1.248	9	-87985-9
	1.248	1.092	8	87985-8
OBSOLETE $\triangle 4$	1.092	.936	7	-87985-7
	.936	.780	6	-87985-6
OBSOLETE $\triangle 4$.780	.624	5	87985-5
	.624	.468	4	87985-4
	.468	.312	3	-87985-3
OBSOLETE $\triangle 4$.312	.156	2	-87985-2
	B	A	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L D RINGLEY 17MAR86																				
DIMENSIONS: INCHES		CHK P C DEJONG 18MAR86																				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD P C DEJONG 18MAR86	NAME																			
<table border="0"> <tr><td>0 PLC</td><td>±</td><td>-</td></tr> <tr><td>1 PLC</td><td>±</td><td>-</td></tr> <tr><td>2 PLC</td><td>±</td><td>-</td></tr> <tr><td>3 PLC</td><td>±</td><td>.005</td></tr> <tr><td>4 PLC</td><td>±</td><td>-</td></tr> <tr><td>ANGLES</td><td>±</td><td>-</td></tr> </table>		0 PLC	±	-	1 PLC	±	-	2 PLC	±	-	3 PLC	±	.005	4 PLC	±	-	ANGLES	±	-	PRODUCT SPEC 108-25016	ASY, MOD I, BRD MNT REC, .156CL, STD PRESSURE, TYPE B	
0 PLC	±	-																				
1 PLC	±	-																				
2 PLC	±	-																				
3 PLC	±	.005																				
4 PLC	±	-																				
ANGLES	±	-																				
MATERIAL: HOUSING-FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK		APPLICATION SPEC 114-25004	SIZE A2	CAGE CODE 00779	DRAWING NO C=87985	RESTRICTED TO -																
CONTACTS: PHOS BRONZE		FINISH CONTACTS: .000079 MIN TIN.	WEIGHT	SCALE 4:1	SHEET 1 of 1	REV K2																
CUSTOMER DRAWING																						