

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

2013

© COPYRIGHT 2013 BY TE CONNECTIVITY.

ALL RIGHTS RESERVED.

LOC - -

DIST - -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REVISION PER E.O. A5916	16APR1987	-	JRA
	C	REVISED AND REDRAWN PER E.O. 16261	17APR1999	-	RDR
	D	REVISION PER E.O. P21366	4JUN2012	-	RDR
	D1	REVISED PER ECO-14-002953	29JAN2014	PV	DM

MAIN POLARIZING RIB

1.639 ± .025
[41.63 ± 0.63]

WELD RING

RECEPTACLE HOUSING

GROMMET

5X SIZE 16

Ø 1.001 ± .025
[25.43 ± 0.63]

5 MATERIAL: RECEPTACLE HOUSING AND WELD RING: PA 15%GF (GREY)
GROMMET: SILICONE (RED)

4 OVERALL DIMENSION DOES NOT INCLUDE RUBBER GROMMET.

3 THIS RECEPTACLE MATES WITH FOLLOWING PLUG (X = SEAL TYPE, XXXX = ALL MODIFICATIONS).
HD16-5-16SX-XXXX

2 SEE DRAWING 0425-015-0000 FOR CONTACT AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS.

1. SEE TABLE FOR USABLE WIRE RANGE AND INSULATION RANGE

CONTACT SIZE	MINIMUM O.D.	MAXIMUM O.D.	WIRE RANGE [mm ²]
16	.100 [2.54]	.150 [3.81]	14-20 AWG [2.0-.50]

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. HAYNES 2SEP1999		
DIMENSIONS: INCHES [mm]		CHK I. GRANTCHAROVA 17SEP2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. MEYER 19SEP2013	NAME RECEPTACLE CONNECTOR	
0 PLC ±		PRODUCT SPEC -	INLINE HD10 SERIES	
1 PLC ±		APPLICATION SPEC -	ARR. 5-16 COLOR: GREY	
2 PLC ±		WEIGHT 23.25 (g)	SIZE A3	RESTRICTED TO -
3 PLC ±.025		Customer Drawing	CAGE CODE 00779	DRAWING NO. HD14-5-16P
4 PLC ±		SCALE 2:1	SHEET 1 OF 1	REV D1
ANGLES ±				
FINISH -				
MATERIAL 5				

1470-19 (3/11)