

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

2014

© COPYRIGHT 2014 BY TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC - DIST -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	NC	NEW RELEASE PER E.O. A14915	04DEC1995	-	RDR
	A	REVISED PER E.O. P18134	23MAY2003	-	RDR
	B	REVISED PER E.O. P18565	20SEP2004	-	RDR
	B1	REVISED PER ECO-15-001798	12AUG2014	PV	DM

MAIN POLARIZING KEY

(1.520)
[38.61]
POLARIZING INDICATOR

3

Ø 1.942^{+0.000}_{-0.100}
[49.32^{+0.00}_{-2.54}]
OVER KNURL

(Ø 1.353)
[34.37]

(Ø 1.470)
[37.33]

5
SHELL

.509
[12.93]

PLUG INSERTS INTO RECEPT.
WITHIN THIS DISTANCE.

5. MATERIAL:
PLUG HOUSING: AL 6000 SERIES
SHELL MATERIAL: METAL
INSULATOR : PLASTIC

4. THIS SHELL MATES WITH HD34-24-XXP/SX-XXXX

3. TOTAL DIM. WITH EXTENDED WIRE SEAL (WITH CONTACTS
#4 OR #8 ONLY) = 1.750±.050 [44.45±1.27].

2. SEE DRAWING 0425-014-2400 FOR ARRANGEMENT OF CONTACT LOCATION.

1. CONSULT THE FACTORY FOR ELECTRICAL AND MATERIAL SPECIFICATIONS.

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 30OCT2014
VIJETH BHARADWAJ

CHK 31OCT2014
I. GRANTCHAROVA

APVD 31OCT2014
D. MEYER

PRODUCT SPEC

0425-015-0000

APPLICATION SPEC

0425-016-0000

WEIGHT -

Customer Drawing

DIMENSIONS:
INCHES [mm]

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±.01 [±.254]
4 PLC	±-
ANGLES	±0° 30' 0"

MATERIAL SEE NOTE

FINISH -

STE TE Connectivity

NAME
PLUG CONNECTOR, SHELL SIZE 24
BAYONET COUPLING
HD30 SERIES

SIZE A3 CAGE CODE - DRAWING NO. © HD36-24-XXP/SX RESTRICTED TO -

SCALE 2:1 SHEET 1 OF 1 REV B1

1470-19 (3/11)