

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	M7	REVISED PER ECR-13-011067	16JUL13	KH PD

1 ALL DIMENSIONS APPLY TO A MOISTURIZED HOUSING.
 2 PRELIMINARY - NOT FOR PRODUCTION
 3 OFFERED FOR CONSIDERATION IN "NON-DRIP" HOUSING MATERIAL APPLICATIONS.
 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING I PER D.RENAUD/D.SINIS
 5 PREPRODUCTION-FASR REQUIRED

SUGGESTED MATING TAB

SHOULDER MAY BE ELIMINATED IF NOT FEASIBLE

1 - MATL: 1/2 H BRASS OR NICKEL PL STEEL.
 2 - NO BURRS PERMISSIBLE AT HOLE.
 3 - MUST BE FLAT WITHIN 0.076 [.003] OVER THIS LENGTH.
 4 - TIN PLATING IS REQUIRED ON BRASS WHEN TERMINAL TEMP. IS OVER 225° F
 5 - HOLE MUST BE SYMMETRICAL ABOUT TAB Q WITHIN 0.076 [.003]
 * TO BE USED ONLY WHEN SHOULDER IS ELIMINATED.

3D VIEW

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	7/3/96		TE Connectivity		
DIMENSIONS: mm [INCHES]		CHK	MS FEHER	7/3/96		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J GILLISPIE	7/3/96		HOUSING, RECEPTACLE, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES		
0 PLC ± -		PRODUCT SPEC	APPLICATION SPEC			SIZE	A2	
1 PLC ± -		WEIGHT	-			CAGE CODE	00779	
2 PLC ± 0.25 [.010]		FINISH	SEE TABLE			DRAWING NO	C=521120	
3 PLC ± -		MATERIAL		SEE TABLE	RESTRICTED TO			
4 PLC ± -		CUSTOMER DRAWING		SCALE	5:1	SHEET	1 OF 2	
ANGLES ± -				REV	M7			

1471-9 (3/11)

521120


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

COLOR	MATERIAL	FINISH	PART NO
BROWN	66/6 NYLON, V0	5	2-521120-5
YELLOW	66/6 NYLON, V0	5	2-521120-4
GREEN	66/6 NYLON, V0	5	2-521120-3
RED	66/6 NYLON, V0	5	2-521120-2
BLUE	66/6 NYLON, V0	5	2-521120-1
BROWN	6/6 NYLON, V2	5	2-521120-0
YELLOW	6/6 NYLON, V2	5	1-521120-9
GREEN	6/6 NYLON, V2	5	1-521120-8
NATURAL	6/6 NYLON, V2	5	1-521120-7
BLACK	66/6 NYLON, V0	5	1-521120-6
NATURAL	66/6 OR 66 NYLON, V0	2	1-521120-5
NATURAL	6/6 NYLON, V0	2	1-521120-4
NATURAL	66/6 OR 66 NYLON, V0		1-521120-3
YELLOW	6/6 NYLON		1-521120-2
BLUE	6/6 NYLON		1-521120-1
GREEN	6/6 NYLON		1-521120-0
RED	6/6 NYLON		-521120-9
BLACK	6/6 NYLON		521120-8
NATURAL	6/6 NYLON		521120-7
BLACK	4/6 NYLON		521120-6
RED	6/6 NYLON		521120-5
BLUE	6/6 NYLON		521120-4
PUTTY	6/6 NYLON		-521120-2
NATURAL	6/6 NYLON		521120-1
COLOR	MATERIAL	FINISH	PART NO

4 OBSOLETE

4 OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	7/3/96	 TE Connectivity
DIMENSIONS: mm [INCHES]		CHK	MS FEHER	7/3/96	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J GILLISPIE	7/3/96	
0 PLC ± - 1 PLC ± - 2 PLC ± 0.25 [.010] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC	NAME		
MATERIAL SEE TABLE		APPLICATION SPEC	HOUSING, RECEPTACLE, POSITIVE-LOCK, MKIII, 6.35 [.250] SERIES		RESTRICTED TO
FINISH SEE TABLE		WEIGHT	A2	00779	C=521120
		CUSTOMER DRAWING	SCALE	5:1	SHEET 2 OF 2
					REV M7