



















Complete Hex Program







Professional HEX Tools *Inch & Metric*
















Wiha Hex Tools Index

|  | DESCRIPTION | Page |
|---|--|-------|
|  | T-handles | 8 |
|  | PocketStar Fold Outs | 16 |
|  | L-keys - Long/Short Nickel & Black Finish | 17-20 |
|  | Insulated T-handle | 21 |
|  | Insulated Hex Drivers | 21 |
|  | Insulated L-keys | 22 |
|  | Insulated Sockets | 22 |
|  | Drive-Loc VI Blades | 23 |
|  | ESD Safe Precision | 26 |
|  | Precision | 28 |
|  | PicoFinish | 27 |
|  | SYSTEM 4 Blades | 29-30 |
|  | SYSTEM 4 Micro Bits | 31 |
|  | Insert/Power Bit Sets | 33 |
|  | XSelectors | 34 |
|  | Bit Insert & Power Bits | 35-37 |
|  | Sockets | 38-39 |









Wiha Security Hex Index

|  | DESCRIPTION | Page |
|---|---------------------|-------|
|  | SYSTEM 4 Micro Bits | 31 |
|  | Insert Bits | 35-37 |
|  | Sockets | 38-39 |







Wiha Ball End Hex Tools Index

|  | DESCRIPTION | Page |
|--|--|-------|
|  | Ball End L-keys & Sets Chrome Finish | 5 |
|  | Ball End L-keys & Sets Black Finish | 6-7 |
|  | Stainless Steel L-keys & Set | 6 |
|  | Soft Grip T-handles Chrome & Black Finish | 9-10 |
|  | 3K Series Screwdrivers | 14-15 |
|  | Drive-Loc VI Blades | 23 |
|  | Precision | 28-29 |
|  | PicoFinish Soft Grip | 27 |
|  | SYSTEM 4 Blades | 30 |
|  | Stubby Bit Holder Sets | 32 |
|  | Ball End Hex Insert Bit | 37 |
|  | Ball End Hex Socket | 39 |






MagicRing Screw Holding Hex Tools Index

|  | DESCRIPTION | Page |
|--|--|-------|
|  | L-keys Screw Holding | 4 |
|  | T-handles Screw Holding | 8 |
|  | SoftFinish Screw Holding Cushion Grip | 12-13 |
|  | PocketStars Screw Holding | 16 |
|  | Insert Bits Screw Holding | 33 |
|  | Power Bits Screw Holding | 33 |
|  | Bit-Selectors Screw Holding Insert & Power Bits | 33 |








Wiha Drive-Loc VI Index

| | DESCRIPTION | Page |
|---|--|-------------|
|  | Drive-Loc VI Handle SoftFinish® Cushion Grip | 23 |
|  | Drive-Loc VI Handle ESD Safe Cushion Grip | 23 |
|  | Drive-Loc VI Handle MicroFinish Non-Slip Grip | 23 |
|  | Drive-Loc VI Blades | 23 |
|  | Ball End Hex & Hex Inch/Metric | |
|  | Drive-Loc VI Blade Set | 23 |






Wiha TorqueControl Tools Index

| | DESCRIPTION | Page |
|---|------------------------|-------------|
|  | TorqueFix Handle | 24 |
|  | TorqueVario Handle | 24 |
|  | Hex Inch/Metric Blades | 24 |
|  | T-handle Torque Tools | 25 |
|  | Hex Inch/Metric Blades | 25 |







Wiha Bit Sets Index

| | DESCRIPTION | Page |
|---|------------------------|-------------|
|  | MicroBit Sets | 31 |
|  | Stubby Bit Holder Sets | 32 |
|  | Topra Bit Sets | 32 |
|  | Bit Selector Sets | 33 |
|  | Power Bit Belt Packs | 34 |
|  | XSelectors | 34 |
|  | PokitPaks | 34 |

Wiha Power & Insert Bits Index

| | DESCRIPTION | Page |
|--|--|-------------|
|  | MagicRing Hex Inch & Metric Insert/Power Bits | 33 |
|  | Hex Inch & Metric Insert/Power Bits | 35-37 |
|  | Security Bits Inch & Metric Insert/Power Bits | 36 |
|  | Ball End Hex Inch & Metric | 37 |
|  | Stainless Steel Metric | 36 |

Wiha Sockets & Sets Index

| | DESCRIPTION | Page |
|---|----------------------------------|-------------|
|  | Insulated Sockets | 22 |
|  | Hex Bit Sockets 1/4" Drive | 38-39 |
|  | Hex Bit Sockets 3/8" Drive | 39 |
|  | Ball End Sockets | 39 |
|  | 6" Bit Sockets 1/4" & 3/8" Drive | 38 |
|  | Socket Sets | 40 |

MagicRing Ball End Hex Keys

Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex Keys
CVM steel, hardened, hard chromed, screw holding

ProStar Holder (9-13 pc. Sets)
Sliding front detachable

ProStar Holder
Every key can be taken out separately without having to move another key

U.S. Patent 6,302,001 B1

Hard Chrome Finish

669 MagicRing Ball End Metric Hex L-key, Long

Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm | mm | mm | lbs. | pkg. | |
|------------------|------|-----|----|------|------|---------|
| 66904* | 1.5 | 90 | 14 | .01 | 10 | No Ring |
| 66908* | 2.0 | 99 | 16 | .01 | 10 | No Ring |
| 66912* | 2.5 | 111 | 18 | .01 | 10 | No Ring |
| MagicRing | | | | | | |
| 66916 | 3.0 | 125 | 20 | .02 | 10 | |
| 66920 | 4.0 | 138 | 25 | .04 | 10 | |
| 66924 | 5.0 | 158 | 28 | .07 | 10 | |
| 66928 | 6.0 | 178 | 32 | .12 | 10 | |
| 66936 | 8.0 | 198 | 36 | .23 | 10 | |
| 66944 | 10.0 | 221 | 40 | .40 | 10 | |

* Standard Ball - No Ring

Hard Chrome Finish

66990 9 Piece MagicRing Long Metric Ball End Hex L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm | mm | mm | mm | mm | lbs. |
|----------|--------|-----|-----|-------|------|------|
| 66990 | 66904* | 1.5 | 90 | 66924 | 5.0 | 158 |
| | 66908* | 2.0 | 99 | 66928 | 6.0 | 178 |
| | 66912* | 2.5 | 111 | 66936 | 8.0 | 197 |
| | 66916 | 3.0 | 125 | 66944 | 10.0 | 221 |
| | 66920 | 4.0 | 138 | | | |

* Standard Ball - No Ring

Screw Holding Hex Tools!

Hard Chrome Finish

669 MagicRing Ball End Inch Hex L-key, Long

Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch | Inch | Inch | lbs. | pkg. | |
|------------------|------|------|------|------|------|---------|
| 66945* | .050 | 2.8 | .5 | .01 | 10 | No Ring |
| 66946* | 1/16 | 3.1 | .6 | .01 | 10 | No Ring |
| 66947* | 5/64 | 3.5 | .7 | .01 | 10 | No Ring |
| 66950* | 3/32 | 3.9 | .7 | .01 | 10 | No Ring |
| 66952* | 7/64 | 4.3 | .7 | .02 | 10 | No Ring |
| MagicRing | | | | | | |
| 66953 | 1/8 | 4.6 | .8 | .02 | 10 | |
| 66955 | 9/64 | 5.2 | .9 | .03 | 10 | |
| 66956 | 5/32 | 5.7 | 1.0 | .04 | 10 | |
| 66959 | 3/16 | 6.2 | 1.1 | .06 | 10 | |
| 66962 | 7/32 | 6.7 | 1.2 | .09 | 10 | |
| 66965 | 1/4 | 7.3 | 1.2 | .13 | 10 | |
| 66968 | 5/16 | 8.0 | 1.4 | .22 | 10 | |
| 66971 | 3/8 | 8.8 | 1.6 | .36 | 10 | |

* Standard Ball - No Ring

Hard Chrome Finish

66991 13 Piece MagicRing Long Inch Ball End Hex L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch | Inch | Inch | Inch | lbs. |
|----------|--------|------|------|-------|----------|
| 66991 | 66945* | .050 | 2.8 | 66956 | 5/32 5.7 |
| | 66946* | 1/16 | 3.1 | 66959 | 3/16 6.2 |
| | 66947* | 5/64 | 3.5 | 66962 | 7/32 6.7 |
| | 66950* | 3/32 | 3.9 | 66965 | 1/4 7.3 |
| | 66952* | 7/64 | 4.3 | 66968 | 5/16 8.0 |
| | 66953 | 1/8 | 4.6 | 66971 | 3/8 8.8 |
| | 66955 | 9/64 | 5.2 | | |

* Standard Ball - No Ring


66992 22 Piece Combination MagicRing L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

| Item No. | lbs. |
|----------|---|
| 66992 | Set includes Inch & Metric: 2.21 |
| | 66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm |
| | 66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" |

* Standard Ball - No Ring

Metric Ball End Hex Keys Chrome Finish




669 Ball End Metric Hex L-key, Long Arm
Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm | mm | mm | lbs. | pkg. |
|----------|------|-----|----|------|------|
| 66904 | 1.5 | 90 | 14 | .004 | 10 |
| 66908 | 2.0 | 99 | 16 | .007 | 10 |
| 66912 | 2.5 | 111 | 18 | .012 | 10 |
| 66918 | 3.0 | 125 | 20 | .019 | 10 |
| 66922 | 4.0 | 138 | 25 | .042 | 10 |
| 66926 | 5.0 | 158 | 28 | .072 | 10 |
| 66930 | 6.0 | 178 | 32 | .12 | 10 |
| 66937 | 8.0 | 198 | 36 | .23 | 10 |
| 66938 | 10.0 | 221 | 40 | .40 | 10 |



66994 9 Piece Metric Ball End Hex Long L-key Set

| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm | lbs. .98 |
|----------|--|----------|
| 66994 | | |



66995 6 Piece Metric Ball End Hex Long L-key Set


| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm | lbs. .21 |
|----------|--|----------|
| 66995 | | |



66998 11 Piece Metric Ball End Hex Long L-key Set

| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm | lbs. 1.36 |
|----------|--|-----------|
| 66998 | | |

Inch Ball End Hex Keys Chrome Finish



369 Ball End Inch Hex L-key, Long Arm
Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|
| 36940 | .050 | 2.8 | .5 | .002 | 10 |
| 36941 | 1/16 | 3.1 | .6 | .004 | 10 |
| 36942 | 5/64 | 3.5 | .7 | .007 | 10 |
| 36943 | 3/32 | 3.9 | .7 | .010 | 10 |
| 36948 | 7/64 | 4.3 | .7 | .016 | 10 |
| 36949 | 1/8 | 4.6 | .8 | .021 | 10 |
| 36951 | 9/64 | 5.2 | .9 | .029 | 10 |
| 36954 | 5/32 | 5.7 | 1.0 | .035 | 10 |
| 36957 | 3/16 | 6.2 | 1.1 | .059 | 10 |
| 36958 | 7/32 | 6.7 | 1.2 | .092 | 10 |
| 36960 | 1/4 | 7.3 | 1.2 | .13 | 10 |
| 36961 | 5/16 | 8.0 | 1.4 | .22 | 10 |
| 36963 | 3/8 | 8.8 | 1.6 | .36 | 10 |



36998 13 Piece Inch Ball End Hex Long L-key Set, In Plastic Holder
Blade CVM steel, hardened, hard chrome finish.

| Item No. | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | lbs. 1.0 |
|----------|--|----------|
| 36998 | | |



66993 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy CVM steel, hardened, hard chrome finish. In molded Holders

| Item No | lbs. |
|---------|------|
| 66993 | 2.0 |

2 Sets with 22 L-keys include:
 Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
 Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

ErgoStar Ball End Hex Keys Chrome Finish



Fast Auto Open Key Holder

66996 9 Piece ErgoStar Metric Ball End Hex Long L-key Set

| | | |
|----------|---------------------------------------|-----------|
| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, | |
| 66996 | 6.0, 8.0, 10.0mm | lbs. 1.02 |



Fast Auto Open Key Holder



66988 13 Piece ErgoStar Inch Ball End Hex Long L-key Set

| | | |
|----------|--|-----------|
| Item No. | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, | |
| 66988 | 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | lbs. 1.08 |



Fast Auto Open Key Holder

66982 22 Piece ErgoStar Inch/Metric Ball End Hex Long L-key Set


| | | |
|----------|--|-----------|
| Item No. | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, | |
| 66982 | 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | lbs. 2.10 |
| | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, | |
| | 6.0, 8.0, 10.0mm | |



ErgoStar Inch Ball End L-key Set

- Patented ErgoStar auto open key holder
- Keys of chrome-vanadium-molybdenum steel
- 60HRC through hardened durability
- Hard chrome finish for best wear resistance

Stainless Steel Metric Ball End Hex Key



For angle entry

369 Stainless Steel Ball End Metric Hex L-key, Long Arm

Blade CVM steel, hardened, hard chrome finish.

| Item No. | mm | mm | mm | lbs. | pkg. |
|----------|------|-----|----|------|------|
| 36911 | 1.5 | 91 | 14 | .004 | 10 |
| 36913 | 2.0 | 101 | 18 | .007 | 10 |
| 36914 | 2.5 | 113 | 20 | .012 | 10 |
| 36915 | 3.0 | 128 | 23 | .020 | 10 |
| 36917 | 4.0 | 142 | 29 | .050 | 10 |
| 36918 | 5.0 | 163 | 33 | .074 | 10 |
| 36919 | 6.0 | 184 | 38 | .13 | 10 |
| 36921 | 8.0 | 206 | 44 | .25 | 10 |
| 36922 | 10.0 | 231 | 50 | .44 | 10 |



36988 9 Pc. Stainless Steel Ball End L-key Set

In molded ergo handle

| | | |
|----------|--|----------|
| Item No. | Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm | |
| 36988 | 6.0, 8.0, 10.0mm | lbs. .88 |

L-keys Black Finish Sets



Inch & Metric

36995 2 Pack Inch & Metric Ball End Hex L-key Sets

High alloy CVM steel, hardened, black finish. Molded ergonomic handle.

| | | |
|---------|---|-----------|
| Item No | 2 Sets with 22 L-keys include: | |
| 36995 | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm | lbs. 2.21 |
| | Sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | |



Inch & Metric

TORX

36696 3 Pack Inch & Metric Ball End Hex & TORX L-key Sets

High alloy CVM steel, hardened, black finish. Molded ergonomic handle.

| | | |
|---------|--|------|
| Item No | 3 Sets with Hex & TORX L-keys include: | |
| 36696 | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm | lbs. |
| | Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | |
| | TORX: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 | |


Metric Ball End Hex Keys Black Finish



Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex L-keys
Working angle up to 30°

See Short Arm L-keys on Page 19 & 20



For angle entry

369 Ball End Hex Metric L-key, Long Arm

Blade CVM steel, hardened, black finish.

| Item No. | mm | mm | mm | lbs. | pkg. |
|----------|------|-----|----|------|------|
| 36904 | 1.5 | 90 | 14 | .004 | 10 |
| 36908 | 2.0 | 99 | 16 | .007 | 10 |
| 36912 | 2.5 | 111 | 18 | .012 | 10 |
| 36916 | 3.0 | 125 | 20 | .019 | 10 |
| 36920 | 4.0 | 138 | 25 | .042 | 10 |
| 36924 | 5.0 | 158 | 28 | .072 | 10 |
| 36928 | 6.0 | 178 | 32 | .12 | 10 |
| 36936 | 8.0 | 198 | 36 | .23 | 10 |
| 36944 | 10.0 | 221 | 40 | .40 | 10 |



36990 9 Piece Metric Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. | mm | mm | mm | mm | lbs. |
|----------|-------|-----|-----|-------|----------|
| 36990 | 36904 | 1.5 | 90 | 36924 | 5.0 158 |
| | 36908 | 2.0 | 99 | 36928 | 6.0 178 |
| | 36912 | 2.5 | 111 | 36936 | 8.0 198 |
| | 36916 | 3.0 | 125 | 36944 | 10.0 221 |
| | 36920 | 4.0 | 138 | | |




36992 6 Piece Metric Ball End Long Hex L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. | mm | mm | mm | mm | lbs. |
|----------|-------|-----|-----|-------|---------|
| 36992 | 36904 | 1.5 | 90 | 36916 | 3.0 125 |
| | 36908 | 2.0 | 99 | 36920 | 4.0 138 |
| | 36912 | 2.5 | 111 | 36924 | 5.0 158 |

Inch Ball End Hex Keys Black Finish



For angle entry

369 Ball End Hex Inch L-key, Long Arm

Blade CVM steel, hardened, black finish.

| Item No. | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|
| 36945 | .050 | 2.8 | .5 | .002 | 10 |
| 36946 | 1/16 | 3.1 | .6 | .004 | 10 |
| 36947 | 5/64 | 3.5 | .7 | .007 | 10 |
| 36950 | 3/32 | 3.9 | .7 | .010 | 10 |
| 36952 | 7/64 | 4.3 | .7 | .016 | 10 |
| 36953 | 1/8 | 4.6 | .8 | .021 | 10 |
| 36955 | 9/64 | 5.2 | .9 | .029 | 10 |
| 36956 | 5/32 | 5.7 | 1.0 | .035 | 10 |
| 36959 | 3/16 | 6.2 | 1.1 | .059 | 10 |
| 36962 | 7/32 | 6.7 | 1.2 | .092 | 10 |
| 36965 | 1/4 | 7.3 | 1.2 | .13 | 10 |
| 36968 | 5/16 | 8.0 | 1.4 | .22 | 10 |
| 36971 | 3/8 | 8.8 | 1.6 | .36 | 10 |



36991 13 Piece Inch Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. | lbs. |
|----------|------|
| 36991 | 1.0 |

13 pc. set includes:
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



36993 8 Piece Inch Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. | lbs. |
|----------|------|
| 36993 | .62 |

8 pc. set includes:
5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

Wiha MagicRing Screw Holding T-handle

Hole for hanging

Proportioned ergonomic handle designed for high torque

Handle is molded directly onto blade

Blade CVM tool steel, hardened, hard chrome finish

Smooth edges prevent injuries & eliminate pressure marks

Screw Holding Hex Tools

540 MagicRing Hex Metric Ball End, With Wiha T-handle
Blade CVM steel, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

| Item No. | mm | mm | mm | mm | Inch | lbs. | pkg. |
|----------|------|-----|-----|-----|------|------|------|
| 54040 | 4.0 | 150 | 80 | 176 | 6.9 | .08 | 10 |
| 54050 | 5.0 | 150 | 100 | 182 | 7.1 | .14 | 10 |
| 54060 | 6.0 | 150 | 100 | 182 | 7.1 | .17 | 10 |
| 54080 | 8.0 | 200 | 100 | 232 | 9.1 | .29 | 10 |
| 54086 | 10.0 | 200 | 120 | 238 | 9.3 | .49 | 10 |

540 MagicRing Hex Inch Ball End, With Wiha T-handle
Blade CVM steel, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Inch | Inch | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|------|
| 54012 | 5/32 | 5.8 | 2.8 | 6.9 | .08 | 10 |
| 54014 | 3/16 | 5.8 | 4.0 | 7.2 | .14 | 10 |
| 54016 | 7/32 | 5.8 | 4.0 | 7.2 | .16 | 10 |
| 54018 | 1/4 | 5.8 | 4.0 | 7.2 | .19 | 10 |
| 54022 | 5/16 | 7.8 | 4.0 | 7.2 | .29 | 10 |
| 54024 | 3/8 | 7.8 | 4.7 | 7.5 | .45 | 10 |



54090 5 Piece MagicRing Ball End T-handle Set, Metric Sizes
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

| Item No. | mm | mm | mm | mm | mm | lbs. | |
|----------|-------|-----|-----|-------|------|------|------|
| 54090 | 54040 | 4.0 | 150 | 54080 | 8.0 | 200 | 1.49 |
| | 54050 | 5.0 | 150 | 54086 | 10.0 | 200 | |
| | 54060 | 6.0 | 150 | | | | |



54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Inch | Inch | Inch | Inch | Inch | lbs. | |
|----------|-------|------|------|-------|------|------|------|
| 54091 | 54012 | 5/32 | 5.8 | 54018 | 1/4 | 5.8 | 1.59 |
| | 54014 | 3/16 | 5.8 | 54022 | 5/16 | 7.8 | |
| | 54016 | 7/32 | 5.8 | 54024 | 3/8 | 7.8 | |

Wiha Soft Grip Dual Drive T-handle

Two Tools In One!

Two component soft grip handle

Ball & Standard Hex In One Powerful Tool

Ball Hex - Blade CVM tool steel, through hardened durability, hard chrome finish

Maximum Comfort & Maximum Power

Hard Chrome Finish

For angle entry

- CVM steel, hardened, hard chrome finish
- Ball tip for speed & easy insertion
- Wiha soft grip are molded on and include through the handle side torque drive.

540 Soft Grip Ball End Hex Metric Dual Drive T-handle

| Item No. | mm | mm | Tip | lbs. | pkg. |
|----------|------|-----|------|------|------|
| 54020 | 2.0 | 150 | Ball | .06 | 10 |
| 54025 | 2.5 | 150 | Ball | .06 | 10 |
| 54030 | 3.0 | 150 | Ball | .07 | 10 |
| 54042 | 4.0 | 150 | Ball | .09 | 10 |
| 54052 | 5.0 | 150 | Ball | .18 | 10 |
| 54062 | 6.0 | 150 | Ball | .21 | 10 |
| 54082 | 8.0 | 200 | Ball | .35 | 10 |
| 54088 | 10.0 | 200 | Ball | .55 | 10 |


54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand

| Item No. | mm | mm | mm | mm | lbs. | | |
|----------|-------|-----|-----|-------|------|-----|------|
| 54095 | 54020 | 2.0 | 150 | 54052 | 5.0 | 150 | 1.90 |
| | 54025 | 2.5 | 150 | 54062 | 6.0 | 150 | |
| | 54030 | 3.0 | 150 | 54082 | 8.0 | 200 | |
| | 54042 | 4.0 | 150 | 54088 | 10.0 | 200 | |

54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set
 Blade chrome-vanadium-molybdenum steel, hardened, chrome finish.
 Wiha soft grips are molded on with through the handle side torque drive.

In metal stand

| Item No. | mm | mm | lbs. | |
|----------|-------|------|------|------|
| 54092 | 54020 | 2.0 | 150 | 3.34 |
| | 54025 | 2.5 | 150 | |
| | 54030 | 3.0 | 150 | |
| | 54042 | 4.0 | 150 | |
| | 54052 | 5.0 | 150 | |
| | 54062 | 6.0 | 150 | |
| | 54082 | 8.0 | 200 | |
| | 54088 | 10.0 | 200 | |



540 Soft Grip Ball End Hex Inch Dual Drive T-handle CVM steel, hardened, hard chrome finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | Inch | Inch | Tip | lbs. | pkg. |
|----------|------|------|------|------|------|
| 54007 | 3/32 | 5.9 | Ball | .06 | 10 |
| 54008 | 7/64 | 5.9 | Ball | .07 | 10 |
| 54009 | 1/8 | 5.9 | Ball | .08 | 10 |
| 54010 | 9/64 | 5.9 | Ball | .08 | 10 |
| 54001 | 5/32 | 5.9 | Ball | .09 | 10 |
| 54002 | 3/16 | 5.9 | Ball | .17 | 10 |
| 54003 | 7/32 | 5.9 | Ball | .20 | 10 |
| 54004 | 1/4 | 5.9 | Ball | .23 | 10 |
| 54005 | 5/16 | 7.9 | Ball | .35 | 10 |
| 54006 | 3/8 | 7.9 | Ball | .51 | 10 |

54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand

| Item No. | Inch | Inch | Inch | Inch | lbs. | | |
|----------|-------|------|------|-------|------|-----|------|
| 54097 | 54007 | 3/32 | 5.9 | 54002 | 3/16 | 5.9 | 2.15 |
| | 54008 | 7/64 | 5.9 | 54003 | 7/32 | 5.9 | |
| | 54009 | 1/8 | 5.9 | 54004 | 1/4 | 5.9 | |
| | 54010 | 9/64 | 5.9 | 54005 | 5/16 | 7.9 | |
| | 54001 | 5/32 | 5.9 | 54006 | 3/8 | 7.9 | |



54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set
 Blade chrome-vanadium-molybdenum steel, hardened, chrome finish.
 Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | Inch | Inch | Inch | Inch | lbs. | | |
|----------|-------|------|------|-------|------|-----|------|
| 54094 | 54009 | 1/8 | 5.9 | 54003 | 7/32 | 5.9 | 3.37 |
| | 54010 | 9/64 | 5.9 | 54004 | 1/4 | 5.9 | |
| | 54001 | 5/32 | 5.9 | 54005 | 5/16 | 5.9 | |
| | 54002 | 3/16 | 5.9 | 54006 | 3/8 | 7.9 | |

Soft Grip Dual Drive T-handle - Black Finish



Black Finish

334 **Soft Grip Ball End Hex Metric Dual Drive T-handle** CVM steel, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grip are molded on with through the handle side torque drive.

| Item No. | mm | mm | lbs. | pkg. |
|----------|------|-----|------|------|
| 33442* | 2.0 | 150 | .06 | 10 |
| 33444* | 2.5 | 150 | .06 | 10 |
| 33446* | 3.0 | 150 | .07 | 10 |
| 33448 | 4.0 | 150 | .09 | 10 |
| 33450 | 5.0 | 150 | .18 | 10 |
| 33452 | 6.0 | 150 | .21 | 10 |
| 33454 | 8.0 | 200 | .35 | 10 |
| 33458 | 10.0 | 200 | .55 | 10 |

*No Ball - Standard Hex



33496 8 Pc. Ball End Hex Metric Soft Grip T-handle Set

Blade CVM steel, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

| Item No. | mm | mm | mm | mm | lbs. | | |
|----------|--------|-----|-----|-------|------|-----|------|
| 33496 | 33442* | 2.0 | 150 | 33450 | 5.0 | 150 | 2.04 |
| | 33444* | 2.5 | 150 | 33452 | 6.0 | 150 | |
| | 33446* | 3.0 | 150 | 33454 | 8.0 | 200 | |
| | 33448 | 4.0 | 150 | 33458 | 10.0 | 200 | |

*No Ball - Standard Hex


33489 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | mm | mm | lbs. | |
|----------|--------|------|------|------|
| 33489 | 33442* | 2.0 | 150 | 3.33 |
| | 33444* | 2.5 | 150 | |
| | 33446* | 3.0 | 150 | |
| | 33448 | 4.0 | 150 | |
| | 33450 | 5.0 | 150 | |
| | 33452 | 6.0 | 150 | |
| | 33454 | 8.0 | 200 | |
| | 33458 | 10.0 | 200 | |

In metal stand

*No Ball - Standard Hex



Black Finish

334 **Soft Grip Ball End Hex Inch Dual Drive T-handle** CVM steel, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|
| 33418* | 5/64 | 5.9 | .06 | 10 |
| 33420* | 3/32 | 5.9 | .06 | 10 |
| 33422* | 7/64 | 5.9 | .07 | 10 |
| 33424* | 1/8 | 5.9 | .08 | 10 |
| 33426* | 9/64 | 5.9 | .08 | 10 |
| 33428 | 5/32 | 5.9 | .09 | 10 |
| 33430 | 3/16 | 5.9 | .17 | 10 |
| 33432 | 7/32 | 5.9 | .20 | 10 |
| 33433 | 1/4 | 5.9 | .23 | 10 |
| 33439 | 5/16 | 7.9 | .35 | 10 |
| 33440 | 3/8 | 7.9 | .51 | 10 |

*No Ball - Standard Hex

33494 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

| Item No. | Inch | Inch | Inch | Inch | lbs. | | |
|----------|--------|------|------|-------|------|-----|------|
| 33494 | 33418* | 5/64 | 5.9 | 33430 | 3/16 | 5.9 | 2.39 |
| | 33420* | 3/32 | 5.9 | 33432 | 7/32 | 5.9 | |
| | 33422* | 7/64 | 5.9 | 33433 | 1/4 | 5.9 | |
| | 33424* | 1/8 | 5.9 | 33439 | 5/16 | 7.9 | |
| | 33426* | 9/64 | 5.9 | 33440 | 3/8 | 7.9 | |
| | 33428 | 5/32 | 5.9 | | | | |

*No Ball - Standard Hex

33498 8 Piece Ball End Hex Inch Soft Grip T-handle Set

| Item No. | Inch | Inch | Inch | Inch | lbs. | | |
|----------|--------|------|------|-------|------|-----|------|
| 33498 | 33424* | 1/8 | 5.9 | 33432 | 7/32 | 5.9 | 2.15 |
| | 33426* | 9/64 | 5.9 | 33433 | 1/4 | 5.9 | |
| | 33428 | 5/32 | 5.9 | 33439 | 5/16 | 7.9 | |
| | 33430 | 3/16 | 5.9 | 33440 | 3/8 | 7.9 | |

*No Ball - Standard Hex

33499 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

| Item No. | Inch | Inch | lbs. | |
|----------|--------|------|------|------|
| 33499 | 33424* | 1/8 | 5.9 | 3.46 |
| | 33426* | 9/64 | 5.9 | |
| | 33428 | 5/32 | 5.9 | |
| | 33430 | 3/16 | 5.9 | |
| | 33432 | 7/32 | 5.9 | |
| | 33433 | 1/4 | 5.9 | |
| | 33439 | 5/16 | 7.9 | |
| | 33440 | 3/8 | 7.9 | |

In metal stand

*No Ball - Standard Hex

Wiha T-handle Hex Tools

Ergonomic handle design for high torque

Hole for hanging



Handle is molded directly onto blade

Smooth edges prevent injuries & eliminate pressure marks

Blade CVM tool steel, hardened, nickel-plated

Yellow = Inch
Red = Metric



33492 10 Piece Hex Driver T-handle Set, Inch Sizes

| Item No. | Hex Size | Length (Inch) | Weight (lbs.) |
|----------|----------|---------------|---------------|
| 33453 | 3/32 | 6.0 | 1.74 |
| 33456 | 7/64 | 6.0 | |
| 33459 | 1/8 | 6.0 | |
| 33462 | 9/64 | 6.0 | |
| 33465 | 5/32 | 6.0 | |
| 33468 | 3/16 | 6.0 | |
| 33471 | 7/32 | 6.0 | |
| 33474 | 1/4 | 6.0 | |
| 33477 | 5/16 | 6.0 | |
| 33480 | 3/8 | 6.0 | |

334 Hex Inch & Metric Drivers, With Wiha T-handle Chamfered tip for easy insertion. Wiha-T-handle high quality plastic, impact resistant.

| Item No. | Hex Size | Length (Inch) | Weight (lbs.) | Pkg. |
|----------|----------|---------------|---------------|------|
| 33453 | 3/32 | 6.0 | .05 | 10 |
| 33456 | 7/64 | 6.0 | .05 | 10 |
| 33459 | 1/8 | 6.0 | .06 | 10 |
| 33462 | 9/64 | 6.0 | .07 | 10 |
| 33465 | 5/32 | 6.0 | .08 | 10 |
| 33468 | 3/16 | 6.0 | .13 | 10 |
| 33471 | 7/32 | 6.0 | .16 | 10 |
| 33474 | 1/4 | 6.0 | .18 | 10 |
| 33477 | 5/16 | 6.0 | .25 | 10 |
| 33480 | 3/8 | 6.0 | .39 | 10 |
| 33401 | 2.0 | 100 | .05 | 10 |
| 33436 | 2.0 | 200 | .05 | 10 |
| 33402 | 2.5 | 100 | .05 | 10 |
| 33437 | 2.5 | 200 | .08 | 10 |
| 33403 | 3.0 | 100 | .05 | 10 |
| 33404 | 3.0 | 150 | .08 | 10 |
| 33405 | 3.0 | 200 | .09 | 10 |
| 33435 | 3.0 | 350 | .22 | 10 |
| 33406 | 4.0 | 100 | .07 | 10 |
| 33407 | 4.0 | 150 | .10 | 10 |
| 33408 | 4.0 | 200 | .09 | 10 |
| 33438 | 4.0 | 350 | .26 | 10 |
| 33409 | 5.0 | 100 | .13 | 10 |
| 33410 | 5.0 | 150 | .17 | 10 |
| 33411 | 5.0 | 200 | .16 | 10 |
| 33412 | 5.0 | 350 | .26 | 10 |
| 33413 | 5.0 | 450 | .53 | 10 |
| 33414 | 6.0 | 100 | .14 | 10 |
| 33415 | 6.0 | 150 | .18 | 10 |
| 33416 | 6.0 | 200 | .20 | 10 |
| 33417 | 6.0 | 350 | .32 | 10 |
| 33419 | 7.0 | 200 | .22 | 10 |
| 33421 | 8.0 | 100 | .20 | 10 |
| 33423 | 8.0 | 200 | .29 | 10 |
| 33434 | 8.0 | 350 | .48 | 10 |
| 33425 | 10.0 | 100 | .34 | 10 |
| 33427 | 10.0 | 200 | .49 | 10 |
| 33429 | 12.0 | 200 | .58 | 10 |



33493 8 Piece Hex Driver T-handle Set, Metric Sizes

| Item No. | Hex Size (mm) | Length (mm) | Weight (lbs.) |
|----------|---------------|-------------|---------------|
| 33401 | 2.0 | 100 | 1.64 |
| 33402 | 2.5 | 100 | |
| 33403 | 3.0 | 100 | |
| 33406 | 4.0 | 100 | |
| 33409 | 5.0 | 100 | |
| 33416 | 6.0 | 200 | |
| 33423 | 8.0 | 200 | |
| 33427 | 10.0 | 200 | |



33484 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand

| Item No. | Hex Size | Length (Inch) | Weight (lbs.) |
|----------|----------|---------------|---------------|
| 33459 | 1/8 | 6.0 | 3.07 |
| 33462 | 9/64 | 6.0 | |
| 33465 | 5/32 | 6.0 | |
| 33468 | 3/16 | 6.0 | |
| 33471 | 7/32 | 6.0 | |
| 33474 | 1/4 | 6.0 | |
| 33477 | 5/16 | 6.0 | |
| 33480 | 3/8 | 6.0 | |

33488 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand

| Item No. | Hex Size (mm) | Length (mm) | Weight (lbs.) |
|----------|---------------|-------------|---------------|
| 33401 | 2.0 | 100 | 3.07 |
| 33402 | 2.5 | 100 | |
| 33403 | 3.0 | 100 | |
| 33406 | 4.0 | 100 | |
| 33410 | 5.0 | 150 | |
| 33415 | 6.0 | 150 | |
| 33423 | 8.0 | 200 | |
| 33427 | 10.0 | 200 | |

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Screw Holding

Cushioned grip and extra large diameter to achieve high torque

Flat surfaces give roll-off protection

molded on handle for permanent bond


Hard Chrome Finish

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | Hex | Inch | Inch | mm | mm | lbs. | pkg. |
|----------------|------|------|------|-----|-----|------|------|
| 36710* | .050 | 3.1 | 80 | 179 | .06 | 10 | |
| 36713* | 1/16 | 3.1 | 80 | 204 | .06 | 10 | |
| 36716* | 5/64 | 3.9 | 100 | 204 | .07 | 10 | |
| 36719* | 3/32 | 3.9 | 100 | 204 | .07 | 10 | |
| 36723* | 7/64 | 3.9 | 100 | 211 | .07 | 10 | |
| With MagicRing | | | | | | | |
| 36726 | 1/8 | 3.9 | 100 | 243 | .12 | 10 | |
| 36728 | 9/64 | 3.9 | 100 | 243 | .12 | 10 | |
| 36732 | 5/32 | 5.0 | 125 | 271 | .12 | 10 | |
| 36734 | 3/16 | 6.0 | 150 | 271 | .16 | 10 | |
| 36736 | 7/32 | 6.0 | 150 | 271 | .23 | 10 | |
| 36738 | 1/4 | 6.0 | 150 | 271 | .25 | 10 | |
| 36742 | 5/16 | 8.0 | 200 | 271 | .37 | 10 | |
| 36744 | 3/8 | 8.0 | 200 | 271 | .54 | 10 | |

* Standard Ball - No Ring



36793 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | Hex | Inch | Inch | Hex | Inch | Inch | lbs. |
|----------|-------|------|------|-------|------|------|------|
| 36793 | 36726 | 1/8 | 4.0 | 36736 | 7/32 | 6.0 | 2.25 |
| | 36728 | 9/64 | 4.0 | 36738 | 1/4 | 6.0 | |
| | 36732 | 5/32 | 5.0 | 36742 | 5/16 | 8.0 | |
| | 36734 | 3/16 | 6.0 | 36744 | 3/8 | 8.0 | |

Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!




36791 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | Hex | Inch | Inch | Hex | Inch | Inch | lbs. |
|----------|--------|------|------|-------|------|------|------|
| 36791 | 36710* | .050 | 3.0 | 36732 | 5/32 | 5.0 | 2.58 |
| | 36713* | 1/16 | 3.0 | 36734 | 3/16 | 6.0 | |
| | 36716* | 5/64 | 4.0 | 36736 | 7/32 | 6.0 | |
| | 36719* | 3/32 | 4.0 | 36738 | 1/4 | 6.0 | |
| | 36723* | 7/64 | 4.0 | 36742 | 5/16 | 8.0 | |
| | 36726 | 1/8 | 4.0 | 36744 | 3/8 | 8.0 | |
| | 36728 | 9/64 | 4.0 | | | | |

* Standard Ball - No Ring



36794 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | Hex | Inch | Inch | Hex | Inch | Inch | lbs. |
|----------|-------|------|------|-------|------|------|------|
| 36794 | 36726 | 1/8 | 4.0 | 36734 | 3/16 | 6.0 | 1.34 |
| | 36728 | 9/64 | 4.0 | 36736 | 7/32 | 6.0 | |
| | 36732 | 5/32 | 5.0 | 36738 | 1/4 | 6.0 | |

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | mm | mm | mm | lbs. | pkg. |
|-----------------------|------|-----|-----|------|------|
| 36715* | 1.5 | 75 | 179 | .06 | 10 |
| 36720* | 2.0 | 100 | 204 | .07 | 10 |
| 36725* | 2.5 | 100 | 204 | .07 | 10 |
| With MagicRing | | | | | |
| 36730 | 3.0 | 100 | 204 | .07 | 10 |
| 36740 | 4.0 | 125 | 211 | .12 | 10 |
| 36750 | 5.0 | 150 | 243 | .16 | 10 |
| 36760 | 6.0 | 150 | 243 | .23 | 10 |
| 36780 | 8.0 | 200 | 268 | .37 | 10 |
| 36786 | 10.0 | 200 | 271 | .54 | 10 |

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | mm | mm | mm | mm | lbs. | | |
|----------|--------|-----|-----|-------|------|-----|------|
| 36790 | 36715* | 1.5 | 75 | 36750 | 5.0 | 150 | 2.06 |
| | 36720* | 2.0 | 100 | 36760 | 6.0 | 150 | |
| | 36725* | 2.5 | 100 | 36780 | 8.0 | 200 | |
| | 36730 | 3.0 | 100 | 36786 | 10.0 | 200 | |
| | 36740 | 4.0 | 125 | | | | |

* Standard Ball - No Ring





36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | mm | mm | mm | mm | lbs. | | |
|----------|-------|-----|-----|-------|------|-----|------|
| 36792 | 36730 | 3.0 | 100 | 36760 | 6.0 | 150 | 1.86 |
| | 36740 | 4.0 | 125 | 36780 | 8.0 | 200 | |
| | 36750 | 5.0 | 150 | 36786 | 10.0 | 200 | |

Wiha Ball End 3K Series Drivers & Sets




Inch / Soft Grip

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles


Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

| Item No. | Hex | Inch | Inch | lbs. | pkg. |
|----------|------|------|------|------|------|
| 46702 | .050 | 2.9 | 6.3 | .07 | 10 |
| 46704 | 1/16 | 2.9 | 6.3 | .07 | 10 |
| 46706 | 5/64 | 3.9 | 7.3 | .07 | 10 |
| 46708 | 3/32 | 3.9 | 7.3 | .07 | 10 |
| 46710 | 7/64 | 3.9 | 7.3 | .07 | 10 |
| 46712 | 1/8 | 3.9 | 7.7 | .09 | 10 |
| 46714 | 9/64 | 3.9 | 7.7 | .10 | 10 |
| 46716 | 5/32 | 3.9 | 7.7 | .11 | 10 |
| 46718 | 3/16 | 3.9 | 7.7 | .12 | 10 |
| 46722 | 7/32 | 5.9 | 10.0 | .19 | 10 |
| 46724 | 1/4 | 5.9 | 10.0 | .22 | 10 |
| 46726 | 5/16 | 7.9 | 12.0 | .34 | 10 |
| 46728 | 3/8 | 7.9 | 12.5 | .48 | 10 |



46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

| Item No. | Hex | Inch | Inch | lbs. |
|----------|-------|------|------|------|
| 46793 | 46702 | .050 | 2.9 | 1.19 |
| | 46704 | 1/16 | 2.9 | |
| | 46706 | 5/64 | 3.9 | |
| | 46708 | 3/32 | 3.9 | |
| | 46710 | 7/64 | 3.9 | |
| | 46712 | 1/8 | 3.9 | |
| | 46714 | 9/64 | 3.9 | |
| | 46716 | 5/32 | 3.9 | |



46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set



Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

| Item No. | Hex | Inch | Inch | lbs. |
|----------|-------|------|------|------|
| 46797 | 46702 | .050 | 2.9 | 2.40 |
| | 46704 | 1/16 | 2.9 | |
| | 46706 | 5/64 | 3.9 | |
| | 46708 | 3/32 | 3.9 | |
| | 46710 | 7/64 | 3.9 | |
| | 46712 | 1/8 | 3.9 | |
| | 46714 | 9/64 | 3.9 | |
| | 46716 | 5/32 | 3.9 | |
| | 46718 | 3/16 | 2.9 | |
| | 46722 | 7/32 | 5.9 | |
| | 46724 | 1/4 | 5.9 | |
| | 46726 | 5/16 | 7.9 | |
| | 46728 | 3/8 | 7.9 | |




46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

| Item No. | Hex | Inch | Inch | lbs. |
|----------|-------|------|------|------|
| 46794 | 46712 | 1/8 | 3.9 | .97 |
| | 46714 | 9/64 | 3.9 | |
| | 46716 | 5/32 | 3.9 | |
| | 46718 | 3/16 | 3.9 | |
| | 46722 | 7/32 | 5.9 | |
| | 46724 | 1/4 | 5.9 | |

 Yellow = Inch
 Red = Metric

Wiha Ball End 3K Series Drivers & Sets

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

| Item | Hex | Inch | mm | mm | lbs. | pkg. |
|-------|------|------|-----|-----|------|------|
| No. | mm | mm | mm | mm | lbs. | pkg. |
| 46715 | 1.5 | 75 | 161 | .07 | 10 | |
| 46720 | 2.0 | 100 | 186 | .07 | 10 | |
| 46725 | 2.5 | 100 | 186 | .07 | 10 | |
| 46730 | 3.0 | 100 | 186 | .07 | 10 | |
| 46740 | 4.0 | 100 | 197 | .11 | 10 | |
| 46750 | 5.0 | 100 | 197 | .13 | 10 | |
| 46760 | 6.0 | 150 | 257 | .21 | 10 | |
| 46780 | 8.0 | 200 | 307 | .34 | 10 | |
| 46786 | 10.0 | 200 | 319 | .52 | 10 | |

Yellow = Inch
Red = Metric



46796 7 Piece Metric Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

| Item | Hex | Inch | mm | mm | lbs. | | |
|-------|-------|------|-----|-------|------|-----|------|
| No. | mm | mm | mm | mm | lbs. | | |
| 46796 | 46715 | 1.5 | 75 | 46740 | 4.0 | 100 | 1.15 |
| | 46720 | 2.0 | 100 | 46750 | 5.0 | 100 | |
| | 46725 | 2.5 | 100 | 46760 | 6.0 | 150 | |
| | 46730 | 3.0 | 100 | | | | |



46799 9 Piece Metric Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.


| Item | Hex | Inch | mm | mm | lbs. | | |
|-------|-------|------|-----|-------|------|-----|------|
| No. | mm | mm | mm | mm | lbs. | | |
| 46799 | 46715 | 1.5 | 75 | 46750 | 5.0 | 100 | 1.93 |
| | 46720 | 2.0 | 100 | 46760 | 6.0 | 150 | |
| | 46725 | 2.5 | 100 | 46780 | 8.0 | 200 | |
| | 46730 | 3.0 | 100 | 46786 | 10.0 | 200 | |
| | 46740 | 4.0 | 100 | | | | |

Wiha PocketStar Fold-Ups



Push button key release

36997 9 Piece MagicRing Inch PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.


| | |
|---|---|
| Item No. |  |
| 36997 PocketStar | lbs. .46 |
| Inch: 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" | |

* Standard Ball - No Ring



Push button key release


36996 7 Piece MagicRing Metric PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

| | |
|--|---|
| Item No. |  |
| 36996 PocketStar | lbs. .50 |
| Metric: 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm | |

* Standard Ball - No Ring




66997 2 Pack MagicRing PocketStar Fold Outs Inch & Metric
High alloy CVM steel, hardened, molded ergonomic handle.

| | |
|--|---|
| Item No. |  |
| 66997 Fold Outs Inch/Metric Includes: | lbs. .98 |
| 36996 - 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm | |
| 36997 - 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" | |


* Standard Ball - No Ring



35195 7 Piece Metric Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.


| | |
|--|---|
| Item No. |  |
| 35195 PocketStar | lbs. .51 |
| Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm | |

35196 7 Piece Metric Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

| | |
|--|---|
| Item No. |  |
| 35196 PocketStar | lbs. .31 |
| Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm | |




35197 9 Piece Inch Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.


| | |
|--|---|
| Item No. |  |
| 35197 PocketStar | lbs. .47 |
| Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" | |



35198 6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

| | |
|---|---|
| Item No. |  |
| 35198 PocketStar | lbs. .35 |
| Slotted: 5.5mm Phillips: #2 | |
| Metric: 3.0, 4.0, 5.0, 6.0mm | |








Nickel-Plated Long Arm Hex L-keys




Nickel-Plated

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Metric L-key Hex, Long Arm high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.







| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | lbs. | pkg. |
| 35201 | 1.5 | 89 | 3.5 | 14 | .6 | .01 | 10 |
| 35202 | 2.0 | 99 | 3.9 | 16 | .6 | .01 | 10 |
| 35204 | 2.5 | 110 | 4.3 | 18 | .7 | .02 | 10 |
| 35206 | 3.0 | 124 | 4.9 | 20 | .8 | .02 | 10 |
| 35208 | 4.0 | 138 | 5.4 | 25 | 1.0 | .04 | 10 |
| 35210 | 5.0 | 158 | 6.2 | 28 | 1.1 | .07 | 10 |
| 35211 | 6.0 | 178 | 7.0 | 32 | 1.3 | .12 | 10 |
| 35212 | 7.0 | 187 | 7.4 | 34 | 1.3 | .17 | 10 |
| 35214 | 8.0 | 196 | 7.7 | 36 | 1.4 | .23 | 10 |
| 35217 | 10.0 | 219 | 8.6 | 40 | 1.6 | .40 | 10 |
| 35219 | 12.0 | 245 | 9.6 | 45 | 1.8 | .77 | 1 |
| 35221 | 14.0 | 277 | 10.9 | 56 | 2.2 | 1.12 | 1 |
| 35223 | 17.0 | 316 | 12.4 | 63 | 2.5 | 1.80 | 1 |
| 35227 | 19.0 | 355 | 14.0 | 70 | 2.8 | 2.46 | 1 |




Nickel-Plated

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.


352 Inch L-key Hex, Long Arm

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | Inch | mm | Inch | lbs. | pkg. | |
| 35231 | .050 | 75 | 3.0 | .01 | 10 | |
| 35233 | 1/16 | 78 | 3.1 | .01 | 10 | |
| 35235 | 5/64 | 82 | 3.2 | .01 | 10 | |
| 35237 | 3/32 | 85 | 3.3 | .01 | 10 | |
| 35239 | 7/64 | 92 | 3.6 | .01 | 10 | |
| 35241 | 1/8 | 95 | 3.7 | .02 | 10 | |
| 35243 | 9/64 | 100 | 3.9 | .03 | 10 | |
| 35251 | 5/32 | 105 | 4.1 | .03 | 10 | |
| 35252 | 3/16 | 113 | 4.4 | .05 | 10 | |
| 35253 | 7/32 | 122 | 4.8 | .07 | 10 | |
| 35254 | 1/4 | 135 | 5.3 | .10 | 10 | |
| 35255 | 5/16 | 152 | 6.0 | .18 | 10 | |
| 35256 | 3/8 | 173 | 6.8 | .30 | 10 | |
| 35257 | 1/2 | 209 | 8.2 | .77 | 1 | |
| 35258 | 9/16 | 230 | 9.1 | 1.04 | 1 | |
| 35259 | 5/8 | 245 | 9.6 | 1.27 | 1 | |
| 35261 | 3/4 | 286 | 11.3 | 2.01 | 1 | |



35297 9 Piece Metric Hex L-key Set, In Plastic Holder


Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 35297 | 1.00 | 1 |



35295 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 35295 | .90 | 1 |



Black Finish Long Arm Hex L-keys



Black Finish



35290 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

| Item | lbs. | pkg. |
|-------|------|------|
| 35290 | .97 | 1 |

352 Metric L-key Hex Metric, Long Arm, high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

| Item No. | mm | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35200 | 0.7 | 66 | 2.6 | 5 | .2 | .01 | 10 |
| 35203 | 0.9 | 68 | 2.7 | 8 | .3 | .01 | 10 |
| 35205 | 1.3 | 72 | 2.8 | 12 | .5 | .01 | 10 |
| 35215 | 1.5 | 76 | 3.5 | 14 | .6 | .01 | 10 |
| 35220 | 2.0 | 99 | 3.9 | 16 | .6 | .01 | 10 |
| 35225 | 2.5 | 110 | 4.3 | 18 | .7 | .02 | 10 |
| 35230 | 3.0 | 124 | 4.9 | 20 | .8 | .02 | 10 |
| 35240 | 4.0 | 138 | 5.4 | 25 | 1.0 | .04 | 10 |
| 35250 | 5.0 | 158 | 6.2 | 28 | 1.1 | .07 | 10 |
| 35260 | 6.0 | 178 | 7.0 | 32 | 1.3 | .12 | 10 |
| 35270 | 7.0 | 187 | 7.4 | 34 | 1.3 | .18 | 10 |
| 35280 | 8.0 | 196 | 7.7 | 36 | 1.4 | .24 | 10 |
| 35282 | 10.0 | 219 | 8.6 | 40 | 1.6 | .40 | 10 |
| 35284 | 12.0 | 245 | 9.6 | 45 | 1.8 | .77 | 1 |
| 35285 | 14.0 | 277 | 10.9 | 56 | 2.2 | 1.13 | 1 |
| 35286 | 17.0 | 316 | 12.4 | 63 | 2.5 | 1.80 | 1 |
| 35288 | 19.0 | 355 | 14.0 | 70 | 2.8 | 2.45 | 1 |



Black Finish



35291 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

| Item | lbs. | pkg. |
|-------|------|------|
| 35291 | .98 | 1 |


352 Inch L-key Hex, Long Arm

| Item No. | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|------|------|
| 35200 | .028 | 67 | 2.6 | .01 | 10 |
| 35203 | .035 | 69 | 2.7 | .01 | 10 |
| 35213 | .050 | 75 | 3.0 | .01 | 10 |
| 35216 | 1/16 | 78 | 3.1 | .01 | 10 |
| 35218 | 5/64 | 82 | 3.2 | .01 | 10 |
| 35222 | 3/32 | 85 | 3.3 | .01 | 10 |
| 35224 | 7/64 | 92 | 3.6 | .02 | 10 |
| 35226 | 1/8 | 95 | 3.7 | .02 | 10 |
| 35228 | 9/64 | 100 | 3.9 | .03 | 10 |
| 35232 | 5/32 | 105 | 4.1 | .04 | 10 |
| 35234 | 3/16 | 113 | 4.4 | .05 | 10 |
| 35236 | 7/32 | 122 | 4.8 | .07 | 10 |
| 35238 | 1/4 | 135 | 5.3 | .10 | 10 |
| 35242 | 5/16 | 152 | 6.0 | .18 | 10 |
| 35244 | 3/8 | 173 | 6.8 | .30 | 10 |
| 35245 | 1/2 | 209 | 8.2 | .75 | 1 |
| 35246 | 9/16 | 230 | 9.1 | .99 | 1 |
| 35247 | 5/8 | 245 | 9.6 | 1.26 | 1 |
| 35248 | 3/4 | 286 | 11.3 | 2.02 | 1 |
| 35249 | 1" | 359 | 14.1 | 4.38 | 1 |

Short Arm Hex L-keys Nickel Finish



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.




Nickel-Plated

351 Metric L-key Hex Metric, Short Arm high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

| Item No. | mm | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35104 | 1.5 | 45 | 1.8 | 14 | .6 | .01 | 10 |
| 35108 | 2.0 | 49 | 1.9 | 16 | .6 | .01 | 10 |
| 35112 | 2.5 | 55 | 2.2 | 18 | .7 | .01 | 10 |
| 35116 | 3.0 | 61 | 2.4 | 20 | .8 | .02 | 10 |
| 35120 | 4.0 | 68 | 2.7 | 25 | 1.0 | .03 | 10 |
| 35124 | 5.0 | 78 | 3.1 | 28 | 1.1 | .04 | 10 |
| 35128 | 6.0 | 88 | 3.5 | 32 | 1.3 | .07 | 10 |
| 35132 | 7.0 | 92 | 3.6 | 34 | 1.3 | .10 | 10 |
| 35136 | 8.0 | 97 | 3.8 | 36 | 1.4 | .13 | 10 |
| 35140 | 9.0 | 103 | 4.1 | 38 | 1.5 | .18 | 10 |
| 35144 | 10.0 | 109 | 4.3 | 40 | 1.6 | .23 | 10 |
| 35145 | 12.0 | 122 | 4.8 | 45 | 1.8 | .40 | 1 |
| 35175 | 14.0 | 137 | 5.4 | 56 | 2.2 | .61 | 1 |
| 35177 | 17.0 | 156 | 6.1 | 63 | 2.5 | 1.02 | 1 |
| 35179 | 19.0 | 176 | 6.9 | 70 | 2.8 | 1.40 | 1 |



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.



Nickel-Plated

351 Inch L-key Hex, Short Arm Nickel-plated

| Item No. | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35143 | .050 | 40 | 1.6 | 10 | .39 | .01 | 10 |
| 35146 | 1/16 | 46 | 1.8 | 14 | .55 | .01 | 10 |
| 35147 | 5/64 | 50 | 2.0 | 16 | .63 | .01 | 10 |
| 35150 | 3/32 | 52 | 2.1 | 19 | .75 | .01 | 10 |
| 35152 | 7/64 | 54 | 2.1 | 19 | .75 | .01 | 10 |
| 35153 | 1/8 | 58 | 2.3 | 21 | .83 | .02 | 10 |
| 35155 | 9/64 | 62 | 2.4 | 23 | .91 | .02 | 10 |
| 35156 | 5/32 | 68 | 2.7 | 25 | .99 | .02 | 10 |
| 35159 | 3/16 | 70 | 2.8 | 26 | 1.0 | .04 | 10 |
| 35162 | 7/32 | 77 | 3.1 | 29 | 1.2 | .05 | 10 |
| 35165 | 1/4 | 88 | 3.5 | 31 | 1.2 | .08 | 10 |
| 35168 | 5/16 | 98 | 3.9 | 36 | 1.4 | .13 | 10 |
| 35171 | 3/8 | 107 | 4.2 | 38 | 1.5 | .20 | 10 |
| 35174 | 1/2 | 133 | 5.2 | 44 | 1.7 | .46 | 1 |
| 35176 | 9/16 | 158 | 6.2 | 64 | 2.5 | .64 | 1 |
| 35178 | 5/8 | 175 | 6.9 | 71 | 2.8 | .85 | 1 |
| 35180 | 3/4 | 198 | 7.8 | 89 | 3.5 | 1.40 | 1 |



35191 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

↔ lbs. .59 📦 pkg. 1



35193 6 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm

↔ lbs. .20 📦 pkg. 1



35192 8 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

↔ lbs. .41 📦 pkg. 1



35194 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050 - 3/8"

↔ lbs. .72 📦 pkg. 1

Short Arm Hex L-keys Black Finish



353 Metric L-key Hex Metric, Short Arm high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

| Item No. | mm | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35301 | 0.7 | 31 | 1.2 | - | - | .01 | 10 |
| 35302 | 0.9 | 31 | 1.2 | - | - | .01 | 10 |
| 35303 | 1.3 | 40 | 1.6 | 12 | .5 | .01 | 10 |
| 35304 | 1.5 | 45 | 1.8 | 14 | .6 | .01 | 10 |
| 35305 | 2.0 | 49 | 1.9 | 16 | .6 | .01 | 10 |
| 35306 | 2.5 | 55 | 2.2 | 18 | .7 | .01 | 10 |
| 35307 | 3.0 | 61 | 2.4 | 20 | .8 | .02 | 10 |
| 35308 | 4.0 | 68 | 2.7 | 25 | 1.0 | .03 | 10 |
| 35309 | 5.0 | 78 | 3.1 | 28 | 1.1 | .04 | 10 |
| 35310 | 6.0 | 88 | 3.5 | 32 | 1.3 | .07 | 10 |
| 35311 | 7.0 | 92 | 3.6 | 34 | 1.3 | .10 | 10 |
| 35312 | 8.0 | 97 | 3.8 | 36 | 1.4 | .13 | 10 |
| 35313 | 9.0 | 103 | 4.1 | 38 | 1.5 | .17 | 10 |
| 35314 | 10.0 | 109 | 4.3 | 40 | 1.6 | .23 | 10 |
| 35316 | 11.0 | 115 | 4.5 | 42 | 1.7 | .29 | 10 |
| 35317 | 12.0 | 122 | 4.8 | 45 | 1.8 | .40 | 1 |
| 35318 | 14.0 | 137 | 5.4 | 56 | 2.2 | .61 | 1 |
| 35319 | 17.0 | 156 | 6.1 | 63 | 2.5 | 1.03 | 1 |
| 35320 | 19.0 | 176 | 6.9 | 70 | 2.8 | 1.40 | 1 |
| 35321 | 22.0 | 195 | 7.7 | 80 | 3.1 | 2.17 | 1 |




353 Inch L-key Hex Inch, Short Arm black finish


| Item No. | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 35301 | .028 | 31 | 1.2 | - | - | .01 | 10 |
| 35302 | .035 | 31 | 1.2 | - | - | .01 | 10 |
| 35330 | .050 | 40 | 1.6 | 10 | .4 | .01 | 10 |
| 35331 | 1/16 | 46 | 1.8 | 14 | .6 | .01 | 10 |
| 35332 | 5/64 | 50 | 2.0 | 16 | .6 | .01 | 10 |
| 35333 | 3/32 | 52 | 2.1 | 19 | .8 | .01 | 10 |
| 35334 | 7/64 | 54 | 2.1 | 19 | .8 | .01 | 10 |
| 35335 | 1/8 | 58 | 2.3 | 21 | .8 | .02 | 10 |
| 35336 | 9/64 | 62 | 2.4 | 23 | .9 | .02 | 10 |
| 35337 | 5/32 | 68 | 2.7 | 25 | 1.0 | .02 | 10 |
| 35338 | 3/16 | 70 | 2.8 | 26 | 1.0 | .05 | 10 |
| 35339 | 7/32 | 77 | 3.1 | 29 | 1.2 | .07 | 10 |
| 35340 | 1/4 | 88 | 3.5 | 31 | 1.2 | .07 | 10 |
| 35341 | 5/16 | 98 | 3.9 | 36 | 1.4 | .13 | 10 |
| 35342 | 3/8 | 107 | 4.2 | 38 | 1.5 | .20 | 10 |
| 35343 | 1/2 | 133 | 5.2 | 44 | 1.7 | .49 | 1 |
| 35345 | 9/16 | 158 | 6.2 | 64 | 2.5 | .66 | 1 |
| 35346 | 5/8 | 175 | 6.9 | 71 | 2.8 | .86 | 1 |
| 35347 | 3/4 | 198 | 7.8 | 89 | 3.5 | 1.45 | 1 |
| 35348 | 1" | 220 | 8.7 | 91 | 3.6 | 3.14 | 1 |



35390 9 Piece Metric Hex L-key Set, In Plastic Holder
Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
lbs. .59 pkg. 1




35392 5 Piece Mini Metric Hex L-key Set, In Plastic Holder
Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm
lbs. .03 pkg. 1



36989 9 Piece Short Arm Metric Ball End Hex L-key Set, In Plastic Holder
Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
lbs. .59 pkg. 1



35391 13 Piece Inch Hex L-key Set, In Plastic Holder
Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
lbs. .64 pkg. 1



35393 5 Piece Mini Inch Hex L-key Set, In Plastic Holder
Equipped with .028, .035, .050, 1/16, 5/64"
lbs. .03 pkg. 1

Wiha Insulated T-handles

Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910

Insulation

Molded directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Blade CVM tool steel, hardened to average 58/60RC

1000V



1000Volt

334 Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, **1000 Volt. Individually Tested.**

Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

| Item | Hex | Inch | Inch | Inch | mm | lbs. | pkg. |
|-------|------|------|------|------|-----|------|------|
| 33481 | 5/32 | 5.9 | 6.9 | 176 | .09 | 10 | |
| 33482 | 3/16 | 5.9 | 6.9 | 176 | .15 | 10 | |
| 33483 | 7/32 | 5.9 | 6.9 | 176 | .19 | 10 | |
| 33485 | 1/4 | 6.9 | 6.9 | 176 | .20 | 10 | |
| 33486 | 5/16 | 6.9 | 6.9 | 176 | .26 | 10 | |
| 33487 | 3/8 | 6.9 | 6.9 | 176 | .44 | 10 | |



1000Volt

33490 6 Piece Hex Inch T-handle Set

| Item | Hex | Inch | lbs. |
|-------|-----------------------------------|------|------|
| 33490 | 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | | 1.66 |



1000Volt

334 Metric T-handle, With Wiha-Molded Handle. Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA, **1000 Volt. Individually Tested.**

| Item | Hex | mm | mm | Inch | mm | Inch | lbs. | pkg. |
|-------|------|-----|-----|------|-----|------|------|------|
| 33441 | 4.0 | 150 | 5.9 | 176 | 6.9 | .09 | 10 | |
| 33443 | 5.0 | 150 | 5.9 | 176 | 6.9 | .15 | 10 | |
| 33445 | 6.0 | 150 | 5.9 | 176 | 6.9 | .18 | 10 | |
| 33447 | 8.0 | 150 | 5.9 | 176 | 6.9 | .26 | 10 | |
| 33449 | 10.0 | 150 | 5.9 | 176 | 6.9 | .46 | 10 | |



1000Volt

33478 5 Piece Hex Metric T-handle Set

| Item | Hex Metric | lbs. |
|-------|----------------------------|------|
| 33478 | 4.0, 5.0, 6.0, 8.0, 10.0mm | 1.20 |

Wiha Insulated Hex Metric Screwdrivers



1000Volt

323 Hex Metric Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, **1000 Volt. Individually Tested.** Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item | Hex | mm | Inch | mm | Inch | lbs. | pkg. |
|-------|-----|-----|------|-----|------|------|------|
| 32302 | 2.5 | 75 | 3.0 | 179 | 7.0 | .06 | 10 |
| 32303 | 3.0 | 75 | 3.0 | 179 | 7.0 | .08 | 10 |
| 32304 | 4.0 | 75 | 3.0 | 186 | 7.3 | .12 | 10 |
| 32305 | 5.0 | 75 | 3.0 | 186 | 7.3 | .15 | 10 |
| 32306 | 6.0 | 100 | 3.9 | 218 | 8.6 | .21 | 10 |
| 32308 | 8.0 | 100 | 3.9 | 218 | 8.6 | .34 | 10 |



1000Volt

32366 6 Piece Insulated Hex Metric Screwdriver Set

| Item No. | Hex Metric | lbs. |
|----------|--------------------------------|------|
| 32366 | 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm | 1.06 |

Wiha Insulated Hex L-keys

Insulation Test Standards:
Insulation according to ASTM,
F-1505-01, EN/IEC 60900
and CSA



Insulation
Applied directly
onto blade for
permanent
bonding

 **1000V**

**Each tool individually
tested to 10,000 volts
and certified to 1000
Volt ac or 1500 Volt dc**



 **1000V**

136 Inch Insulated Hex L-keys, With Insulated Handle

**Insulation According to IEC 60900 specification, up to 1000 Volt.
Individually Tested.** Blade chrome-vanadium steel, hardened.

| Item No. | ØMM | OAL | OAL | ↔ | ⊞ |
|----------|------|-----|------|------|------|
| No. | Inch | mm | Inch | lbs. | pkg. |
| 13670 | 1/16 | 79 | 3.1 | .05 | 1 |
| 13671 | 5/64 | 84 | 3.3 | .05 | 1 |
| 13672 | 3/32 | 89 | 3.5 | .05 | 1 |
| 13673 | 7/64 | 94 | 3.7 | .06 | 1 |
| 13663 | 1/8 | 104 | 4.1 | .06 | 1 |
| 13665 | 5/32 | 104 | 4.1 | .06 | 1 |
| 13666 | 3/16 | 134 | 5.3 | .10 | 1 |
| 13667 | 7/32 | 134 | 5.3 | .12 | 1 |
| 13668 | 1/4 | 134 | 5.3 | .16 | 1 |
| 13669 | 5/16 | 144 | 5.7 | .24 | 1 |
| 13662 | 3/8 | 234 | 9.2 | .51 | 1 |
| 13664 | 1/2 | 234 | 9.2 | .77 | 1 |



 **1000V**

136 Metric Insulated Hex L-keys, With Insulated Handle

**Insulation According to IEC 60900 specification, up to 1000 Volt.
Individually Tested.** Blade chrome-vanadium steel, hardened.

| Item No. | ØMM | OAL | OAL | ↔ | ⊞ |
|----------|------|-----|------|------|------|
| No. | mm | mm | Inch | lbs. | pkg. |
| 13650 | 1.5 | 100 | 3.9 | .09 | 1 |
| 13651 | 2.0 | 105 | 4.1 | .09 | 1 |
| 13652 | 2.5 | 115 | 4.5 | .09 | 1 |
| 13653 | 3.0 | 130 | 5.1 | .10 | 1 |
| 13654 | 4.0 | 120 | 4.7 | .10 | 1 |
| 13655 | 5.0 | 140 | 5.5 | .10 | 1 |
| 13656 | 6.0 | 140 | 5.5 | .13 | 1 |
| 13658 | 8.0 | 150 | 5.9 | .24 | 1 |
| 13659 | 10.0 | 220 | 8.7 | .51 | 1 |
| 13657 | 12.0 | 260 | 10.2 | .77 | 1 |



#13691

 **1000Volt**



#13690

13690 8 Piece Insulated Hex L-key Set - Inch

| Item No. | ↔ | ⊞ |
|----------|---|-----------|
| 13690 | 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2" | lbs. 2.17 |

13691 7 Piece Insulated Hex L-key Set - Metric

| Item No. | ↔ | ⊞ |
|----------|---------------------------------------|-----------|
| 13691 | 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm | lbs. 2.07 |



 **1000Volt**

13693 10 Piece Insulated Hex L-key Set - Metric

| Item No. | ↔ | ⊞ |
|----------|--|-----------|
| 13693 | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm | lbs. 2.26 |

13694 12 Piece Insulated Hex L-key Set - Inch

| Item No. | ↔ | ⊞ |
|----------|---|-----------|
| 13694 | 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2" | lbs. 2.40 |

Wiha Insulated 3/8" Bit Sockets & Set



 **1000Volt**

318 Insulated 3/8" Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.

Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

| Item No. | ↔ | ⊞ | | |
|----------|------|------|------|------|
| No. | Inch | OAL | lbs. | pkg. |
| 31805 | 3/16 | 3.1" | .13 | 1 |
| 31807 | 7/32 | 3.1" | .14 | 1 |
| 31809 | 1/4 | 3.1" | .14 | 1 |
| 31811 | 5/16 | 3.1" | .16 | 1 |
| 31813 | 3/8 | 3.1" | .18 | 1 |
| 31815 | 7/16 | 3.1" | .20 | 1 |
| 31817 | 1/2 | 3.1" | .22 | 1 |

*Sockets must be used with insulated ratchets & extensions



 **1000Volt**

31890 7 Piece Insulated 3/8" Drive Socket Set - Inch

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

| Item No. | ↔ | ⊞ |
|------------|--|---|
| 31890 | Set includes the following: | |
| ↔ lbs. 1.7 | 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2" | |

Wiha Drive-Loc VI Handles



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

| Item | | | | | | |
|-------|-----|-----|------|------|------|------|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 28488 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .26 |



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

| Item | | | | | | |
|-------|-----|-----|------|------|------|------|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 28486 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .21 |



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

| Item | | | | | | |
|-------|-----|-----|------|------|------|------|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 28487 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |



Wiha Drive-Loc VI Blades



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item | | | | |
|-------|---------|----|------|------|
| No. | mm + mm | mm | lbs. | pkg. |
| 28116 | 2.5 2.5 | | .10 | 1 |
| 28117 | 3 3 | | .10 | 1 |
| 28118 | 4 4 | | .10 | 1 |
| 28119 | 5 5 | | .10 | 1 |
| 28120 | 6 6 | | .10 | 1 |



281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item | | | | |
|-------|---------|----|------|------|
| No. | mm + mm | mm | lbs. | pkg. |
| 28149 | 2.0 2.5 | | .09 | 1 |
| 28150 | 3.0 4.0 | | .10 | 1 |
| 28151 | 5.0 6.0 | | .10 | 1 |



281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item | | | | |
|-------|-------------|------|------|------|
| No. | Inch + Inch | Inch | lbs. | pkg. |
| 28122 | 3/32 7/64 | | .10 | 1 |
| 28123 | 1/8 9/64 | | .10 | 1 |
| 28124 | 5/32 3/16 | | .10 | 1 |



28192 7 Piece Hex Inch & Metric Drive-Loc VI Blade Set

Blade CVM steel, hardened, hard chromed. In storage pouch

| Item | | |
|--|--|------|
| No. 28192 | | lbs. |
| Inch: 3/32 x 7/64, 1/8 x 9/64, 5/32 x 3/16 | | .74 |
| Metric: 2.0 x 2.5, 3.0 x 4.0, 5.0 x 6.0 | | |
| Wiha SoftFinish® Cushion Grip Handle | | |



TorqueControl Tools



+/-6% accuracy tolerance
Certificate of calibration



+/-6% accuracy tolerance
Certificate of calibration

285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible and perceptible click when pre-set torque has been attained.

Automatically resets for next torque cycle; 50% greater reverse torque.

| Item No. | Pre-Sets | | Nm | mm | | | lbs. | pkg. |
|----------|----------|------|------|-----|------|-----|------|------|
| | oz. | lbs. | | mm | Inch | mm | | |
| 28503 | 80 | 5 | 0.56 | 112 | 4.4 | .16 | 1 | |
| 28505 | 120 | 7.5 | 0.84 | 112 | 4.4 | .15 | 1 | |
| 28507 | 160 | 10 | 1.12 | 119 | 4.7 | .28 | 1 | |
| 28509 | 200 | 12.5 | 1.41 | 119 | 4.7 | .27 | 1 | |
| 28511 | 240 | 15 | 1.69 | 119 | 4.7 | .27 | 1 | |
| 28513 | 320 | 20 | 2.25 | 119 | 4.7 | .28 | 1 | |
| 28515 | 400 | 25 | 2.82 | 126 | 4.9 | .37 | 1 | |
| 28517 | 480 | 30 | 3.39 | 126 | 4.9 | .37 | 1 | |
| 28518 | 560 | 35 | 3.95 | 126 | 4.9 | .37 | 1 | |
| 28519 | 640 | 40 | 4.52 | 126 | 4.9 | .37 | 1 | |
| 28521 | 800 | 50 | 5.65 | 132 | 5.2 | .52 | 1 | |
| 28523 | 960 | 60 | 6.78 | 132 | 5.2 | .52 | 1 | |
| 28525 | 1120 | 70 | 7.91 | 132 | 5.2 | .52 | 1 | |

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Newton Meter Scale | | mm | lbs. | pkg. |
|----------|--------------------|--------|-----------|------|------|
| | Increments | mm | | | |
| 28550* | 0.1 - 0.6Nm | .02 Nm | 122 - 127 | .35 | 1 |
| 28551 | 0.4 - 1.0Nm | .05 Nm | 122 - 127 | .35 | 1 |
| 28552 | 0.8 - 2.0Nm | .05 Nm | 126 - 131 | .45 | 1 |
| 28553 | 1.0 - 5.0Nm | .20 Nm | 133 - 138 | .55 | 1 |
| 28554 | 2.0 - 8.0Nm | .25 Nm | 137 - 142 | .70 | 1 |

* +/- 10% (This unit only)
* (1 Nm = 8.8507)



285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | mm | mm | lbs. | Max. Torque | | pkg. |
|----------|-----|-----|------|-------------|------|------|
| | | | | Nm | lbs. | |
| 28545 | 1.5 | 175 | .07 | 0.9 | | 1 |
| 28546 | 2.0 | 175 | .07 | 1.8 | | 1 |
| 28547 | 2.5 | 175 | .07 | 3.8 | | 1 |
| 28548 | 3.0 | 175 | .07 | 8.0 | | 1 |
| 28549 | 4.0 | 175 | .07 | 8.0 | | 1 |

Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Range | | mm | lbs. | pkg. |
|----------|----------------|-------------|-----------|------|------|
| | Inch | lbs. | | | |
| 28501* | 15 - 80(in/oz) | 2.5 Inch oz | 122 - 127 | .22 | 1 |
| 28502 | 5 - 10 | .5 Inch lbs | 122 - 127 | .41 | 1 |
| 28504 | 7.5 - 20 | .5 Inch lbs | 126 - 131 | .50 | 1 |
| 28506 | 10 - 50 | 2 Inch lbs | 133 - 138 | .59 | 1 |
| 28508 | 20 - 70 | 2 Inch lbs | 137 - 142 | .74 | 1 |

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 30

* +/- 10% (This unit only)

* (1 Nm = 8.8507)



285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | Inch | mm | lbs. | Max. Torque | | pkg. |
|----------|------|-----|------|-------------|------|------|
| | | | | Nm | lbs. | |
| 28555 | .050 | 175 | .07 | .4 | | 1 |
| 28556 | 1/16 | 175 | .07 | .9 | | 1 |
| 28557 | 5/64 | 175 | .07 | 1.8 | | 1 |
| 28558 | 3/32 | 175 | .07 | 1.8 | | 1 |
| 28559 | 7/64 | 175 | .07 | 3.8 | | 1 |
| 28560 | 1/8 | 175 | .07 | 3.8 | | 1 |
| 28587 | 9/64 | 175 | .07 | 8.0 | | 1 |
| 28588 | 5/32 | 175 | .07 | 8.0 | | 1 |

T-handle TorqueControl Tools



Includes Calibration Certificate

289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.
With Certificate of calibration.

| Item No. | Torque In-lbs. | Torque Nm | mm x mm | lbs. | pkg. |
|----------|----------------|-----------|----------|------|------|
| 28931 | 53.1 | 6 | 56 x 120 | .81 | 1 |
| 28933 | 70.8 | 8 | 56 x 120 | .82 | 1 |
| 28935 | 88.5 | 10 | 56 x 120 | .79 | 1 |
| 28937 | 106.2 | 12 | 56 x 120 | .79 | 1 |
| 28938 | 110.6 | 12.5 | 56 x 120 | .80 | 1 |
| 28939 | 123.9 | 14 | 56 x 120 | .80 | 1 |

Each TorqueFix T-handle has unique serial number and certificate of calibration



289 Hex Metric Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | mm | mm | Inch | lbs. | pkg. |
|----------|-----|-----|------|------|------|
| 28916 | 3.0 | 130 | 5.1 | .11 | 1 |
| 28917 | 4.0 | 130 | 5.1 | .11 | 1 |
| 28918 | 5.0 | 130 | 5.1 | .11 | 1 |
| 28919 | 6.0 | 130 | 5.1 | .11 | 1 |



Includes Calibration Certificate

28940 Adjustable TorqueVario STplus T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.

| Item No. | Torque In-lbs. | Torque Nm | mm x mm | lbs. | pkg. |
|----------|----------------|-----------|----------|------|------|
| 28940 | 44.3-123.9 | 5-14 | 56 x 120 | .81 | 1 |

* (1 Nm 8.8507)



289 Hex Inch Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|------|------|
| 28920 | 1/8 | 130 | 5.1 | .11 | 1 |
| 28921 | 9/64 | 130 | 5.1 | .11 | 1 |
| 28922 | 5/32 | 130 | 5.1 | .11 | 1 |
| 28923 | 3/16 | 130 | 5.1 | .11 | 1 |
| 28924 | 7/32 | 130 | 5.1 | .11 | 1 |



Adjustable from Nm 5-14 or In-lbs. 44.3-123.9

Wiha Precision ESD Safe Hex Drivers

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



Rotating cap for precise turning & control with fingertip

Molded Precision handle of impact resistant dissipative material

Tapered handle allows rapid rotation

Blade, CVM steel, hardened, hard chrome finish

Tip, precision ground for exact fit, Wiha Chromtop finish

ESD Standard IEC 61340-5-1

Surface resistance of handles is 10⁶ - 10⁹ Ohms



275 Inch Hex Driver, With Precision ESD Safe Dissipative

Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

| Item | Hex | Flat | Phillips | Torx | Star | Tri | Hex |
|-------|------|------|----------|------|------|------|------|
| No. | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 27505 | .028 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 27510 | .035 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 27513 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 27537 | 1/16 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 27539 | 5/64 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 27541 | 3/32 | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 27543 | 7/64 | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 27545 | 1/8 | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 27547 | 9/64 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| 27549 | 5/32 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



275 Metric Hex Metric Driver, With Precision ESD Safe

Dissipative Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

| Item | Hex | Flat | Phillips | Torx | Star | Tri | Hex |
|-------|------|------|----------|------|------|------|------|
| No. | mm | mm | Inch | mm | Inch | lbs. | pkg. |
| 27507 | .71 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 27509 | .89 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 27513 | 1.27 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27515 | 1.5 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 27520 | 2.0 | 50 | 2.0 | 145 | 5.7 | .04 | 10 |
| 27525 | 2.5 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| 27530 | 3.0 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| 27535 | 4.0 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

27590 Set 8 Pcs. Hex Metric Precision ESD Safe Dissipative

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

| Item | Hex | Flat | Phillips | Torx | Star | Tri | |
|-------|-------|------|----------|-------|------|------|-----|
| No. | mm | mm | mm | mm | mm | lbs. | |
| 27590 | 27507 | .71 | 40 | 27520 | 2.0 | 50 | .53 |
| | 27509 | .89 | 40 | 27525 | 2.5 | 60 | |
| | 27513 | 1.27 | 40 | 27530 | 3.0 | 60 | |
| | 27515 | 1.5 | 50 | 27535 | 4.0 | 60 | |



ESD standard IEC 61340-5-1

27591 8 Piece Hex Inch Precision Set, ESD Safe Dissipative

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

| Item | Hex | Flat | Phillips | Torx | Star | Tri | |
|-------|-------|------|----------|-------|------|------|-----|
| No. | Inch | Inch | Inch | Inch | Inch | lbs. | |
| 27591 | 27513 | .050 | 1.6 | 27543 | 7/64 | 2.4 | .57 |
| | 27537 | 1/16 | 2.0 | 27545 | 1/8 | 2.4 | |
| | 27539 | 5/64 | 2.0 | 27547 | 9/64 | 2.4 | |
| | 27541 | 3/32 | 2.4 | 27549 | 5/32 | 2.4 | |



91118 Rugged Polyester Canvas Storage Pouch







Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

| Item | Size | lbs. | pkg. |
|-------|----------------------|------|------|
| 91118 | 14 1/2" W x 7 3/4" L | .13 | 1 |

Pico Soft Grip Ball End Inch & Metric










264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | Inch | Inch | mm | Inch | mm | pkg. |
| 26455 | 1/16 | 2.0 | 50 | 5.9 | 150 | 10 |
| 26457 | 5/64 | 2.0 | 50 | 5.9 | 150 | 10 |
| 26459 | 3/32 | 2.0 | 50 | 5.9 | 150 | 10 |
| 26461 | 7/64 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26463 | 1/8 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26465 | 9/64 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26467 | 5/32 | 2.4 | 60 | 6.3 | 160 | 10 |

*Metric dimensions actual - Inch dimensions approximate









26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | Inch | Inch | Inch | Inch | Inch | Inch | lbs. |
| 26493 | 26455 | 1/16 | 2.0 | 26463 | 1/8 | 2.4 | .27 |
| | 26457 | 5/64 | 2.0 | 26465 | 9/64 | 2.4 | |
| | 26459 | 3/32 | 2.0 | 26467 | 5/32 | 2.4 | |
| | 26461 | 7/64 | 2.4 | | | | |



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.







| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | pkg. |
| 26441 | 1.27 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26443 | 1.5 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26445 | 2.0 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26447 | 2.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26449 | 3.0 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.







| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | Inch | mm | Inch | mm | Inch | pkg. |
| 26341 | .028(.71) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26343 | .035(.89) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26345 | .050(1.27) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26349 | 5/64(2.0) | 50 | 2.0 | 150 | 5.9 | 10 |
| 26363 | 1/16 | 50 | 2.0 | 144 | 5.7 | 10 |
| 26367 | 3/32 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26369 | 7/64 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26371 | 1/8 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate









In storage pouch

26392 8 Piece Hex Inch Precision Driver Set

| Item |  |  |  |  |  |  |
|-------|--|--|--|--|--|--|
| No. | Inch | Inch | Inch | Inch | Inch | lbs. |
| 26392 | 26341 | .028 | 1.6 | 26363 | 1/16 | 2.0 |
| | 26343 | .035 | 1.6 | 26367 | 3/32 | 2.4 |
| | 26345 | .050 | 1.6 | 26369 | 7/64 | 2.4 |
| | 26349 | 5/64 | 2.0 | 26371 | 1/8 | 2.4 |



263 Hex Metric Driver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.







| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | pkg. |
| 26341 | .71(.028) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26343 | .89(.035) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26345 | 1.27(.050) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26347 | 1.5 | 50 | 2.0 | 144 | 5.7 | 10 |
| 26349 | 2.0(5/64) | 50 | 2.0 | 150 | 5.9 | 10 |
| 26351 | 2.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26353 | 3.0 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26393 7 Pc. Hex Metric Precision Driver Set









| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | mm | mm | mm | mm | mm | lbs. |
| 26393 | 26341 | .71 | 40 | 26349 | 2.0 | 50 |
| | 26343 | .89 | 40 | 26351 | 2.5 | 60 |
| | 26345 | 1.27 | 40 | 26353 | 3.0 | 60 |
| | 26347 | 1.5 | 50 | | | |

Wiha Hex Precision Series



263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.




| Item |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 26307 | .71 | .028 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26309 | .89 | .035 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26313 | 1.27 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26315 | 1.5 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26320 | 2.0 | 5/64 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26325 | 2.5 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 26330 | 3.0 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 26340 | 4.0 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26390 7 Pc. Precision Hex Driver Set - Metric







Blade high alloy chrome-vanadium-molybdenum steel.

| Item |  |  |  | |
|-------|---|---|---|-----|
| No. | Inch | Inch | lbs. | |
| 26390 | 26307 | .71 | 1.6 | .28 |
| | 26309 | .89 | 1.6 | |
| | 26313 | 1.27 | 1.6 | |
| | 26315 | 1.5 | 2.0 | |
| | 26320 | 2.0 | 2.0 | |
| | 26325 | 2.5 | 2.4 | |
| | 26330 | 3.0 | 2.4 | |



26399 8 Piece Precision Hex Driver Set - Inch









Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

| Item |  |  |  |  |  |  | |
|-------|---|---|---|---|---|---|-----|
| No. | Inch | Inch | Inch | Inch | Inch | lbs. | |
| 26399 | 26307 | .028 | 1.6 | 26320 | 5/64 | 2.0 | .55 |
| | 26309 | .035 | 1.6 | 26323 | 3/32 | 2.4 | |
| | 26313 | .050 | 1.6 | 26327 | 7/64 | 2.4 | |
| | 26316 | 1/16 | 2.0 | 26331 | 1/8 | 2.4 | |



263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.




| Item |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|
| No. | Inch | mm | mm | Inch | mm | Inch | lbs. | pkg. |
| 26307 | .028 | .71 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26309 | .035 | .89 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26313 | .050 | 1.27 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26316 | 1/16 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26320 | 5/64 | 2.0 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26323 | 3/32 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 26327 | 7/64 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 26331 | 1/8 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 26333 | 9/64 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| 26336 | 5/32 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate




26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy CVM steel.









| Item |  |  |  | |
|-------|---|---|---|-----|
| No. | Inch | Inch | lbs. | |
| 26391 | 26307 | .028 | 1.6 | .32 |
| | 26309 | .035 | 1.6 | |
| | 26313 | .050 | 1.6 | |
| | 26316 | 1/16 | 2.0 | |
| | 26320 | 5/64 | 2.0 | |
| | 26323 | 3/32 | 2.4 | |
| | 26327 | 7/64 | 2.4 | |
| | 26331 | 1/8 | 2.4 | |

Wiha Ball End Precision Series



264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.




| Item |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 26413 | 1.27 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26415 | 1.5 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26420 | 2.0 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26425 | 2.5 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| 26430 | 3.0 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| 26440 | 4.0 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate




26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy CVM steel.

| Item |  |  |  | |
|-------|---|---|---|-----|
| No. | mm | mm | lbs. | |
| 26491 | 26413 | 1.27 | 40 | .31 |
| | 26415 | 1.5 | 50 | |
| | 26420 | 2.0 | 50 | |
| | 26425 | 2.5 | 60 | |
| | 26430 | 3.0 | 60 | |

Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver With Precision Handle
 Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

| Item | | | | | | | | |
|-------|------|----|------|-----|------|------|------|--|
| No. | Inch | mm | Inch | mm | Inch | lbs. | pkg. | |
| 26413 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 | |
| 26416 | 1/16 | 50 | 2.0 | 145 | 5.7 | .03 | 10 | |
| 26419 | 5/64 | 50 | 2.0 | 145 | 5.7 | .03 | 10 | |
| 26423 | 3/32 | 50 | 2.0 | 145 | 5.7 | .03 | 10 | |
| 26427 | 7/64 | 60 | 2.4 | 170 | 6.7 | .03 | 10 | |
| 26431 | 1/8 | 60 | 2.4 | 170 | 6.7 | .05 | 10 | |
| 26436 | 9/64 | 60 | 2.4 | 170 | 6.7 | .05 | 10 | |
| 26439 | 5/32 | 60 | 2.4 | 170 | 6.7 | .05 | 10 | |

*Metric dimensions actual - Inch dimensions approximate

Wiha Ball End Precision Series



62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Proturm precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:
 † **Slotted:** 1.5, 2.0, 3.0, 4.0 **Phillips:** #000, #00, #0, #1
TORX®: T6, T7, T8, T9, T10, T15, T20
Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack
 Proturm precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:
Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
lbs. .66 Set in canvas storage pouch

26490 8 Piece Ball End Hex Driver Set - Inch Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.



| Item | | | | |
|-------|-------|------|------|-----|
| No. | Inch | Inch | lbs. | |
| 26490 | 26413 | .050 | 1.6 | .40 |
| | 26416 | 1/16 | 2.0 | |
| | 26419 | 5/64 | 2.0 | |
| | 26423 | 3/32 | 2.0 | |
| | 26427 | 7/64 | 2.4 | |
| | 26431 | 1/8 | 2.4 | |
| | 26436 | 9/64 | 2.4 | |
| | 26439 | 5/32 | 2.4 | |

SYS 4 Drive-Loc Precision Locking Tools



26961 ESD Safe Dissipative Precision Drive-Loc Handle
 Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

| Item | | | | | |
|-------|-----|-------|----|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 26961 | 4.0 | .1574 | 23 | .91 | .08 |



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades
 On 4mm Hex blades

| Item | | | |
|-------|-----|-------|------|
| No. | mm | mm | lbs. |
| 28003 | 1.3 | + 1.3 | .02 |
| 28004 | 1.5 | + 1.5 | .02 |
| 28005 | 2.0 | + 2.0 | .02 |
| 28006 | 2.5 | + 2.5 | .02 |
| 28007 | 3.0 | + 3.0 | .02 |
| 28008 | 4.0 | + 4.0 | .02 |

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch



| Item | | | | | | |
|-------|-------|------|------|-------|------|-----|
| No. | Inch | Inch | Inch | Inch | lbs. | |
| 26499 | 26413 | .050 | 1.6 | 26427 | 7/64 | 2.4 |
| | 26416 | 1/16 | 2.0 | 26431 | 1/8 | 2.4 |
| | 26419 | 5/64 | 2.0 | 26436 | 9/64 | 2.4 |
| | 26423 | 3/32 | 2.0 | 26439 | 5/32 | 2.4 |



Rotating Cap
for precise turning and control

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

Tapered Handle
allows rapid rotation, requires less clearance

Tips
exact fit, precision machined

Blades
CVM steel, hardened, hard chromed

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 26900 | 4.0 | .1574 | 14.0 | .55 | .04 |



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 26901 | 4.0 | .1574 | 14.0 | .55 | .06 |



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade
Wiha vapor Chrome-Top finish on tips. One side hex, other side ball end hex.

| Item | | | | | |
|-------|------------|-----|-----|------|------|
| No. | mm | mm | mm | Inch | lbs. |
| 26932 | 1.27+ 1.27 | 120 | 4.7 | .05 | |
| 26933 | 1.5 + 1.5 | 120 | 4.7 | .05 | |
| 26934 | 2.0 + 2.0 | 120 | 4.7 | .06 | |
| 26935 | 2.5 + 2.5 | 120 | 4.7 | .06 | |
| 26936 | 3.0 + 3.0 | 120 | 4.7 | .06 | |
| 26937 | 4.0 + 4.0 | 120 | 4.7 | .06 | |



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 28000 | 4.0 | .1574 | 14.0 | .55 | .04 |




28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 28001 | 4.0 | .1574 | 14.0 | .55 | .04 |



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

| Item | | | | | | pkg. |
|-------|-----|-----|------|------|--|------|
| No. | mm | mm | Inch | lbs. | | |
| 28033 | 1.5 | 120 | 4.7 | .06 | | 1 |
| 28034 | 2.0 | 120 | 4.7 | .06 | | 1 |
| 28035 | 2.5 | 120 | 4.7 | .06 | | 1 |
| 28036 | 3.0 | 120 | 4.7 | .06 | | 1 |
| 28037 | 4.0 | 120 | 4.7 | .06 | | 1 |



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

| Item | | | | | |
|-------|------|-----|------|------|--|
| No. | Inch | mm | Inch | lbs. | |
| 28021 | .050 | 120 | 4.7 | .06 | |
| 28023 | 1/16 | 120 | 4.7 | .06 | |
| 28024 | 5/64 | 120 | 4.7 | .06 | |
| 28025 | 3/32 | 120 | 4.7 | .06 | |
| 28026 | 7/64 | 120 | 4.7 | .06 | |
| 28027 | 1/8 | 120 | 4.7 | .06 | |
| 28028 | 9/64 | 120 | 4.7 | .06 | |
| 28029 | 5/32 | 120 | 4.7 | .06 | |



269 SYSTEM 4 Metric Hex, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

| Item | | | | |
|-------|------|-----|------|------|
| No. | mm | mm | Inch | lbs. |
| 26913 | .71 | 120 | 4.7 | .06 |
| 26914 | .89 | 120 | 4.7 | .06 |
| 26915 | 1.27 | 120 | 4.7 | .06 |
| 26916 | 1.5 | 120 | 4.7 | .06 |
| 26917 | 2.0 | 120 | 4.7 | .06 |
| 26918 | 2.5 | 120 | 4.7 | .06 |
| 26919 | 3.0 | 120 | 4.7 | .06 |
| 26920 | 4.0 | 120 | 4.7 | .06 |



269 SYSTEM 4 Inch Hex, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

| Item | | | | |
|-------|------|-----|------|------|
| No. | Inch | mm | Inch | lbs. |
| 26921 | .050 | 120 | 4.7 | .06 |
| 26923 | 1/16 | 120 | 4.7 | .06 |
| 26924 | 5/64 | 120 | 4.7 | .06 |
| 26925 | 3/32 | 120 | 4.7 | .06 |
| 26926 | 7/64 | 120 | 4.7 | .06 |
| 26927 | 1/8 | 120 | 4.7 | .06 |
| 26928 | 9/64 | 120 | 4.7 | .06 |
| 26929 | 5/32 | 120 | 4.7 | .06 |

Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26999 9 Pc. Hex Metric Precision Blade Set
Set includes the following blades:

| | |
|--|--|
| | Hex Metric: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| | lbs. .66 |

Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26989 9 Pc. Hex Inch Precision Blade Set
Set includes the following blades:

| | |
|--|---|
| | Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| | lbs. .64 |

SYSTEM 4 Handles & Micro Bits

Tips
exact fit,
precision
machined

Rotating Cap
for precise
turning and
control

Tapered Handle
allows rapid rotation,
requires less clearance

Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension



75800 SYSTEM 4 Standard Precision Bit

Handle with rotating control cap. Tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits.

| Item | ○ | ○ | + | + | ↵ |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 75800 | 4.0 | .1574 | 14.0 | .55 | .06 |



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

with rotating control cap. Tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

| Item | ○ | ○ | + | + | ↵ |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 75801 | 4.0 | .1574 | 14.0 | .55 | .06 |



75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits

Shaft CVM steel, hardened. Magnetic bit holder.

| Item | ● | — | ● | ↵ |
|-------|------|-----|-----|------|
| No. | Size | mm | mm | lbs. |
| 75901 | 4.0 | 100 | 4.0 | .04 |



75900 Extension Blade For SYSTEM 4

Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

| Item | ● | — | ● | ↵ |
|-------|------|-----|-----|------|
| No. | Size | mm | mm | lbs. |
| 75900 | 4.0 | 100 | 4.0 | .07 |



753 SYSTEM 4 Hex Metric Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item | ● | — | — | ↵ |
|-------|------|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75307 | .71 | 28 | 1.1 | .01 |
| 75309 | .89 | 28 | 1.1 | .01 |
| 75313 | 1.27 | 28 | 1.1 | .01 |
| 75315 | 1.5 | 28 | 1.1 | .01 |
| 75320 | 2.0 | 28 | 1.1 | .01 |
| 75325 | 2.5 | 28 | 1.1 | .01 |
| 75330 | 3.0 | 28 | 1.1 | .01 |
| 75340 | 4.0 | 28 | 1.1 | .01 |



753 SYSTEM 4 Hex Inch Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item | ● | — | — | ↵ |
|-------|------|----|------|------|
| No. | Inch | mm | Inch | lbs. |
| 75307 | .028 | 28 | 1.1 | .01 |
| 75309 | .035 | 28 | 1.1 | .01 |
| 75313 | .050 | 28 | 1.1 | .01 |
| 75350 | 1/16 | 28 | 1.1 | .01 |
| 75352 | 5/64 | 28 | 1.1 | .01 |
| 75354 | 3/32 | 28 | 1.1 | .01 |
| 75356 | 7/64 | 28 | 1.1 | .01 |
| 75358 | 1/8 | 28 | 1.1 | .01 |
| 75360 | 9/64 | 28 | 1.1 | .01 |
| 75340 | 5/32 | 28 | 1.1 | .01 |



753 SYSTEM 4 Metric Security Hex Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item | ● | — | — | ↵ |
|-------|-----|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75322 | 2.0 | 28 | 1.1 | .01 |
| 75327 | 2.5 | 28 | 1.1 | .01 |
| 75332 | 3.0 | 28 | 1.1 | .01 |
| 75342 | 4.0 | 28 | 1.1 | .01 |



753 SYSTEM 4 Security Hex Inch Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item | ● | — | — | ↵ |
|-------|------|----|------|------|
| No. | Inch | mm | Inch | lbs. |
| 75362 | 5/64 | 28 | 1.1 | .01 |
| 75364 | 3/32 | 28 | 1.1 | .01 |
| 75366 | 7/64 | 28 | 1.1 | .01 |
| 75368 | 1/8 | 28 | 1.1 | .01 |
| 75370 | 9/64 | 28 | 1.1 | .01 |
| 75372 | 5/32 | 28 | 1.1 | .01 |

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



18 Pc. Set

75395 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box

Wiha precision handle, bit extension & 16 Wiha interchangeable bits.

| Item No. | Combination Bit Set |
|---|---|
| 75395 | Set with Standard Precision Handle |
| Set includes the following bits: | |
| ● | Hex Metric: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ● | Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○ | 100mm Bit Extension |
| ↵ | lbs. .58 |



75096 16 Piece Precision Micro Bit Hex Inch & Metric Sets

ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

| Set includes the following Micro Bits: | |
|---|---|
| ● | Inch: 0.89/0.35", 1.27/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ● | Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ↵ | lbs. .14 |



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

| Item No. | Precision Storage Handle Set |
|----------|---|
| 75983 | ● Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8" |
| ↵ | lbs. .08 |



Wiha Cushion Grip Stubby Bit Holder

Stubby 6 in 1 Multi-Bit Driver Sets



Ergo soft grip handles

Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length



38056 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

| | |
|-------------------------------------|------|
| Ball End Hex Inch: 1/8, 9/64, 5/32, | lbs. |
| 3/16, 7/32, 1/4" | .21 |



38057 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

| | |
|---------------------------|------|
| Hex Metric: 2.0, 2.5, 3.0 | lbs. |
| 4.0, 5.0, 6.0mm | .18 |



38058 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

| | |
|----------------------------|------|
| Hex Inch: 3/32, 7/64, 1/8, | lbs. |
| 9/64, 5/32, 3/16" | .18 |

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle


Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

Hex Retainer for bit holder blades



No release of handle is needed, change of direction can be made with index finger and thumb.
Allows for quick adjustment to right, left or fixed turning.


Opens a new generation of easier torque transmission



28298 12 Piece Hex Inch Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

| | |
|------------------------------|-----|
| Hex Inch: | .65 |
| 1/16, 5/64, 3/32, 7/64, 1/8, | |
| 9/64, 5/32, 3/16, 7/32, 1/4" | |



28299 10 Piece Hex Metric Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

| | |
|--|-----|
| Hex Metric: | .65 |
| 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm | |

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



79276 Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

Ball End Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .30



Item #79246

79246 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .32

79256 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm lbs. .30



79266 Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:

Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .31

Screw Holding



MagicRing



71399 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

No Ball End lbs. .46
Hex Metric: 3.0, 4.0, 5.0, 6.0mm
Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha MagicRing Insert Bits

Screw Holding Hex Bits



713 MagicRing Metric Insert Bits, 1/4"

| Item | Hex | mm | mm | pkg. | lbs. |
|-------|-----|-----|----|------|------|
| 71304 | Hex | 3.0 | 25 | 1 | .01 |
| 71307 | Hex | 4.0 | 25 | 1 | .01 |
| 71310 | Hex | 5.0 | 25 | 1 | .01 |
| 71311 | Hex | 6.0 | 25 | 1 | .01 |

713 MagicRing Inch Insert Bits, 1/4"

| Item | Hex | Inch | mm | pkg. | lbs. |
|-------|-----|------|----|------|------|
| 71343 | Hex | 1/8 | 25 | 1 | .01 |
| 71346 | Hex | 9/64 | 25 | 1 | .01 |
| 71349 | Hex | 5/32 | 25 | 1 | .01 |
| 71352 | Hex | 3/16 | 25 | 1 | .01 |
| 71354 | Hex | 7/32 | 25 | 1 | .01 |
| 71358 | Hex | 1/4 | 25 | 1 | .01 |

Wiha MagicRing Power Bits

Screw Holding Hex Bits



743 MagicRing Metric Power Bits, 1/4"

| Item | Hex | mm | mm | pkg. | lbs. |
|-------|-----|-----|----|------|------|
| 74301 | Hex | 3.0 | 50 | 1 | .02 |
| 74305 | Hex | 4.0 | 50 | 1 | .02 |
| 74307 | Hex | 5.0 | 50 | 1 | .03 |
| 74319 | Hex | 6.0 | 50 | 1 | .03 |

743 MagicRing Inch Power Bits, 1/4"

| Item | Hex | mm | mm | pkg. | lbs. |
|-------|-----|------|----|------|------|
| 74369 | Hex | 1/8 | 50 | 1 | .02 |
| 74371 | Hex | 9/64 | 50 | 1 | .02 |
| 74373 | Hex | 5/32 | 50 | 1 | .02 |
| 74375 | Hex | 3/16 | 50 | 1 | .03 |
| 74377 | Hex | 7/32 | 50 | 1 | .03 |
| 74379 | Hex | 1/4 | 50 | 1 | .03 |

Wiha XSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool

Easy bit access with hinged cover



XSelector Pocket Sized
3-1/8" x 2-1/8" x 1/2"


Sets include Clicfix quick release holder

794 Sets XSelector Bit Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



79446 XSelector Bit Set With Hex Inch Bits


Set Includes Quick Release Holder  lbs. and the following 10 bits: .27

- Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Security Hex Inch & Metric PokitPaks



71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

- Inch Security Hex:  lbs. 3/32, 7/64, 1/8, 9/64, 5/32, 3/16" .12



71995 PokitPak - Security Hex Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

- Metric Security Hex:  lbs. 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm .31


Wiha Power Bit Belt Packs



74986 Power Bit Belt Pack With Inch & Metric Hex Bits

Set includes the following 10 bits: 

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
- Metric: 3.0, 4.0, 5.0, 6.0mm .34



Screw Holding Hex Bits


74989 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits

Set includes the following 10 bits: 

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
- Metric: 3.0, 4.0, 5.0, 6.0mm .34



Screw Holding Hex Bits



74999 Power Bit Belt Pack With Screw Holding Inch & Metric

Ball End Hex MagicRing Bits

Set includes the following 10 bits: 

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
- Metric: 3.0, 4.0, 5.0, 6.0mm .37

Wiha Security Hex Inch Multi Bit Set



38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set

With Wiha Powerhandle & CVM steel, hardened shaft.

Set includes the following 1/4" bits: 

- Security Hex: 3/32, 1/8, 5/32, 3/16, 7/32" lbs. .39

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61

Wiha Hex Inch & Metric Insert Bits



713 Hex Metric Insert Bits, 1/4"

| Item | Hex | Flat | Spur | Hex |
|-------|------|------|------|------|
| No. | mm | mm | pkg. | lbs. |
| 71303 | 1.5 | 25 | 10 | .12 |
| 71306 | 2.0 | 25 | 10 | .12 |
| 71308 | 2.5 | 25 | 10 | .12 |
| 71309 | 3.0 | 25 | 10 | .12 |
| 71312 | 4.0 | 25 | 10 | .12 |
| 71315 | 5.0 | 25 | 10 | .14 |
| 71318 | 6.0 | 25 | 10 | .14 |
| 71321 | 8.0 | 25 | 10 | .20 |
| 71324 | 10.0 | 25 | 10 | .27 |



713 Hex Inch Insert Bits, 1/4"

| Item | Hex | Flat | Spur | Hex |
|-------|------|------|------|------|
| No. | Inch | mm | pkg. | lbs. |
| 71329 | .050 | 25 | 10 | .12 |
| 71326 | 1/16 | 25 | 10 | .12 |
| 71328 | 5/64 | 25 | 10 | .12 |
| 71330 | 3/32 | 25 | 10 | .12 |
| 71333 | 7/64 | 25 | 10 | .12 |
| 71336 | 1/8 | 25 | 10 | .12 |
| 71339 | 9/64 | 25 | 10 | .12 |
| 71342 | 5/32 | 25 | 10 | .12 |
| 71345 | 3/16 | 25 | 10 | .13 |
| 71348 | 7/32 | 25 | 10 | .13 |
| 71351 | 1/4 | 25 | 10 | .13 |
| 71353 | 5/16 | 25 | 10 | .20 |
| 71356 | 3/8 | 25 | 10 | .25 |

Wiha Hex Inch & Metric Insert Bit Packs



2 bit pack

713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | Hex | Flat | Spur |
|-------|------|------|------|
| No. | Inch | mm | lbs. |
| 71359 | .050 | 25 | .03 |
| 71360 | 1/16 | 25 | .03 |
| 71361 | 5/64 | 25 | .03 |
| 71362 | 3/32 | 25 | .03 |
| 71363 | 7/64 | 25 | .03 |
| 71364 | 1/8 | 25 | .03 |
| 71365 | 9/64 | 25 | .03 |
| 71366 | 5/32 | 25 | .04 |
| 71367 | 3/16 | 25 | .04 |
| 71368 | 7/32 | 25 | .04 |
| 71369 | 1/4 | 25 | .04 |
| 71373 | 5/16 | 25 | .05 |
| 71387 | 3/8 | 25 | .06 |

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | Hex | Flat | Spur |
|-------|------|------|------|
| No. | mm | mm | lbs. |
| 73301 | 1.5 | 25 | .03 |
| 73302 | 2.0 | 25 | .03 |
| 73303 | 2.5 | 25 | .03 |
| 73304 | 3.0 | 25 | .03 |
| 73305 | 4.0 | 25 | .03 |
| 73306 | 5.0 | 25 | .03 |
| 73307 | 6.0 | 25 | .04 |
| 73308 | 8.0 | 25 | .05 |
| 73309 | 10.0 | 25 | .06 |



71396 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71396 Set includes the following bits:

| Hex Inch: |
|--------------------------------|
| 1/16, 3/32, 1/8, 5/32 |
| wt. .13 3/16, 1/4" x 1" (25mm) |

71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

| Hex Metric: |
|--------------------------------------|
| wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 |

Wiha Security Hex Insert Bits



719 Security Hex In Insert Bits, 1/4"

| Item | Hex | Flat | Spur | Hex |
|-------|------|------|------|------|
| No. | Inch | mm | pkg. | lbs. |
| 71930 | 5/64 | 25 | 10 | .12 |
| 71932 | 3/32 | 25 | 10 | .12 |
| 71934 | 7/64 | 25 | 10 | .12 |
| 71936 | 1/8 | 25 | 10 | .12 |
| 71938 | 9/64 | 25 | 10 | .12 |
| 71940 | 5/32 | 25 | 10 | .12 |
| 71955 | 3/16 | 25 | 10 | .13 |
| 71956 | 7/32 | 25 | 10 | .14 |
| 71960 | 1/4 | 25 | 10 | .15 |



719 Security Hex Metric Insert Bits, 1/4"

| Item | Hex | Flat | Spur | Hex |
|-------|-----|------|------|------|
| No. | mm | mm | pkg. | lbs. |
| 71939 | 2.0 | 25 | 10 | .12 |
| 71941 | 2.5 | 25 | 10 | .12 |
| 71942 | 3.0 | 25 | 10 | .12 |
| 71943 | 4.0 | 25 | 10 | .12 |
| 71944 | 5.0 | 25 | 10 | .15 |
| 71945 | 6.0 | 25 | 10 | .15 |
| 71946 | 8.0 | 25 | 10 | .20 |



2 bit pack

719 Security Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | Hex | Flat | Spur |
|-------|------|------|------|
| No. | Inch | mm | lbs. |
| 71970 | 5/64 | 25 | .03 |
| 71971 | 3/32 | 25 | .03 |
| 71972 | 7/64 | 25 | .03 |
| 71973 | 1/8 | 25 | .03 |
| 71974 | 9/64 | 25 | .03 |
| 71975 | 5/32 | 25 | .03 |
| 71976 | 3/16 | 25 | .04 |
| 71977 | 7/32 | 25 | .04 |
| 71978 | 1/4 | 25 | .04 |

719 Security Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | Hex | Flat | Spur |
|-------|-----|------|------|
| No. | mm | mm | lbs. |
| 71979 | 2.0 | 25 | .03 |
| 71980 | 2.5 | 25 | .03 |
| 71981 | 3.0 | 25 | .03 |
| 71982 | 4.0 | 25 | .03 |
| 71983 | 5.0 | 25 | .04 |
| 71984 | 6.0 | 25 | .04 |
| 71985 | 8.0 | 25 | .05 |

Wiha Hex Inch & Metric Power Bits



743 Hex Inch Power Bits
1/4" Hex Drive, Length 2.0"/50mm

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | Inch | mm | pkg. | lbs. | |
| 74311 | 3/32 | 50 | 10 | .30 | |
| 74312 | 7/64 | 50 | 10 | .30 | |
| 74313 | 1/8 | 50 | 10 | .30 | |
| 74314 | 9/64 | 50 | 10 | .30 | |
| 74315 | 5/32 | 50 | 10 | .30 | |
| 74316 | 3/16 | 50 | 10 | .30 | |
| 74317 | 7/32 | 50 | 10 | .30 | |
| 74318 | 1/4 | 50 | 10 | .30 | |



743 Hex Inch Power Bits
1/4" Hex Drive, Length 2.75"/70mm

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | Inch | mm | pkg. | lbs. | |
| 74341 | 5/64 | 70 | 1 | .36 | |
| 74342 | 3/32 | 70 | 1 | .36 | |
| 74343 | 7/64 | 70 | 1 | .36 | |
| 74344 | 1/8 | 70 | 1 | .36 | |
| 74345 | 9/64 | 70 | 1 | .36 | |
| 74346 | 5/32 | 70 | 1 | .36 | |
| 74347 | 3/16 | 70 | 1 | .36 | |
| 74348 | 7/32 | 70 | 1 | .36 | |
| 74349 | 1/4 | 70 | 1 | .36 | |



743 Hex Metric Power Bits
1/4" Hex Drive, Length 2.0"/50mm

| Item | | | | | |
|-------|-----|----|------|------|--|
| No. | mm | mm | pkg. | lbs. | |
| 74325 | 2.5 | 50 | 10 | .25 | |
| 74330 | 3.0 | 50 | 10 | .25 | |
| 74340 | 4.0 | 50 | 10 | .25 | |
| 74350 | 5.0 | 50 | 10 | .25 | |
| 74360 | 6.0 | 50 | 10 | .25 | |
| 74380 | 8.0 | 50 | 10 | .38 | |



743 Hex Metric Power Bits
1/4" Hex Drive, Length 2.75"/70mm

| Item | | | | | |
|-------|-----|----|------|------|--|
| No. | mm | mm | pkg. | lbs. | |
| 74351 | 2.0 | 70 | 1 | .36 | |
| 74352 | 2.5 | 70 | 1 | .36 | |
| 74353 | 3.0 | 70 | 1 | .36 | |
| 74354 | 4.0 | 70 | 1 | .36 | |
| 74355 | 5.0 | 70 | 1 | .36 | |
| 74356 | 6.0 | 70 | 1 | .36 | |
| 74357 | 8.0 | 70 | 1 | .36 | |



2 bit pack

743 Hex Inch Power Bit Packs, 2"

| Item | | | | | |
|-------|------|----|------|--|--|
| No. | Inch | mm | lbs. | | |
| 74381 | 3/32 | 50 | .07 | | |
| 74382 | 7/64 | 50 | .07 | | |
| 74383 | 1/8 | 50 | .07 | | |
| 74384 | 9/64 | 50 | .07 | | |
| 74385 | 5/32 | 50 | .07 | | |
| 74386 | 3/16 | 50 | .07 | | |
| 74387 | 7/32 | 50 | .07 | | |
| 74388 | 1/4 | 50 | .07 | | |

743 Hex Metric Power Bit Packs, 2"

| Item | | | | | |
|-------|-----|----|------|--|--|
| No. | mm | mm | lbs. | | |
| 74361 | 2.5 | 50 | .07 | | |
| 74362 | 3.0 | 50 | .07 | | |
| 74363 | 4.0 | 50 | .07 | | |
| 74364 | 5.0 | 50 | .07 | | |
| 74365 | 6.0 | 50 | .07 | | |
| 74366 | 8.0 | 50 | .09 | | |

Hex MetricLong Insert Bit On 5/16"



72388 Hex Metric Bit On 5/16" Stock

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | mm | mm | pkg. | lbs. | |
| 72388 | 12.0 | 75 | 10 | .14 | |

Stainless Steel Hex Metric Bits



701 Stainless Steel Hex Metric Insert Bits

| Item | | | | | |
|-------|-----|----|------|--|--|
| No. | mm | mm | pkg. | | |
| 70170 | 1.5 | 25 | 10 | | |
| 70171 | 2.0 | 25 | 10 | | |
| 70172 | 2.5 | 25 | 10 | | |
| 70173 | 3.0 | 25 | 10 | | |
| 70174 | 4.0 | 25 | 10 | | |
| 70175 | 5.0 | 25 | 10 | | |
| 70176 | 6.0 | 25 | 10 | | |

Wiha Ball End Hex Inch Insert Bits



717 Ball End Hex Inch Insert Bits, 1/4"

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | Inch | mm | pkg. | lbs. | |
| 71701 | 3/32 | 25 | 10 | .12 | |
| 71702 | 7/64 | 25 | 10 | .12 | |
| 71703 | 1/8 | 25 | 10 | .12 | |
| 71704 | 9/64 | 25 | 10 | .12 | |
| 71705 | 5/32 | 25 | 10 | .12 | |
| 71706 | 3/16 | 25 | 10 | .13 | |
| 71707 | 7/32 | 25 | 10 | .13 | |
| 71708 | 1/4 | 25 | 10 | .13 | |



2 bit pack

717 Ball End Hex Inch Insert Bit Packs, 1"

| Item | | | | | |
|-------|------|----|------|--|--|
| No. | Inch | mm | lbs. | | |
| 71711 | 3/32 | 25 | .03 | | |
| 71712 | 7/64 | 25 | .03 | | |
| 71713 | 1/8 | 25 | .03 | | |
| 71714 | 9/64 | 25 | .03 | | |
| 71715 | 5/32 | 25 | .04 | | |
| 71716 | 3/16 | 25 | .04 | | |
| 71717 | 7/32 | 25 | .04 | | |
| 71718 | 1/4 | 25 | .04 | | |

Ball End Hex Metric Power Bits

2 pc. bit pack!



717 Ball End Hex Metric Power Bits

| Item | | | | | |
|-------|-----|----|------|--|--|
| No. | mm | mm | pkg. | | |
| 71719 | 1.5 | 38 | 1 | | |
| 71720 | 2.0 | 38 | 1 | | |
| 71721 | 2.5 | 38 | 1 | | |
| 71722 | 3.0 | 38 | 1 | | |
| 71723 | 4.0 | 38 | 1 | | |
| 71724 | 5.0 | 38 | 1 | | |
| 71725 | 6.0 | 38 | 1 | | |

Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power

**Up To 30X
Performance Over
Standard
Screwdriver Bits**



Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required

Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters



765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76530 | 1/8 | 29 | 10 |
| 76531 | 9/64 | 29 | 10 |
| 76532 | 5/32 | 29 | 10 |
| 76533 | 3/16 | 29 | 10 |
| 76534 | 7/32 | 29 | 10 |
| 76535 | 1/4 | 29 | 10 |



768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76830 | 1/8 | 29 | 2 |
| 76831 | 9/64 | 29 | 2 |
| 76832 | 5/32 | 29 | 2 |
| 76833 | 3/16 | 29 | 2 |
| 76834 | 7/32 | 29 | 2 |
| 76835 | 1/4 | 29 | 2 |



765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76523 | 3.0 | 29 | 10 |
| 76524 | 4.0 | 29 | 10 |
| 76525 | 5.0 | 29 | 10 |
| 76526 | 6.0 | 29 | 10 |



768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76823 | 3.0 | 29 | 2 |
| 76824 | 4.0 | 29 | 2 |
| 76825 | 5.0 | 29 | 2 |
| 76826 | 6.0 | 29 | 2 |



765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76570 | 1/8 | 49 | 10 |
| 76571 | 9/64 | 49 | 10 |
| 76572 | 5/32 | 49 | 10 |
| 76573 | 3/16 | 49 | 10 |
| 76574 | 7/32 | 49 | 10 |
| 76575 | 1/4 | 49 | 10 |



768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76870 | 1/8 | 49 | 2 |
| 76871 | 9/64 | 49 | 2 |
| 76872 | 5/32 | 49 | 2 |
| 76873 | 3/16 | 49 | 2 |
| 76874 | 7/32 | 49 | 2 |
| 76875 | 1/4 | 49 | 2 |



765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76563 | 3.0 | 49 | 10 |
| 76564 | 4.0 | 49 | 10 |
| 76565 | 5.0 | 49 | 10 |
| 76566 | 6.0 | 49 | 10 |



768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 bit pack

| Item | Hex | Insert | Power |
|-------|------|--------|-------|
| No. | Inch | mm | pkg. |
| 76863 | 3.0 | 49 | 2 |
| 76864 | 4.0 | 49 | 2 |
| 76865 | 5.0 | 49 | 2 |
| 76866 | 6.0 | 49 | 2 |



76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76894 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm




76893 7 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76893 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm

1/4" Drive Insert & Power Bits



**Up To 30X Performance
Over Standard Screwdriver Bits**

91247 Empty Bit Buddy Case Holds Terminator Impact Insert Bits

91247 Holds 7 Impact Bits

91313 Empty Bit Buddy Case Holds Terminator Impact Power Bits

91313 Holds 7 Impact Bits

Wiha Bit Holders

Quick Release



714 ClicFix Bit Holder, Magnetic, For Insert Bits

| Item | | | | |
|-------|------|------|----|------|
| No. | Size | Size | mm | Inch |
| 71490 | 1/4" | 1/4" | 60 | 2.4 |
| 71491 | 1/4" | 1/4" | 75 | 2.9 |

Quick Release



714 CentroFix Bit Holder For Power Bits

| Item | | | | |
|-------|------|------|----|------|
| No. | Size | Size | mm | Inch |
| 71480 | 1/4" | 1/4" | 60 | 2.3 |

Wiha Impact Bit Holding Sockets



720 Impact Bit Holding Socket With Retaining Ring

For 1/4" drive bits.

| Item | | | | |
|-------|-----|----|-------|------|
| No. | Bit | mm | Drive | lbs. |
| 72001 | 1/4 | 25 | 1/4" | .05 |
| 72002 | 1/4 | 30 | 3/8" | .10 |
| 72003 | 1/4 | 35 | 1/2" | .21 |

72090 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

| Drive: | | lbs. |
|------------------|-----|------|
| 1/4", 3/8", 1/2" | .40 | |

Long Blade Sockets & Sets



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

| Item | | | |
|-------|------|------|------|
| No. | Size | Inch | lbs. |
| 77140 | 2.5 | 6.0 | .13 |
| 77142 | 3.0 | 6.0 | .13 |
| 77144 | 4.0 | 6.0 | .13 |
| 77146 | 5.0 | 6.0 | .13 |
| 77148 | 6.0 | 6.0 | .13 |

77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

| | |
|--|----------|
| | lbs. .70 |
|--|----------|

Long Blade Sockets & Sets



771 Hex Inch Sockets 1/4" Drive 6" Long Bit Socket

| Item | | | |
|-------|------|------|------|
| No. | Size | Inch | lbs. |
| 77128 | 3/32 | 6.0 | .12 |
| 77130 | 7/64 | 6.0 | .12 |
| 77132 | 1/8 | 6.0 | .12 |
| 77134 | 9/64 | 6.0 | .12 |
| 77136 | 5/32 | 6.0 | .12 |
| 77138 | 3/16 | 6.0 | .12 |
| 77139 | 7/32 | 6.0 | .12 |
| 77141 | 1/4 | 6.0 | .12 |

77191 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .97



771 Hex Inch Sockets 3/8" Drive 6" Long Bit Socket

| Item | | | |
|-------|------|------|------|
| No. | Size | Inch | lbs. |
| 77165 | 3/32 | 6.0 | .18 |
| 77167 | 7/64 | 6.0 | .18 |
| 77169 | 1/8 | 6.0 | .18 |
| 77171 | 9/64 | 6.0 | .18 |
| 77173 | 5/32 | 6.0 | .18 |
| 77175 | 3/16 | 6.0 | .18 |
| 77177 | 7/32 | 6.0 | .18 |
| 77179 | 1/4 | 6.0 | .18 |



77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

| | |
|--|-----------|
| | lbs. 2.82 |
|--|-----------|

Wiha Sockets



713 Hex Sockets 1/4" Square drive socket. Replaceable bit.




1/4" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | Inch | mm | lbs. |
| 71371 | 1/16 | 38 | .05 |
| 71370 | 5/64 | 38 | .05 |
| 71372 | 3/32 | 38 | .05 |
| 71374 | 7/64 | 38 | .05 |
| 71376 | 1/8 | 38 | .05 |
| 71378 | 9/64 | 38 | .05 |
| 71380 | 5/32 | 38 | .05 |
| 71382 | 3/16 | 38 | .05 |
| 71384 | 7/32 | 38 | .05 |
| 71386 | 1/4 | 38 | .05 |

Wiha Sockets






713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | lbs. |
| 71375 | 1/8 | 42 | .09 |
| 71377 | 9/64 | 42 | .09 |
| 71379 | 5/32 | 42 | .09 |
| 71381 | 3/16 | 42 | .09 |
| 71383 | 7/32 | 42 | .09 |
| 71385 | 1/4 | 42 | .09 |
| 71388 | 5/16 | 42 | .10 |
| 71390 | 3/8 | 42 | .10 |






713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 71301 | 1.5 | 38 | .04 |
| 71302 | 2.0 | 38 | .04 |
| 71305 | 2.5 | 38 | .04 |
| 71313 | 3.0 | 38 | .04 |
| 71314 | 4.0 | 38 | .04 |
| 71317 | 5.0 | 38 | .05 |
| 71319 | 6.0 | 38 | .05 |
| 71327 | 8.0 | 38 | .05 |
| 71340 | 10.0 | 38 | .05 |





713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 71300 | 2.0 | 42 | .09 |
| 71316 | 2.5 | 42 | .09 |
| 71341 | 3.0 | 42 | .09 |
| 71331 | 4.0 | 42 | .09 |
| 71323 | 5.0 | 42 | .09 |
| 71325 | 6.0 | 42 | .09 |
| 71320 | 8.0 | 42 | .10 |
| 71322 | 10.0 | 42 | .11 |



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.




| Item |  |  | |
|-------|---|---|------|
| No. | mm | mm | lbs. |
| 71332 | 12.0 | 75 | .22 |



Replaceable bit




761 Security Hex Inch Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | lbs. |
| 76164 | 5/64 | 42 | .09 |
| 76165 | 3/32 | 42 | .09 |
| 76166 | 7/64 | 42 | .09 |
| 76167 | 1/8 | 42 | .09 |
| 76168 | 9/64 | 42 | .09 |
| 76169 | 5/32 | 42 | .09 |
| 76170 | 3/16 | 42 | .09 |
| 76171 | 7/32 | 42 | .09 |
| 76172 | 1/4 | 42 | .09 |




761 Security Hex Metric Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 76132 | 2.0 | 42 | .09 |
| 76133 | 2.5 | 42 | .09 |
| 76134 | 3.0 | 42 | .09 |
| 76135 | 4.0 | 42 | .09 |
| 76136 | 5.0 | 42 | .09 |
| 76137 | 6.0 | 42 | .09 |
| 76138 | 8.0 | 42 | .09 |






717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.


| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | lbs. |
| 71761 | 3/32 | 38 | .09 |
| 71762 | 7/64 | 38 | .09 |
| 71763 | 1/8 | 38 | .09 |
| 71764 | 9/64 | 38 | .09 |
| 71765 | 5/32 | 38 | .09 |
| 71766 | 3/16 | 38 | .09 |
| 71767 | 7/32 | 38 | .09 |
| 71768 | 1/4 | 38 | .09 |



717 Ball End Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.


| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 71771 | 1.5 | 51 | .11 |
| 71772 | 2.0 | 51 | .11 |
| 71773 | 2.5 | 51 | .11 |
| 71774 | 3.0 | 51 | .11 |
| 71775 | 4.0 | 51 | .11 |
| 71776 | 5.0 | 51 | .12 |
| 71777 | 6.0 | 51 | .12 |

Wiha Socket Sets On Molded Rails


Bits CVM
tool steel

71391 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.

Item No. 

71391 lbs. Set includes the following:

.48 1/16, 5/64, 3/32, 7/64, 1/8
9/64, 5/32, 3/16, 7/32, 1/4"Bits CVM
tool steel


71798 8 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 


71798 lbs. Set includes the following:

.72 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"


Bits CVM
tool steel

71398 7 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.


Item No. 

71398 lbs. Set includes the following:

.48 3/32, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"Bits CVM
tool steel

71797 7 Pc. Ball End Hex Metric Sockets

1/4" Square Drive Replaceable Bit Socket.


Item No. 

71797 lbs. Set includes the following:

.72 3.0, 4.0, 5.0, 6.0mm
1.5, 2.0, 2.5,Bits CVM
tool steel

71392 8 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71392 lbs. Set includes the following:

.78 1/4, 5/16, 3/8"
1/8, 9/64, 5/32, 3/16, 7/32,Bits CVM
tool steel

71393 5 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71393 lbs. Set includes the following:

.54 1/4, 5/16, 3/8"
Hex Inch: 1/8, 3/16,Bits CVM
tool steel

71394 5 Piece Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Socket.


Item No. 

71394 lbs. Set includes the following:


.56 8.0, 10.0mm
Hex Metric: 4.0, 5.0, 6.0,Bits CVM
tool steel

71996 9 Piece Hex Metric Socket Set

1/4" & 3/8" Sq. Dr. Replaceable Bit Socket


Item No. 

71996 lbs. Set includes the following:

.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
3/8": 5.0, 6.0, 8.0, 10.0mmBits CVM
tool steel

71999 9 Pc. Security Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.


Item No. 

71999 lbs. Set includes the following:

.86 5/64, 3/32, 7/64, 1/8,
9/64, 5/32, 3/16, 7/32, 1/4"Bits CVM
tool steel

71989 7 Pc. Security Hex Metric Sockets

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71989 lbs. Set includes the following:

.74 2.0, 2.5, 3.0, 4.0, 5.0,
6.0, 8.0mm

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 13650 | 22 | 26415 | 28 | 27509 | 26 | 28503 | 24 | 31890 | 22 | 33452 | 10 |
| 13651 | 22 | 26416 | 29 | 27510 | 26 | 28504 | 24 | 32302 | 21 | 33453 | 11 |
| 13652 | 22 | 26419 | 29 | 27513 | 26 | 28505 | 24 | 32303 | 21 | 33454 | 10 |
| 13653 | 22 | 26420 | 28 | 27515 | 26 | 28506 | 24 | 32304 | 21 | 33456 | 11 |
| 13654 | 22 | 26423 | 29 | 27520 | 26 | 28507 | 24 | 32305 | 21 | 33458 | 10 |
| 13655 | 22 | 26425 | 28 | 27525 | 26 | 28508 | 24 | 32306 | 21 | 33459 | 11 |
| 13656 | 22 | 26427 | 29 | 27530 | 26 | 28509 | 24 | 32308 | 21 | 33462 | 11 |
| 13657 | 22 | 26430 | 28 | 27535 | 26 | 28511 | 24 | 32366 | 21 | 33465 | 11 |
| 13658 | 22 | 26431 | 29 | 27537 | 26 | 28513 | 24 | 33401 | 11 | 33468 | 11 |
| 13659 | 22 | 26436 | 29 | 27539 | 26 | 28515 | 24 | 33402 | 11 | 33471 | 11 |
| 13662 | 22 | 26439 | 29 | 27541 | 26 | 28517 | 24 | 33403 | 11 | 33474 | 11 |
| 13663 | 22 | 26440 | 28 | 27543 | 26 | 28518 | 24 | 33404 | 11 | 33477 | 11 |
| 13664 | 22 | 26441 | 27 | 27545 | 26 | 28519 | 24 | 33405 | 11 | 33478 | 21 |
| 13665 | 22 | 26443 | 27 | 27547 | 26 | 28521 | 24 | 33406 | 11 | 33480 | 11 |
| 13666 | 22 | 26445 | 27 | 27549 | 26 | 28523 | 24 | 33407 | 11 | 33481 | 21 |
| 13667 | 22 | 26447 | 27 | 27590 | 26 | 28525 | 24 | 33408 | 11 | 33482 | 21 |
| 13668 | 22 | 26449 | 27 | 27591 | 26 | 28545 | 24 | 33409 | 11 | 33483 | 21 |
| 13669 | 22 | 26455 | 27 | 28000 | 30 | 28546 | 24 | 33410 | 11 | 33484 | 11 |
| 13670 | 22 | 26457 | 27 | 28001 | 30 | 28547 | 24 | 33411 | 11 | 33485 | 21 |
| 13671 | 22 | 26459 | 27 | 28003 | 27 | 28548 | 24 | 33412 | 11 | 33486 | 21 |
| 13672 | 22 | 26461 | 27 | 28004 | 27 | 28549 | 24 | 33413 | 11 | 33487 | 21 |
| 13673 | 22 | 26463 | 27 | 28005 | 27 | 28550 | 24 | 33414 | 11 | 33488 | 11 |
| 13690 | 22 | 26465 | 27 | 28006 | 27 | 28551 | 24 | 33415 | 11 | 33489 | 10 |
| 13691 | 22 | 26467 | 27 | 28007 | 27 | 28552 | 24 | 33416 | 11 | 33490 | 21 |
| 13693 | 22 | 26490 | 29 | 28008 | 27 | 28553 | 24 | 33417 | 11 | 33492 | 11 |
| 13694 | 22 | 26491 | 28 | 28021 | 30 | 28554 | 24 | 33418 | 10 | 33493 | 11 |
| 26307 | 28 | 26493 | 27 | 28023 | 30 | 28555 | 24 | 33419 | 11 | 33494 | 10 |
| 26309 | 28 | 26499 | 29 | 28024 | 30 | 28556 | 24 | 33420 | 10 | 33496 | 10 |
| 26313 | 28 | 26900 | 30 | 28025 | 30 | 28557 | 24 | 33421 | 11 | 33498 | 10 |
| 26315 | 28 | 26901 | 30 | 28026 | 30 | 28558 | 24 | 33422 | 10 | 33499 | 10 |
| 26316 | 28 | 26913 | 30 | 28027 | 30 | 28559 | 24 | 33423 | 11 | 35104 | 19 |
| 26320 | 28 | 26914 | 30 | 28028 | 30 | 28560 | 24 | 33424 | 10 | 35108 | 19 |
| 26323 | 28 | 26915 | 30 | 28029 | 30 | 28587 | 24 | 33425 | 11 | 35112 | 19 |
| 26325 | 28 | 26916 | 30 | 28033 | 30 | 28588 | 24 | 33426 | 10 | 35116 | 19 |
| 26327 | 28 | 26917 | 30 | 28034 | 30 | 28916 | 25 | 33427 | 11 | 35120 | 19 |
| 26330 | 28 | 26918 | 30 | 28035 | 30 | 28917 | 25 | 33428 | 10 | 35124 | 19 |
| 26331 | 28 | 26919 | 30 | 28036 | 30 | 28918 | 25 | 33429 | 11 | 35128 | 19 |
| 26333 | 28 | 26920 | 30 | 28037 | 30 | 28919 | 25 | 33430 | 10 | 35132 | 19 |
| 26336 | 28 | 26921 | 30 | 28116 | 23 | 28920 | 25 | 33432 | 10 | 35136 | 19 |
| 26340 | 28 | 26923 | 30 | 28117 | 23 | 28921 | 25 | 33433 | 10 | 35140 | 19 |
| 26341 | 27 | 26924 | 30 | 28118 | 23 | 28922 | 25 | 33434 | 11 | 35143 | 19 |
| 26343 | 27 | 26925 | 30 | 28119 | 23 | 28923 | 25 | 33435 | 11 | 35144 | 19 |
| 26345 | 27 | 26926 | 30 | 28120 | 23 | 28924 | 25 | 33436 | 11 | 35145 | 19 |
| 26347 | 27 | 26927 | 30 | 28122 | 23 | 28931 | 25 | 33437 | 11 | 35146 | 19 |
| 26349 | 27 | 26928 | 30 | 28123 | 23 | 28933 | 25 | 33438 | 11 | 35147 | 19 |
| 26351 | 27 | 26929 | 30 | 28124 | 23 | 28935 | 25 | 33439 | 10 | 35150 | 19 |
| 26353 | 27 | 26932 | 30 | 28149 | 23 | 28937 | 25 | 33440 | 10 | 35152 | 19 |
| 26363 | 27 | 26933 | 30 | 28150 | 23 | 28938 | 25 | 33441 | 21 | 35153 | 19 |
| 26367 | 27 | 26934 | 30 | 28151 | 23 | 28939 | 25 | 33442 | 10 | 35155 | 19 |
| 26369 | 27 | 26935 | 30 | 28192 | 23 | 28940 | 25 | 33443 | 21 | 35156 | 19 |
| 26371 | 27 | 26936 | 30 | 28298 | 32 | 31805 | 22 | 33444 | 10 | 35159 | 19 |
| 26390 | 28 | 26937 | 30 | 28299 | 32 | 31807 | 22 | 33445 | 21 | 35162 | 19 |
| 26391 | 28 | 26961 | 27 | 28486 | 23 | 31809 | 22 | 33446 | 10 | 35165 | 19 |
| 26392 | 27 | 26989 | 30 | 28487 | 23 | 31811 | 22 | 33447 | 21 | 35168 | 19 |
| 26393 | 27 | 26999 | 30 | 28488 | 23 | 31813 | 22 | 33448 | 10 | 35171 | 19 |
| 26399 | 28 | 27505 | 26 | 28501 | 24 | 31815 | 22 | 33449 | 21 | 35174 | 19 |
| 26413 | 28 | 27507 | 26 | 28502 | 24 | 31817 | 22 | 33450 | 10 | 35175 | 19 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 35176 | 19 | 35247 | 18 | 35341 | 20 | 36941 | 5 | 46740 | 15 | 66930 | 5 |
| 35177 | 19 | 35248 | 18 | 35342 | 20 | 36942 | 5 | 46750 | 15 | 66936 | 4 |
| 35178 | 19 | 35249 | 18 | 35343 | 20 | 36943 | 5 | 46760 | 15 | 66937 | 5 |
| 35179 | 19 | 35250 | 18 | 35345 | 20 | 36944 | 7 | 46780 | 15 | 66938 | 5 |
| 35180 | 19 | 35251 | 17 | 35346 | 20 | 36945 | 7 | 46786 | 15 | 66944 | 4 |
| 35191 | 19 | 35252 | 17 | 35347 | 20 | 36946 | 7 | 46793 | 14 | 66945 | 4 |
| 35192 | 19 | 35253 | 17 | 35348 | 20 | 36947 | 7 | 46794 | 14 | 66946 | 4 |
| 35193 | 19 | 35254 | 17 | 35390 | 20 | 36948 | 5 | 46796 | 15 | 66947 | 4 |
| 35194 | 19 | 35255 | 17 | 35391 | 20 | 36949 | 5 | 46797 | 14 | 66950 | 4 |
| 35195 | 16 | 35256 | 17 | 35392 | 20 | 36950 | 7 | 46799 | 15 | 66952 | 4 |
| 35196 | 16 | 35257 | 17 | 35393 | 20 | 36951 | 5 | 54001 | 9 | 66953 | 4 |
| 35197 | 16 | 35258 | 17 | 36696 | 6 | 36952 | 7 | 54002 | 9 | 66955 | 4 |
| 35198 | 16 | 35259 | 17 | 36710 | 12 | 36953 | 7 | 54003 | 9 | 66956 | 4 |
| 35200 | 18 | 35260 | 18 | 36713 | 12 | 36954 | 5 | 54004 | 9 | 66959 | 4 |
| 35201 | 17 | 35261 | 17 | 36715 | 13 | 36955 | 7 | 54005 | 9 | 66962 | 4 |
| 35202 | 17 | 35270 | 18 | 36716 | 12 | 36956 | 7 | 54006 | 9 | 66965 | 4 |
| 35203 | 18 | 35280 | 18 | 36719 | 12 | 36957 | 5 | 54007 | 9 | 66968 | 4 |
| 35204 | 17 | 35282 | 18 | 36720 | 13 | 36958 | 5 | 54008 | 9 | 66971 | 4 |
| 35205 | 18 | 35284 | 18 | 36723 | 12 | 36959 | 7 | 54009 | 9 | 66982 | 6 |
| 35206 | 17 | 35285 | 18 | 36725 | 13 | 36960 | 5 | 54010 | 9 | 66988 | 6 |
| 35208 | 17 | 35286 | 18 | 36726 | 12 | 36961 | 5 | 54012 | 8 | 66990 | 4 |
| 35210 | 17 | 35288 | 18 | 36728 | 12 | 36962 | 7 | 54014 | 8 | 66991 | 4 |
| 35211 | 17 | 35290 | 18 | 36730 | 13 | 36963 | 5 | 54016 | 8 | 66992 | 4 |
| 35212 | 17 | 35291 | 18 | 36732 | 12 | 36965 | 7 | 54018 | 8 | 66993 | 5 |
| 35213 | 18 | 35295 | 17 | 36734 | 12 | 36968 | 7 | 54020 | 9 | 66994 | 5 |
| 35214 | 17 | 35297 | 17 | 36736 | 12 | 36971 | 7 | 54022 | 8 | 66995 | 5 |
| 35215 | 18 | 35301 | 20 | 36738 | 12 | 36988 | 6 | 54024 | 8 | 66996 | 6 |
| 35216 | 18 | 35302 | 20 | 36740 | 13 | 36989 | 20 | 54025 | 9 | 66997 | 16 |
| 35217 | 17 | 35303 | 20 | 36742 | 12 | 36990 | 7 | 54030 | 9 | 66998 | 5 |
| 35218 | 18 | 35304 | 20 | 36744 | 12 | 36991 | 7 | 54040 | 8 | 70170 | 36 |
| 35219 | 17 | 35305 | 20 | 36750 | 13 | 36992 | 7 | 54042 | 9 | 70171 | 36 |
| 35220 | 18 | 35306 | 20 | 36760 | 13 | 36993 | 7 | 54050 | 8 | 70172 | 36 |
| 35221 | 17 | 35307 | 20 | 36780 | 13 | 36995 | 6 | 54052 | 9 | 70173 | 36 |
| 35222 | 18 | 35308 | 20 | 36786 | 13 | 36996 | 16 | 54060 | 8 | 70174 | 36 |
| 35223 | 17 | 35309 | 20 | 36790 | 13 | 36997 | 16 | 54062 | 9 | 70175 | 36 |
| 35224 | 18 | 35310 | 20 | 36791 | 12 | 36998 | 5 | 54080 | 8 | 70176 | 36 |
| 35225 | 18 | 35311 | 20 | 36792 | 13 | 38014 | 34 | 54082 | 9 | 71300 | 39 |
| 35226 | 18 | 35312 | 20 | 36793 | 12 | 38056 | 32 | 54086 | 8 | 71301 | 39 |
| 35227 | 17 | 35313 | 20 | 36794 | 12 | 38057 | 32 | 54088 | 9 | 71302 | 39 |
| 35228 | 18 | 35314 | 20 | 36904 | 7 | 38058 | 32 | 54090 | 8 | 71303 | 35 |
| 35230 | 18 | 35316 | 20 | 36908 | 7 | 46702 | 14 | 54091 | 8 | 71304 | 33 |
| 35231 | 17 | 35317 | 20 | 36911 | 6 | 46704 | 14 | 54092 | 9 | 71305 | 39 |
| 35232 | 18 | 35318 | 20 | 36912 | 7 | 46706 | 14 | 54094 | 9 | 71306 | 35 |
| 35233 | 17 | 35319 | 20 | 36913 | 6 | 46708 | 14 | 54095 | 9 | 71307 | 33 |
| 35234 | 18 | 35320 | 20 | 36914 | 6 | 46710 | 14 | 54097 | 9 | 71308 | 35 |
| 35235 | 17 | 35321 | 20 | 36915 | 6 | 46712 | 14 | 62994 | 29 | 71309 | 35 |
| 35236 | 18 | 35330 | 20 | 36916 | 7 | 46714 | 14 | 62995 | 29 | 71310 | 33 |
| 35237 | 17 | 35331 | 20 | 36917 | 6 | 46715 | 15 | 66904 | 4,5 | 71311 | 33 |
| 35238 | 18 | 35332 | 20 | 36918 | 6 | 46716 | 14 | 66908 | 4,5 | 71312 | 35 |
| 35239 | 17 | 35333 | 20 | 36919 | 6 | 46718 | 14 | 66912 | 4,5 | 71313 | 39 |
| 35240 | 18 | 35334 | 20 | 36920 | 7 | 46720 | 15 | 66916 | 4 | 71314 | 39 |
| 35241 | 17 | 35335 | 20 | 36921 | 6 | 46722 | 14 | 66918 | 5 | 71315 | 35 |
| 35242 | 18 | 35336 | 20 | 36922 | 6 | 46724 | 14 | 66920 | 4 | 71316 | 39 |
| 35243 | 17 | 35337 | 20 | 36924 | 7 | 46725 | 15 | 66922 | 5 | 71317 | 39 |
| 35244 | 18 | 35338 | 20 | 36928 | 7 | 46726 | 14 | 66924 | 4 | 71318 | 35 |
| 35245 | 18 | 35339 | 20 | 36936 | 7 | 46728 | 14 | 66926 | 5 | 71319 | 39 |
| 35246 | 18 | 35340 | 20 | 36940 | 5 | 46730 | 15 | 66928 | 4 | 71320 | 39 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 71321 | 35 | 71387 | 35 | 71936 | 36 | 74317 | 36 | 75330 | 31 | 76574 | 37 |
| 71322 | 39 | 71388 | 39 | 71938 | 36 | 74318 | 36 | 75332 | 31 | 76575 | 37 |
| 71323 | 39 | 71390 | 39 | 71939 | 36 | 74319 | 33 | 75340 | 31 | 76823 | 37 |
| 71324 | 35 | 71391 | 40 | 71940 | 36 | 74325 | 36 | 75342 | 31 | 76824 | 37 |
| 71325 | 39 | 71392 | 40 | 71941 | 36 | 74330 | 36 | 75350 | 31 | 76825 | 37 |
| 71326 | 35 | 71393 | 40 | 71942 | 36 | 74340 | 36 | 75352 | 31 | 76826 | 37 |
| 71327 | 39 | 71394 | 40 | 71943 | 36 | 74341 | 36 | 75354 | 31 | 76830 | 37 |
| 71328 | 35 | 71396 | 35 | 71944 | 36 | 74342 | 36 | 75356 | 31 | 76831 | 37 |
| 71329 | 35 | 71397 | 35 | 71945 | 36 | 74343 | 36 | 75358 | 31 | 76832 | 37 |
| 71330 | 35 | 71398 | 40 | 71946 | 36 | 74344 | 36 | 75360 | 31 | 76833 | 37 |
| 71331 | 39 | 71399 | 33 | 71955 | 36 | 74345 | 36 | 75362 | 31 | 76834 | 37 |
| 71332 | 39 | 71480 | 38 | 71956 | 36 | 74346 | 36 | 75364 | 31 | 76835 | 37 |
| 71333 | 35 | 71490 | 38 | 71960 | 36 | 74347 | 36 | 75366 | 31 | 76863 | 37 |
| 71336 | 35 | 71491 | 38 | 71970 | 36 | 74348 | 36 | 75368 | 31 | 76864 | 37 |
| 71339 | 35 | 71701 | 37 | 71971 | 36 | 74349 | 36 | 75370 | 31 | 76865 | 37 |
| 71340 | 39 | 71702 | 37 | 71972 | 36 | 74350 | 36 | 75372 | 31 | 76866 | 37 |
| 71341 | 39 | 71703 | 37 | 71973 | 36 | 74351 | 36 | 75395 | 31 | 76870 | 37 |
| 71342 | 35 | 71704 | 37 | 71974 | 36 | 74352 | 36 | 75800 | 31 | 76871 | 37 |
| 71343 | 33 | 71705 | 37 | 71975 | 36 | 74353 | 36 | 75801 | 31 | 76872 | 37 |
| 71345 | 35 | 71706 | 37 | 71976 | 36 | 74354 | 36 | 75900 | 31 | 76873 | 37 |
| 71346 | 33 | 71707 | 37 | 71977 | 36 | 74355 | 36 | 75901 | 31 | 76874 | 37 |
| 71348 | 35 | 71708 | 37 | 71978 | 36 | 74356 | 36 | 75983 | 31 | 76875 | 37 |
| 71349 | 33 | 71711 | 37 | 71979 | 36 | 74357 | 36 | 76132 | 39 | 76893 | 37 |
| 71351 | 35 | 71712 | 37 | 71980 | 36 | 74360 | 36 | 76133 | 39 | 76894 | 37 |
| 71352 | 33 | 71713 | 37 | 71981 | 36 | 74361 | 36 | 76134 | 39 | 77128 | 38 |
| 71353 | 35 | 71714 | 37 | 71982 | 36 | 74362 | 36 | 76135 | 39 | 77130 | 38 |
| 71354 | 33 | 71715 | 37 | 71983 | 36 | 74363 | 36 | 76136 | 39 | 77132 | 38 |
| 71356 | 35 | 71716 | 37 | 71984 | 36 | 74364 | 36 | 76137 | 39 | 77134 | 38 |
| 71358 | 33 | 71717 | 37 | 71985 | 36 | 74365 | 36 | 76138 | 39 | 77136 | 38 |
| 71359 | 35 | 71718 | 37 | 71989 | 40 | 74366 | 36 | 76164 | 39 | 77138 | 38 |
| 71360 | 35 | 71719 | 37 | 71995 | 34 | 74369 | 33 | 76165 | 39 | 77139 | 38 |
| 71361 | 35 | 71720 | 37 | 71996 | 40 | 74371 | 33 | 76166 | 39 | 77140 | 38 |
| 71362 | 35 | 71721 | 37 | 71998 | 34 | 74373 | 33 | 76167 | 39 | 77141 | 38 |
| 71363 | 35 | 71722 | 37 | 71999 | 40 | 74375 | 33 | 76168 | 39 | 77142 | 38 |
| 71364 | 35 | 71723 | 37 | 72001 | 38 | 74377 | 33 | 76169 | 39 | 77144 | 38 |
| 71365 | 35 | 71724 | 37 | 72002 | 38 | 74379 | 33 | 76170 | 39 | 77146 | 38 |
| 71366 | 35 | 71725 | 37 | 72003 | 38 | 74380 | 36 | 76171 | 39 | 77148 | 38 |
| 71367 | 35 | 71761 | 39 | 72090 | 38 | 74381 | 36 | 76172 | 39 | 77165 | 38 |
| 71368 | 35 | 71762 | 39 | 72388 | 36 | 74382 | 36 | 76523 | 37 | 77167 | 38 |
| 71369 | 35 | 71763 | 39 | 73301 | 35 | 74383 | 36 | 76524 | 37 | 77169 | 38 |
| 71370 | 38 | 71764 | 39 | 73302 | 35 | 74384 | 36 | 76525 | 37 | 77171 | 38 |
| 71371 | 38 | 71765 | 39 | 73303 | 35 | 74385 | 36 | 76526 | 37 | 77173 | 38 |
| 71372 | 38 | 71766 | 39 | 73304 | 35 | 74386 | 36 | 76530 | 37 | 77175 | 38 |
| 71373 | 35 | 71767 | 39 | 73305 | 35 | 74387 | 36 | 76531 | 37 | 77177 | 38 |
| 71374 | 38 | 71768 | 39 | 73306 | 35 | 74388 | 36 | 76532 | 37 | 77179 | 38 |
| 71375 | 39 | 71771 | 39 | 73307 | 35 | 74986 | 34 | 76533 | 37 | 77191 | 38 |
| 71376 | 38 | 71772 | 39 | 73308 | 35 | 74989 | 34 | 76534 | 37 | 77192 | 38 |
| 71377 | 39 | 71773 | 39 | 73309 | 35 | 74999 | 34 | 76535 | 37 | 77198 | 38 |
| 71378 | 38 | 71774 | 39 | 74301 | 33 | 75096 | 31 | 76563 | 37 | 79246 | 33 |
| 71379 | 39 | 71775 | 39 | 74305 | 33 | 75307 | 31 | 76563 | 37 | 79256 | 33 |
| 71380 | 38 | 71776 | 39 | 74307 | 33 | 75309 | 31 | 76564 | 37 | 79266 | 33 |
| 71381 | 39 | 71777 | 39 | 74311 | 36 | 75313 | 31 | 76565 | 37 | 79276 | 33 |
| 71382 | 38 | 71797 | 40 | 74312 | 36 | 75315 | 31 | 76566 | 37 | 79446 | 34 |
| 71383 | 39 | 71798 | 40 | 74313 | 36 | 75320 | 31 | 76570 | 37 | 91118 | 26 |
| 71384 | 38 | 71930 | 36 | 74314 | 36 | 75322 | 31 | 76571 | 37 | 91247 | 37 |
| 71385 | 39 | 71932 | 36 | 74315 | 36 | 75325 | 31 | 76572 | 37 | 91256 | 37 |
| 71386 | 38 | 71934 | 36 | 74316 | 36 | 75327 | 31 | 76573 | 37 | | |