

2014




# Professional Quality Bits










## *Complete Bits Program*





















**Terminator Impact Insert & Power Bit Sets**

| DESCRIPTION  | Page |
|--|------|
|  Terminator Impact Bits | 4-5  |



**Standard Bits**

| DESCRIPTION   | Page  |
|---|-------|
|  Torx® Insert/Power Bits             | 6-8   |
|  Phillips Insert/Power Bits          | 14-16 |
|  Hex Metric & Inch Insert/Power Bits | 17-21 |
|  Square Insert/Power Bits            | 22    |
|  Slotted Insert/Power Bits           | 22-23 |
|  Pozidriv® Insert/Power Bits        | 24    |
|  Nut Setters                       | 42-43 |

**Specialty Bits**

| DESCRIPTION  | Page  |
|--|-------|
|   Xeno Phillips Terminal Block | 16    |
|   Torx® Align Bits             | 9     |
|   Ball End Torx®               | 13    |
|   Security Torx®               | 10-11 |
|   TorxPlus®                    | 12-13 |
|   Security Hex                 | 18,21 |
|   XZN Insert                   | 26    |
|  Triple Square Insert Bits  | 26    |
|   Tri-Wing                     | 25    |
|  Insert/Power Bits  | 25    |
|   Torq Set                     | 25    |
|  Insert/Power Bits  | 25    |
|   Spanner                      | 26    |










**Cutting Tools**

| DESCRIPTION  | Page |
|--|------|
|  Counter Sink | 26   |
|  Drill Bit    | 26   |



**High Performance Bits**

| DESCRIPTION   | Page |
|---|------|
|  Slotted Dura Insert Bits                    | 27   |
|  Tungsten Carbide Coated                     |      |
|  Phillips Dura Bits                          | 27   |
|  Insert/Power Bits - Tungsten Carbide Coated |      |
|  Pozidriv® Dura Bits                         | 27   |
|  Insert/Power Bits - Tungsten Carbide Coated |      |
|  Torx® Dura Insert Bits                      | 27   |
|  Tungsten Carbide Coated                     |      |
|  Slotted Diamond Bits                        | 27   |
|  Phillips Diamond Bits                       | 27   |
|  Insert/Power Bits                           |      |
|  Pozidriv® Diamond Bits                      | 27   |
|  Torx® Diamond Bits                          | 27   |
|  Phillips TiN Coated                         | 28   |
|  Insert/Power Bits - Titanium                |      |
|  Torx® TiN Coated - Titanium                | 28   |


**Insert & Power Bit Sets**

| DESCRIPTION  | Page |
|--|------|
|  Security Bits Collector   | 29   |
|  BitFlip Sets              | 30   |
|  Insert Bit Selectors      | 31   |
|  XSelector/XLSelector Sets | 31   |
|  6-in-1 Multi-Bit Sets     | 32   |
|  Stubby Bit Holder Sets    | 32   |
|  Topra Ratchet Bit Sets    | 33   |
|  Power Bit Belt Packs      | 33   |
|  PokitPak Sets             | 33   |



**Stainless Steel Insert & Power Bits**

|   | DESCRIPTION  | Page              |
|---|--|-------------------|
|  | Insert Bits<br>Slotted/Phillips/ Torx®/Hex/Pozidriv® | 7, 16, 17, 23, 24 |
|  | Power Bits<br>Phillips/Torx®/Pozidriv®               | 7, 16, 24         |

**TorqueControl Insert & Micro Bit Sets**

|   | DESCRIPTION            | Page |
|---|------------------------|------|
|  | TorqueControl Bit Sets | 34   |











**ESD Safe Micro Bit Handles/Bits & Sets**

|   | DESCRIPTION             | Page  |
|---|-------------------------|-------|
|  | Micro Bits              | 35-37 |
|  | ESD Safe Micro Bit Sets | 38    |








**ESD 1/4" Quick Release Bit Holder Blade Set**

|  | DESCRIPTION        | Page |
|--|--------------------|------|
|  | 1/4" Quick Release | 39   |

**Bit Holders**

|   | DESCRIPTION                  | Page |
|---|------------------------------|------|
|  | ESD Safe Bit Holders         | 39   |
|  | SoftFinish®<br>Cushion Grip  | 40   |
|  | MicroFinish<br>Non-Slip Grip | 40   |
|  | 3K Ergo Bit Holder           | 40   |
|  | T-handle                     | 40   |
|  | SoftGrip Stubby Bit Holder   | 40   |
|  | Flexible Shaft Bit Holder    | 40   |
|  | Drive-Loc VI Bit Holder      | 40   |
|  | Protturn Precision           | 40   |
|  | Multi-Bit Holders            | 41   |

**Bit Holders**


|   | DESCRIPTION   | Page |
|---|---|------|
|                     | Micro Bit Power Tool Adapter                        | 36   |
|                     | ClicFix Quick Release<br>Insert Bits                | 41   |
|  | CentroFix Quick Release<br>All 1/4" Drive Tools     | 41   |
|            | Protturn Quick Release<br>1/4" Drive                | 41   |
|                     | Stainless Steel Bit Holder                          | 42   |
|                     | Magnetic Bit Holders &<br>Retaining Ring Bit Holder | 42   |
|                     | Auto Lock Insert Bit Holder                         | 42   |

**Bit Sockets**

|  | DESCRIPTION                      | Page  |
|--|----------------------------------|-------|
|   | Torx® 1/4" Drive                 | 44    |
|   | Torx® 3/8" Drive                 | 44    |
|                                   | Torx® 3/8" - 5/16" Bits          | 44    |
|   | Security Torx® 3/8" Drive        | 44    |
|   | Slotted Bit Sockets 1/2" Drive   | 44    |
|   | Phillips Bit Socket 1/2" Drive   | 44    |
|   | Hex Bit Sockets 1/4" Drive       | 45    |
|   | Hex Bit Sockets 3/8" Drive       | 45    |
|   | Ball End Hex Sockets             | 45    |
|   | Socket Adapters                  | 46    |
|   | Impact Bit Holding Sockets       | 46    |
|  | 6" Bit Sockets 1/4" & 3/8" Drive | 46    |
|   | Socket Sets                      | 47-48 |

**Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power**

**Up To 30X  
Performance Over  
Standard  
Screwdriver Bits**



Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required

Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters



**765 Phillips Terminator Impact Bits,  
1/4" Insert - 10 Bit Pack**

| Item  | +    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76501 | 1    | 29 | 10   |      |
| 76502 | 2    | 29 | 10   |      |
| 76503 | 3    | 29 | 10   |      |

**768 Phillips Terminator Impact Bits,  
1/4" Insert - 2 Bit Pack**

| Item  | +    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76801 | 1    | 29 | 2    |      |
| 76802 | 2    | 29 | 2    |      |
| 76803 | 3    | 29 | 2    |      |



**765 Pozidriv® Terminator Impact Bits,  
1/4" Insert - 10 Bit Pack**

| Item  | +    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76506 | 1    | 29 | 10   |      |
| 76507 | 2    | 29 | 10   |      |
| 76508 | 3    | 29 | 10   |      |

**768 Pozidriv® Terminator Impact Bits,  
1/4" Insert - 2 Bit Pack**

| Item  | +    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76806 | 1    | 29 | 2    |      |
| 76807 | 2    | 29 | 2    |      |
| 76808 | 3    | 29 | 2    |      |



**765 TORX® Terminator Impact Bits,  
1/4" Insert - 10 Bit Pack**

| Item  | T    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76510 | T10  | 29 | 10   |      |
| 76511 | T15  | 29 | 10   |      |
| 76512 | T20  | 29 | 10   |      |
| 76513 | T25  | 29 | 10   |      |
| 76514 | T27  | 29 | 10   |      |
| 76516 | T30  | 29 | 10   |      |
| 76517 | T40  | 29 | 10   |      |

**768 TORX® Terminator Impact Bits,  
1/4" Insert - 2 Bit Pack**

| Item  | T    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76810 | T10  | 29 | 2    |      |
| 76811 | T15  | 29 | 2    |      |
| 76812 | T20  | 29 | 2    |      |
| 76813 | T25  | 29 | 2    |      |
| 76814 | T27  | 29 | 2    |      |
| 76816 | T30  | 29 | 2    |      |
| 76817 | T40  | 29 | 2    |      |



**765 Square Terminator Impact Bits,  
1/4" Insert - 10 Bit Pack**

| Item  | □    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76538 | 1    | 29 | 10   |      |
| 76539 | 2    | 29 | 10   |      |
| 76540 | 3    | 29 | 10   |      |

**768 Square Terminator Impact Bits,  
1/4" Insert - 2 Bit Pack**

| Item  | □    | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. |      |
| 76838 | 1    | 29 | 2    |      |
| 76839 | 2    | 29 | 2    |      |
| 76840 | 3    | 29 | 2    |      |



**765 Hex Inch Terminator Impact Bits,  
1/4" Insert - 10 Bit Pack**

| Item  | Hex  | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Inch | mm | pkg. |      |
| 76530 | 1/8  | 29 | 10   |      |
| 76531 | 9/64 | 29 | 10   |      |
| 76532 | 5/32 | 29 | 10   |      |
| 76533 | 3/16 | 29 | 10   |      |
| 76534 | 7/32 | 29 | 10   |      |
| 76535 | 1/4  | 29 | 10   |      |

**768 Hex Inch Terminator Impact Bits,  
1/4" Insert - 2 Bit Pack**

| Item  | Hex  | —  | —    | SHOP |
|-------|------|----|------|------|
| No.   | Inch | mm | pkg. |      |
| 76830 | 1/8  | 29 | 2    |      |
| 76831 | 9/64 | 29 | 2    |      |
| 76832 | 5/32 | 29 | 2    |      |
| 76833 | 3/16 | 29 | 2    |      |
| 76834 | 7/32 | 29 | 2    |      |
| 76835 | 1/4  | 29 | 2    |      |




**765 Hex Metric Terminator Impact Bits,  
1/4" Insert - 10 Bit Pack**

| Item  | Hex | —  | —    | SHOP |
|-------|-----|----|------|------|
| No.   | mm  | mm | pkg. |      |
| 76523 | 3.0 | 29 | 10   |      |
| 76524 | 4.0 | 29 | 10   |      |
| 76525 | 5.0 | 29 | 10   |      |
| 76526 | 6.0 | 29 | 10   |      |

**768 Hex Metric Terminator Impact Bits,  
1/4" Insert - 2 Bit Pack**

| Item  | Hex | —  | —    | SHOP |
|-------|-----|----|------|------|
| No.   | mm  | mm | pkg. |      |
| 76823 | 3.0 | 29 | 2    |      |
| 76824 | 4.0 | 29 | 2    |      |
| 76825 | 5.0 | 29 | 2    |      |
| 76826 | 6.0 | 29 | 2    |      |

**1/4" Drive Insert & Power Bits**







**Up To 30X Performance  
Over Standard Screwdriver Bits**







**Wiha Terminator Hex Inch & Metric Impact Bits**



**765 Phillips Terminator Impact Bits, 1/4" Power - 10 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 76543 | 1   | 49  | 10  |   |
| 76544 | 2   | 49  | 10  |   |
| 76545 | 3   | 49  | 10  |   |

**768 Phillips Terminator Impact Bits, 1/4" Power - 2 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 76843 | 1   | 49  | 2   |   |
| 76844 | 2   | 49  | 2   |   |
| 76845 | 3   | 49  | 2   |   |



**765 Pozi driv® Terminator Impact Bits, 1/4" Power - 10 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 76548 | 1   | 49  | 10  |   |
| 76549 | 2   | 49  | 10  |   |
| 76550 | 3   | 49  | 10  |   |

**768 Pozi driv® Terminator Impact Bits, 1/4" Power - 2 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 76848 | 1   | 49  | 2   |   |
| 76849 | 2   | 49  | 2   |   |
| 76850 | 3   | 49  | 2   |   |



**765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 76553 | T10   | 49  | 10  |   |
| 76554 | T15   | 49  | 10  |   |
| 76555 | T20   | 49  | 10  |   |
| 76556 | T25   | 49  | 10  |   |
| 76557 | T27   | 49  | 10  |   |
| 76558 | T30   | 49  | 10  |   |
| 76559 | T40   | 49  | 10  |   |

**768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  |   |
| 76853 | T10   | 49  | 2   |   |
| 76854 | T15   | 49  | 2   |   |
| 76855 | T20   | 49  | 2   |   |
| 76856 | T25   | 49  | 2   |   |
| 76857 | T27   | 49  | 2   |   |
| 76858 | T30   | 49  | 2   |   |
| 76859 | T40   | 49  | 2   |   |



**765 Square Terminator Impact Bits, 1/4" Power - 10 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | Size  | mm  | pkg.  |  |
| 76578 | 1   | 49  | 10  |  |
| 76579 | 2   | 49  | 10  |  |
| 76580 | 3   | 49  | 10  |  |

**768 Square Terminator Impact Bits, 1/4" Power - 2 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | Size  | mm  | pkg.  |  |
| 76878 | 1   | 49  | 2   |  |
| 76879 | 2   | 49  | 2   |  |
| 76880 | 3   | 49  | 2   |  |



**765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | Inch  | mm  | pkg.  |  |
| 76570 | 1/8   | 49  | 10  |  |
| 76571 | 9/64  | 49  | 10  |  |
| 76572 | 5/32  | 49  | 10  |  |
| 76573 | 3/16  | 49  | 10  |  |
| 76574 | 7/32  | 49  | 10  |  |
| 76575 | 1/4   | 49  | 10  |  |

**768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 Bit Pack**





| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | Inch  | mm  | pkg.  |  |
| 76870 | 1/8   | 49  | 2   |  |
| 76871 | 9/64  | 49  | 2   |  |
| 76872 | 5/32  | 49  | 2   |  |
| 76873 | 3/16  | 49  | 2   |  |
| 76874 | 7/32  | 49  | 2   |  |
| 76875 | 1/4   | 49  | 2   |  |



**765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 Bit Pack**

| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | mm  | mm  | pkg.  |  |
| 76563 | 3.0   | 49  | 10  |  |
| 76564 | 4.0   | 49  | 10  |  |
| 76565 | 5.0   | 49  | 10  |  |
| 76566 | 6.0   | 49  | 10  |  |

**768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 Bit Pack**




| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | mm  | mm  | pkg.  |  |
| 76863 | 3.0   | 49  | 2   |  |
| 76864 | 4.0   | 49  | 2   |  |
| 76865 | 5.0   | 49  | 2   |  |
| 76866 | 6.0   | 49  | 2   |  |



Includes magnetic bit holder

**76891 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**



76891 Set includes the following bits:

-  Phillips: 2, 3
-  Square: 2, 3
-  Torx®: T20, T25, T30

Includes magnetic bit holder

**76893 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**


76893 Set includes the following bits:

-  Hex Inch: 5/32, 3/16, 7/32, 1/4"
-  Hex Metric: 4, 5, 6mm

Includes magnetic bit holder

**76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm**

76895 Set includes the following bits:

-  Torx®: T10, T15, T20, T25, T27, T30, T40

Includes magnetic bit holder

Power Bit Buddy Sets


**76892 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**

76892 Set includes the following bits:

-  Phillips: 2, 3
-  Square: 2, 3
-  Torx®: T20, T25, T30


**76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**

76894 Set includes the following bits:

-  Hex Inch: 5/32, 3/16, 7/32, 1/4"
-  Hex Metric: 4, 5, 6mm

**76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm**

76896 Set includes the following bits:

-  Torx®: T10, T15, T20, T25, T27, T30, T40



**91247 Empty Bit Buddy Case Holds Terminator Impact Insert Bits**

91247 Holds 7 Impact Bits

**91313 Empty Bit Buddy Case Holds Terminator Impact Power Bits**

91313 Holds 7 Impact Bits

# TORX® Bits

Impact resistant modified CVM, tool steel, hardened

*The ideal multi-purpose bits for all around quality and performance*

*Made in Germany - Production Quality*

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Highly resistant to wear and tear for a long tool life



## Wiha TORX® Bit Packs



[SHOP](#)

**71571** Torx® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71571** Set includes the following bits:

- Torx®:
- T15, T20, T25, T27, wt. .08 T30, T40 x 1" (25mm)

[SHOP](#)

**71570** Torx® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

**71570** Set includes the following bits:

- Torx®:
- T5, T6, T7, T8, T9, wt. .07 T10 x 1" (25mm)

## Wiha TORX® Insert Bit



[SHOP](#)

### 715 TORX® Bits, 1/4"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71523    | T3   | 25 | 10   | .12  |
| 71524    | T4   | 25 | 10   | .12  |
| 71505    | T5   | 25 | 10   | .12  |
| 71506    | T6   | 25 | 10   | .12  |
| 71507    | T7   | 25 | 10   | .12  |
| 71508    | T8   | 25 | 10   | .12  |
| 71509    | T9   | 25 | 10   | .12  |
| 71510    | T10  | 25 | 10   | .12  |
| 71515    | T15  | 25 | 10   | .12  |
| 71520    | T20  | 25 | 10   | .12  |
| 71525    | T25  | 25 | 10   | .12  |
| 71527    | T27  | 25 | 10   | .13  |
| 71530    | T30  | 25 | 10   | .14  |
| 71540    | T40  | 25 | 10   | .15  |

### 30 Piece Contractor Grade Bits

#### 725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72572    | T7   | 25 | .36  |
| 72573    | T8   | 25 | .36  |
| 72574    | T9   | 25 | .36  |
| 72575    | T10  | 25 | .36  |
| 72576    | T15  | 25 | .36  |
| 72577    | T20  | 25 | .36  |
| 72578    | T25  | 25 | .36  |
| 72579    | T27  | 25 | .36  |
| 72580    | T30  | 25 | .36  |
| 72581    | T40  | 25 | .36  |

[SHOP](#)

## Wiha TORX® Bit Packs



2 bit pack

[SHOP](#)

### 715 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71548    | T3   | 25 | .03  |
| 71549    | T4   | 25 | .03  |
| 71550    | T5   | 25 | .03  |
| 71551    | T6   | 25 | .03  |
| 71552    | T7   | 25 | .03  |
| 71553    | T8   | 25 | .03  |
| 71554    | T9   | 25 | .03  |
| 71555    | T10  | 25 | .03  |
| 71556    | T15  | 25 | .03  |
| 71557    | T20  | 25 | .03  |
| 71558    | T25  | 25 | .03  |
| 71559    | T27  | 25 | .04  |
| 71560    | T30  | 25 | .04  |
| 71561    | T40  | 25 | .04  |

## Wiha TORX® 5/16" Bits



5/16"

[SHOP](#)

### 725 TORX® Bits, 5/16"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72525    | T25  | 35 | 10   | .27  |
| 72527    | T27  | 35 | 10   | .27  |
| 72530    | T30  | 35 | 10   | .27  |
| 72540    | T40  | 35 | 10   | .28  |
| 72545    | T45  | 35 | 10   | .31  |
| 72550    | T50  | 35 | 10   | .32  |
| 72555    | T55  | 35 | 10   | .52  |

2 bit pack



5/16" Insert Bits

[SHOP](#)

### 725 TORX® Insert Bit Packs, 5/16"

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72531    | T30  | 35 | .28  |
| 72541    | T40  | 35 | .28  |
| 72546    | T45  | 35 | .31  |
| 72551    | T50  | 35 | .32  |
| 72556    | T55  | 35 | .52  |

**Wiha TORX® Power Bits**



[SHOP](#)

**745 TORX® Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 74511 | T6   | 50 | 10   | .18  |
|      | 74512 | T7   | 50 | 10   | .18  |
|      | 74513 | T8   | 50 | 10   | .18  |
|      | 74517 | T9   | 50 | 10   | .18  |
|      | 74519 | T10  | 50 | 10   | .18  |
|      | 74521 | T15  | 50 | 10   | .18  |
|      | 74523 | T20  | 50 | 10   | .18  |
|      | 74529 | T25  | 50 | 10   | .18  |
|      | 74531 | T27  | 50 | 10   | .18  |
|      | 74533 | T30  | 50 | 10   | .18  |
|      | 74535 | T40  | 50 | 10   | .18  |



[SHOP](#)

**745 TORX® Power Bits**  
1/4" Hex Drive, Length 3.5"/90mm

| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 74563 | T6   | 90 | 1    | .03  |
|      | 74565 | T7   | 90 | 1    | .03  |
|      | 74567 | T8   | 90 | 1    | .03  |
|      | 74569 | T9   | 90 | 1    | .03  |
|      | 74571 | T10  | 90 | 1    | .03  |
|      | 74573 | T15  | 90 | 1    | .03  |
|      | 74575 | T20  | 90 | 1    | .04  |
|      | 74577 | T25  | 90 | 1    | .04  |
|      | 74579 | T27  | 90 | 1    | .04  |
|      | 74581 | T30  | 90 | 1    | .04  |
|      | 74583 | T40  | 90 | 1    | .04  |



[SHOP](#)

**745 TORX® Power Bits**  
1/4" Hex Drive, Length 6.0"/150mm

| Item | No.   | Size | mm  | pkg. | lbs. |
|------|-------|------|-----|------|------|
|      | 74586 | T10  | 150 | 1    | .04  |
|      | 74587 | T15  | 150 | 1    | .04  |
|      | 74588 | T20  | 150 | 1    | .04  |
|      | 74589 | T25  | 150 | 1    | .04  |
|      | 74590 | T27  | 150 | 1    | .04  |
|      | 74591 | T30  | 150 | 1    | .04  |



[SHOP](#)

**745 TORX® Power Bit Packs, 2"**

CVM S2 modified tool steel.

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 74501 | T6   | 50 | .05  |
|      | 74502 | T7   | 50 | .05  |
|      | 74503 | T8   | 50 | .05  |
|      | 74504 | T9   | 50 | .05  |
|      | 74506 | T10  | 50 | .05  |
|      | 74508 | T15  | 50 | .05  |
|      | 74510 | T20  | 50 | .05  |
|      | 74514 | T25  | 50 | .06  |
|      | 74515 | T27  | 50 | .06  |
|      | 74516 | T30  | 50 | .06  |
|      | 74518 | T40  | 50 | .06  |

**Wiha TORX® Double End Bits**



[SHOP](#)

**744 TORX® Double End Bits**  
1/4" Hex Drive, Length 2.56"/65mm

| Item | No.   | Size | Size | mm | pkg. | lbs. |
|------|-------|------|------|----|------|------|
|      | 74411 | T6   | T6   | 65 | 10   | .32  |
|      | 74413 | T7   | T7   | 65 | 10   | .32  |
|      | 74415 | T8   | T8   | 65 | 10   | .32  |
|      | 74417 | T9   | T9   | 65 | 10   | .32  |
|      | 74419 | T10  | T10  | 65 | 10   | .32  |
|      | 74421 | T15  | T15  | 65 | 10   | .32  |
|      | 74423 | T20  | T20  | 65 | 10   | .32  |
|      | 74429 | T25  | T25  | 65 | 10   | .33  |
|      | 74431 | T27  | T27  | 65 | 10   | .34  |
|      | 74433 | T30  | T30  | 65 | 10   | .35  |
|      | 74435 | T40  | T40  | 65 | 10   | .38  |



[SHOP](#)

**744 TORX® Double End Bit Pack**  
1/4" Hex Drive, Length 2.56"/65mm

| Item | No.   | Size | Size | mm | pkg. | lbs. |
|------|-------|------|------|----|------|------|
|      | 74460 | T6   | T6   | 65 | 10   | .32  |
|      | 74461 | T7   | T7   | 65 | 10   | .32  |
|      | 74462 | T8   | T8   | 65 | 10   | .32  |
|      | 74463 | T9   | T9   | 65 | 10   | .32  |
|      | 74464 | T10  | T10  | 65 | 10   | .32  |
|      | 74465 | T15  | T15  | 65 | 10   | .32  |
|      | 74466 | T20  | T20  | 65 | 10   | .32  |
|      | 74467 | T25  | T25  | 65 | 10   | .33  |
|      | 74468 | T27  | T27  | 65 | 10   | .34  |
|      | 74469 | T30  | T30  | 65 | 10   | .35  |
|      | 74470 | T40  | T40  | 65 | 10   | .38  |



[SHOP](#)

**745 TORX® Power Bits, 1/4" Hex Drive,**  
Length 2.75"/70mm

| Item | No.   | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
|      | 74536 | T6   | 70 | 1    | .02  |
|      | 74538 | T7   | 70 | 1    | .02  |
|      | 74542 | T8   | 70 | 1    | .02  |
|      | 74544 | T9   | 70 | 1    | .02  |
|      | 74546 | T10  | 70 | 1    | .02  |
|      | 74548 | T15  | 70 | 1    | .02  |
|      | 74551 | T20  | 70 | 1    | .03  |
|      | 74553 | T25  | 70 | 1    | .03  |
|      | 74556 | T27  | 70 | 1    | .04  |
|      | 74558 | T30  | 70 | 1    | .04  |
|      | 74561 | T40  | 70 | 1    | .04  |

**Wiha Stainless Steel Insert Bits & Power Bits**



[SHOP](#)

**715 Stainless Steel TORX® Bits, 1/4"**

| Item | No.   | Size | mm | pkg. |
|------|-------|------|----|------|
|      | 71500 | T8   | 25 | 1    |
|      | 71501 | T9   | 25 | 1    |
|      | 71502 | T10  | 25 | 1    |
|      | 71503 | T15  | 25 | 1    |
|      | 71504 | T20  | 25 | 1    |
|      | 71511 | T25  | 25 | 1    |
|      | 71512 | T30  | 25 | 1    |
|      | 71513 | T40  | 25 | 1    |



[SHOP](#)

**745 Stainless Steel TORX® Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item | No.   | Size | mm | pkg. |
|------|-------|------|----|------|
|      | 70411 | T15  | 50 | 1    |
|      | 70413 | T20  | 50 | 1    |
|      | 70414 | T25  | 50 | 1    |
|      | 70416 | T30  | 50 | 1    |
|      | 70417 | T40  | 50 | 1    |



**Wiha TORX® Bit Sets**

BitFlip Standard



**38028 TORX® BitFlip Standard**

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4" bits:

|  |            |
|--|------------|
| TORX®: T8, T10, T15, T20, T25, T27, T30, T40 | ↔ lbs. .44 |
|--|------------|

[SHOP](#)



**79242 Bit-Selector With TORX® Bits**

Set Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

|  |            |
|--|------------|
| TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 | ↔ lbs. .32 |
|--|------------|

**79245 Bit-Selector With TORX® Bits**

Set Includes Auto Lock Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

|  |            |
|--|------------|
| TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | ↔ lbs. .34 |
|--|------------|

[SHOP](#)



**79445 XSelector Bit Set With TORX® Bits**

Set Includes Quick Release Holder and the following 10 bits:

|  |            |
|--|------------|
| TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | ↔ lbs. .29 |
|--|------------|

[SHOP](#)



**71195 PokitPak - TORX® Insert Bits In Molded Case -**

Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

|                                    |            |
|------------------------------------|------------|
| TORX®: T8, T10, T15, T20, T25, T30 | ↔ lbs. .15 |
|------------------------------------|------------|

[SHOP](#)



**38003 TORX® Multi-Bit Screwdriver with Wiha Powerhandle**

Set includes the following 1/4" bits:

|                                |            |
|--------------------------------|------------|
| TORX®: T5, T6, T7, T8, T9, T10 | ↔ lbs. .40 |
|--------------------------------|------------|

[SHOP](#)

**38004 TORX® Multi-Bit Screwdriver with Wiha Powerhandle**

Set includes the following 1/4" bits:

|                                   |            |
|-----------------------------------|------------|
| TORX®: T8, T9, T10, T15, T20, T25 | ↔ lbs. .40 |
|-----------------------------------|------------|

**38008 TORX® Multi-Bit Screwdriver with Wiha Powerhandle**

Set includes the following 1/4" bits:

|                                     |            |
|-------------------------------------|------------|
| TORX®: T10, T15, T20, T25, T30, T40 | ↔ lbs. .36 |
|-------------------------------------|------------|



**38045 TORX® SoftFinish® CushionGrip Stubby Bit Holder**

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

|                                    |            |
|------------------------------------|------------|
| TORX®: T8, T10, T15, T20, T25, T30 | ↔ lbs. .20 |
|------------------------------------|------------|

[SHOP](#)



**28295 TORX® Topra Ratchet Bit Set, 12 Pcs.**

Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits:

|  |            |
|--|------------|
| TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | ↔ lbs. .65 |
|--|------------|

[SHOP](#)



**74985 Power Bit Belt Pack With TORX® Bits**

Set includes the following 10 bits:

|   |            |
|---|------------|
| TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 | ↔ lbs. .28 |
|---|------------|

[SHOP](#)





**Wiha TORX® Align Insert Bits and Power Bits**

**Wiha TORX® Align Coated Insert Bits PokitPak**

**Torx® Align Tapered For Snug Fit In Screw**

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

**Made in Germany - Production Quality**

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



**79283 PokitPak - TORX® Align Coated Insert Bits In Molded Case -**



Set Includes 6 - 1/4" Insert Bits

**TORX® Align:**  
T10, T15, T20, T25, T30, T40

lbs. .12



**715 TORX® Align Bits, 1/4"**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71536    | T6   | 25 | 10   | .12  |
| 71537    | T7   | 25 | 10   | .12  |
| 71538    | T8   | 25 | 10   | .12  |
| 71539    | T9   | 25 | 10   | .12  |
| 71541    | T10  | 25 | 10   | .12  |
| 71542    | T15  | 25 | 10   | .12  |
| 71543    | T20  | 25 | 10   | .12  |
| 71544    | T25  | 25 | 10   | .13  |
| 71545    | T27  | 25 | 10   | .13  |
| 71546    | T30  | 25 | 10   | .14  |
| 71547    | T40  | 25 | 10   | .15  |

(Also Known As Torx Wedge Fit)



**747 TORX® Align Bits 1/4" Hex Drive, Length 2.0"/50mm**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74711    | T6   | 50 | 10   | .18  |
| 74714    | T7   | 50 | 10   | .18  |
| 74717    | T8   | 50 | 10   | .18  |
| 74721    | T9   | 50 | 10   | .18  |
| 74724    | T10  | 50 | 10   | .18  |
| 74728    | T15  | 50 | 10   | .20  |
| 74732    | T20  | 50 | 10   | .22  |
| 74736    | T25  | 50 | 10   | .22  |
| 74739    | T27  | 50 | 10   | .22  |
| 74742    | T30  | 50 | 10   | .22  |

(Also Known As Torx Wedge Fit)



**74981 Power Bit Belt Pack With TORX® Align Bits**

Set includes the following 10 bits:

**TORX® Align:** T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

lbs. .28



2 bit pack

**733 TORX® Align Insert Bit Packs, 1"**

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 73310    | T6   | 25 | .03  |
| 73311    | T7   | 25 | .03  |
| 73312    | T8   | 25 | .03  |
| 73313    | T9   | 25 | .03  |
| 73314    | T10  | 25 | .03  |
| 73315    | T15  | 25 | .03  |
| 73316    | T20  | 25 | .03  |
| 73317    | T25  | 25 | .03  |
| 73318    | T27  | 25 | .03  |
| 73319    | T30  | 25 | .03  |
| 73320    | T40  | 25 | .04  |



2 bit pack



**747 TORX® Align Power Bit Packs, 2"**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74760    | T6   | 50 | .05  |
| 74761    | T7   | 50 | .05  |
| 74762    | T8   | 50 | .05  |
| 74763    | T9   | 50 | .05  |
| 74764    | T10  | 50 | .05  |
| 74765    | T15  | 50 | .05  |
| 74766    | T20  | 50 | .06  |
| 74767    | T25  | 50 | .06  |
| 74768    | T27  | 50 | .06  |
| 74769    | T30  | 50 | .06  |



Wiha Security **TORX**® Insert Bits and Power Bits

**Tamper Resistant Torx®**

Made in Germany - Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



**705 Security TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm**

| Item  | Size | mm | pkg. | lbs. |
|-------|------|----|------|------|
| 70507 | T7s  | 50 | 10   | .18  |
| 70508 | T8s  | 50 | 10   | .18  |
| 70509 | T9s  | 50 | 10   | .18  |
| 70510 | T10s | 50 | 10   | .19  |
| 70515 | T15s | 50 | 10   | .19  |
| 70520 | T20s | 50 | 10   | .21  |
| 70525 | T25s | 50 | 10   | .23  |
| 70527 | T27s | 50 | 10   | .23  |
| 70530 | T30s | 50 | 10   | .23  |
| 70540 | T40s | 50 | 10   | .23  |
| 70545 | T45s | 50 | 10   | .33  |
| 70550 | T50s | 50 | 10   | .37  |
| 70555 | T55s | 50 | 10   | .37  |



**701 Security TORX® Bits, 1/4"**

| Item  | Size | mm | pkg. | lbs. |
|-------|------|----|------|------|
| 70127 | T7s  | 25 | 10   | .12  |
| 70128 | T8s  | 25 | 10   | .12  |
| 70129 | T9s  | 25 | 10   | .12  |
| 70135 | T10s | 25 | 10   | .12  |
| 70139 | T15s | 25 | 10   | .12  |
| 70142 | T20s | 25 | 10   | .12  |
| 70148 | T25s | 25 | 10   | .12  |
| 70160 | T27s | 25 | 10   | .13  |
| 70163 | T30s | 25 | 10   | .13  |
| 70168 | T40s | 25 | 10   | .14  |



**725 Security TORX® Bits, 5/16"**

| Item  | Size | mm | pkg. | lbs. |
|-------|------|----|------|------|
| 72542 | T40s | 35 | 10   | .28  |
| 72547 | T45s | 35 | 10   | .32  |
| 72552 | T50s | 35 | 10   | .34  |
| 72557 | T55s | 35 | 10   | .52  |

2 bit pack



**725 Security TORX® Bits, 5/16" 2 Bit Pk.**

| Item  | Size | mm | lbs. |
|-------|------|----|------|
| 72562 | T40s | 35 | .28  |
| 72563 | T45s | 35 | .29  |
| 72564 | T50s | 35 | .30  |
| 72567 | T55s | 35 | .32  |



2 bit pack

**705 Security TORX® Power Bit Packs, 2"**

| Item  | Size | mm | lbs. |
|-------|------|----|------|
| 70556 | T7s  | 50 | .07  |
| 70557 | T8s  | 50 | .07  |
| 70558 | T9s  | 50 | .07  |
| 70559 | T10s | 50 | .07  |
| 70560 | T15s | 50 | .07  |
| 70561 | T20s | 50 | .07  |
| 70562 | T25s | 50 | .07  |
| 70563 | T27s | 50 | .07  |
| 70564 | T30s | 50 | .07  |
| 70565 | T40s | 50 | .07  |
| 70566 | T45s | 50 | .07  |
| 70567 | T50s | 50 | .07  |
| 70568 | T55s | 50 | .07  |



2 bit pack

**701 Security TORX® Insert Bit Packs, 1"**

CVM S2 modified tool steel.

| Item  | Size | mm | lbs. |
|-------|------|----|------|
| 70150 | T7s  | 25 | .03  |
| 70151 | T8s  | 25 | .03  |
| 70152 | T9s  | 25 | .03  |
| 70153 | T10s | 25 | .03  |
| 70154 | T15s | 25 | .03  |
| 70155 | T20s | 25 | .03  |
| 70156 | T25s | 25 | .03  |
| 70157 | T27s | 25 | .03  |
| 70158 | T30s | 25 | .03  |
| 70159 | T40s | 25 | .03  |

Wiha Security TORX® Insert Bits/Power Bit Sets



[SHOP](#)

|              |  |          |
|--------------|--|----------|
| <b>79247</b> | <b>Bit-Selector With Security TORX® Bits</b><br>Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits: | ↔        |
|              | Security TORX®:  | lbs. .32 |
|              | T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s  |          |

|              |  |          |
|--------------|--|----------|
| <b>70190</b> | <b>Bit-Selector With Security TORX® Bits</b><br>Set includes the following 7 bits: | ↔        |
|              | Security TORX®:  | lbs. .21 |
|              | T7s, T8s, T9s, T10s, T15s, T20s, T25s  |          |



[SHOP](#)

|              |  |          |
|--------------|--|----------|
| <b>28297</b> | <b>Security TORX® Topra Ratchet Bit Set, 12 Pcs.</b><br>Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: | ↔        |
|              | Security TORX®:  | lbs. .65 |
|              | T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s  |          |



[SHOP](#)

|              |  |          |
|--------------|--|----------|
| <b>38009</b> | <b>Security TORX® Screwdriver with Wiha Powerhandle</b><br>Set includes the following 1/4" bits: | ↔        |
|              | Security TORX®:  | lbs. .36 |
|              | T7s, T8s, T9s, T10s, T15s, T20s  |          |

|              |  |          |
|--------------|--|----------|
| <b>38010</b> | <b>Security TORX® Screwdriver with Wiha Powerhandle</b><br>Set includes the following 1/4" bits: | ↔        |
|              | Security TORX®:  | lbs. .41 |
|              | T10s, T15s, T20s, T25s, T30s, T40s   |          |



[SHOP](#)

|              |   |            |
|--------------|---|------------|
| <b>79447</b> | <b>XSelector Bit Set With Security TORX® Bits</b><br>Set Includes Quick Release Holder and the following 10 bits: | ↔ lbs. .27 |
|              | Security TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s   |            |



[SHOP](#)

|              |  |          |
|--------------|--|----------|
| <b>38047</b> | <b>Security TORX® SoftFinish® CushionGrip Stubby Bit Holder</b><br>with Wiha cushion grip handle and CVM tool steel shaft. |          |
|              | Set includes the following 1/4" bits:  | ↔        |
|              | Security TORX®: T8s, T10s, T15s, T20s, T25s, T30s  | lbs. .20 |



[SHOP](#)

|              |  |          |
|--------------|--|----------|
| <b>74987</b> | <b>Power Bit Belt Pack With Security TORX® Bits</b><br>Set includes the following 10 bits: | ↔        |
|              | Security TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s                    | lbs. .29 |

Wiha TORXPlus® Insert Bits and Power Bits

**TORXPlus®**

Made in Germany -  
Production Quality

Highly resistant  
to wear and  
tear for a  
long tool life

Impact resistant modified  
chrome-vanadium-molybdenum,  
tool steel, hardened

Suitable for all applications  
for both manual and  
machine Hardness  
HRC 59-61



[SHOP](#)

**716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71603    | IP3  | 25 | 10   | .12  |
| 71604    | IP4  | 25 | 10   | .12  |
| 71605    | IP5  | 25 | 10   | .12  |
| 71606    | IP6  | 25 | 10   | .12  |
| 71607    | IP7  | 25 | 10   | .12  |
| 71608    | IP8  | 25 | 10   | .12  |
| 71609    | IP9  | 25 | 10   | .12  |
| 71610    | IP10 | 25 | 10   | .12  |
| 71615    | IP15 | 25 | 10   | .12  |
| 71620    | IP20 | 25 | 10   | .12  |
| 71625    | IP25 | 25 | 10   | .12  |
| 71627    | IP27 | 25 | 10   | .13  |
| 71630    | IP30 | 25 | 10   | .13  |
| 71640    | IP40 | 25 | 10   | .15  |



2 bit  
pack



[SHOP](#)

**716 TORXPlus® Insert Bit Packs, 1"**

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71631    | IP3  | 25 | .03  |
| 71632    | IP4  | 25 | .03  |
| 71633    | IP5  | 25 | .03  |
| 71634    | IP6  | 25 | .03  |
| 71635    | IP7  | 25 | .03  |
| 71636    | IP8  | 25 | .03  |
| 71637    | IP9  | 25 | .03  |
| 71638    | IP10 | 25 | .03  |
| 71639    | IP15 | 25 | .03  |
| 71641    | IP20 | 25 | .03  |
| 71642    | IP25 | 25 | .03  |
| 71643    | IP27 | 25 | .03  |
| 71644    | IP30 | 25 | .03  |
| 71645    | IP40 | 25 | .04  |



[SHOP](#)

**746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74601    | IP5  | 50 | 10   | .18  |
| 74602    | IP6  | 50 | 10   | .18  |
| 74603    | IP7  | 50 | 10   | .18  |
| 74604    | IP8  | 50 | 10   | .18  |
| 74608    | IP9  | 50 | 10   | .18  |
| 74612    | IP10 | 50 | 10   | .20  |
| 74616    | IP15 | 50 | 10   | .20  |
| 74620    | IP20 | 50 | 10   | .20  |
| 74624    | IP25 | 50 | 10   | .20  |
| 74628    | IP27 | 50 | 10   | .25  |
| 74632    | IP30 | 50 | 10   | .25  |
| 74636    | IP40 | 50 | 10   | .25  |



2 bit  
pack



**746 TORXPlus® Power Bit Packs, 2"**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74659    | IP5  | 50 | .05  |
| 74660    | IP6  | 50 | .05  |
| 74661    | IP7  | 50 | .05  |
| 74662    | IP8  | 50 | .05  |
| 74663    | IP9  | 50 | .05  |
| 74664    | IP10 | 50 | .05  |
| 74665    | IP15 | 50 | .05  |
| 74666    | IP20 | 50 | .05  |
| 74667    | IP25 | 50 | .05  |
| 74668    | IP27 | 50 | .05  |
| 74669    | IP30 | 50 | .05  |
| 74670    | IP40 | 50 | .05  |

Wiha Security  
TORXPlus® Insert Bit



[SHOP](#)

**716 Security TORXPlus® Insert Bits, 1/4" Hex, 1" OAL**

| Item No. | Size  | mm | pkg. | lbs. |
|----------|-------|----|------|------|
| 71648    | IPR8  | 25 | 1    | .11  |
| 71650    | IPR10 | 25 | 1    | .11  |
| 71652    | IPR15 | 25 | 1    | .11  |
| 71654    | IPR20 | 25 | 1    | .12  |
| 71656    | IPR25 | 25 | 1    | .13  |
| 71657    | IPR27 | 25 | 1    | .13  |
| 71658    | IPR30 | 25 | 1    | .14  |
| 71660    | IPR40 | 35 | 1    | .14  |

**Torx® Profiles**



Torx®



TorxPlus®



Security  
Torx®



Security  
TorxPlus®



Ball End  
Torx®

**Wiha TORXPlus® Insert Bit Selectors**



**71690** Bit-Selector With **TORXPlus®** Bits  
Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

| TORXPlus®:  | lbs. |
|---|------|
| IP7, IP8, IP9, IP10, IP15, IP20, IP25<br>IP27, IP30, IP40 | .31  |

**71692** Bit-Selector With **TORXPlus®** Bits  
Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

| TORXPlus®:   | lbs. |
|--|------|
| IP3, IP4, IP5, IP6, IP7, IP8, IP9,<br>IP10, IP15, IP20 | .31  |



**74982** Power Bit Belt Pack With **TORXPlus®** Bits  
Set includes the following 10 bits:

| TORXPlus®:  | lbs. |
|---|------|
| IP6, IP7, IP8, IP9,<br>IP10, IP15, IP20, IP25, IP27, IP30 | .28  |

**Wiha Insert Security TORXPlus® XSelector**



**79450** XSelector Bit Set With Security **TORXPlus®** Bits  
Set Includes Quick Release Holder and the following 7 bits:

| TORXPlus®:  | lbs. |
|---|------|
| IPR8, IPR10, IPR15,<br>IPR20, IPR25, IPR27, IPR30 | .18  |

**Wiha Ball End TORX® Bits**



**745** Ball End **TORX®** Bits.  
1/4" Hex Drive, Length 2.0"/50mm


| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74524    | T9   | 50 | 10   | .18  |
| 74526    | T10  | 50 | 10   | .18  |
| 74528    | T15  | 50 | 10   | .18  |
| 74532    | T20  | 50 | 10   | .18  |
| 74534    | T25  | 50 | 10   | .18  |
| 74537    | T27  | 50 | 10   | .18  |
| 74539    | T30  | 50 | 10   | .18  |
| 74541    | T40  | 50 | 10   | .18  |



**745** Ball End **TORX®** Power Bit Packs, 1"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74505    | T9   | 50 | .05  |
| 74520    | T10  | 50 | .05  |
| 74522    | T15  | 50 | .05  |
| 74543    | T20  | 50 | .05  |
| 74545    | T25  | 50 | .06  |
| 74547    | T27  | 50 | .06  |
| 74549    | T30  | 50 | .08  |
| 74550    | T40  | 50 | .08  |

**Wiha TORX® MagicSpring Screw Holding Power Bits**



**745** **TORX®** MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74552    | T10  | 50 | 2    | .05  |
| 74554    | T15  | 50 | 2    | .05  |
| 74555    | T20  | 50 | 2    | .05  |
| 74557    | T25  | 50 | 2    | .05  |
| 74562    | T30  | 50 | 2    | .05  |
| 74564    | T40  | 50 | 2    | .05  |

Wiha Phillips Insert Bits

# Phillips Bits



**SHOP**

**711 Phillips Insert Bits, 1/4"**

| Item  | +    | ≡  | ≡    | ↵    |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 71100 | 0    | 25 | 10   | .10  |
| 71101 | 1    | 25 | 10   | .11  |
| 71102 | 2    | 25 | 10   | .11  |
| 71103 | 3    | 25 | 10   | .11  |

**711 Phillips Insert Bit Bulk Packs, 1/4"**

| No.   | Size | mm | pkg.   | lbs. |
|-------|------|----|--------|------|
| 71125 | 2    | 25 | 25 pc  | .29  |
| 71150 | 2    | 25 | 50 pc  | .60  |
| 71199 | 2    | 25 | 100 pc | 1.16 |


**725 Phillips Insert Contractor Grade, 1/4"**

| No.   | Size | mm | pkg.  | lbs. |
|-------|------|----|-------|------|
| 72519 | 0    | 25 | 30 pc | .85  |
| 72521 | 1    | 25 | 30 pc | .85  |
| 72522 | 2    | 25 | 30 pc | .85  |
| 72523 | 3    | 25 | 30 pc | .85  |

*The ideal multi-purpose bits for all around quality & performance*

*Made in Germany - Production Quality*

Suitable for all applications for both manual and machine  
Hardness HRC 59-61



Impact resistant modified CVM, tool steel, hardened

Highly resistant to wear and tear for a long tool life



Phillips

High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs

Wiha Phillips Insert Bit Packs

Wiha Insert Bit Sets



2 bit pack



**SHOP**

**711 Phillips Insert Bit Packs, 1"**

CVM S2 modified tool steel

| Item  | +    | ≡  | ↵    |
|-------|------|----|------|
| No.   | Size | mm | lbs. |
| 71149 | 0    | 25 | .03  |
| 71151 | 1    | 25 | .03  |
| 71152 | 2    | 25 | .03  |
| 71153 | 3    | 25 | .04  |



**SHOP**

**71155 Phillips Insert Bit Packs, 1" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71155 Set includes the following bits:**

|         |          |               |
|---------|----------|---------------|
| ↵       | +        | Phillips:     |
| wt. .08 | 6 pieces | 2 x 1" (25mm) |



**SHOP**

**71198 PokitPak - Slotted & Phillips Insert Bits In Molded Case -**

↵ Set Includes 6 - 1/4" Insert Bits & lbs. Magnetic Bit Holder

.15 ⓪ Slotted: 4.5, 6.5mm

⊕ Phillips: 0, 1, 2, 3



**SHOP**

**71154 Phillips Insert Bit Packs, 1" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**71154 Set includes the following bits:**

|         |              |           |
|---------|--------------|-----------|
| ↵       | ⊕            | Phillips: |
| wt. .04 | 1, 2, 3 x 1" | (25mm)    |



**SHOP**

**71056 Slotted/Phillips Insert Bit Packs, 1"**

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pack.

**71056 Set includes the following bits:**

⓪ Slotted: 4.5, 5.5, 6.5 x 1" (25mm)

⊕ Phillips: 1, 2, 3 x 1" (25mm) .08

**Wiha Phillips 5/16" Insert Bits**



2 bit pack



[SHOP](#)

**721 Phillips Insert Bit Packs, 1"**

CVM S2 modified tool steel. 5/16" Hex Drive.

| Item  |      |    |      |  |
|-------|------|----|------|--|
| No.   | Size | mm | lbs. |  |
| 72102 | 2    | 32 | .05  |  |
| 72103 | 3    | 32 | .06  |  |
| 72104 | 4    | 32 | .07  |  |

**Wiha Phillips ACR Insert Bits**



[SHOP](#)

**711 Phillips ACR Insert Bits, 1/4"**

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 71126 | 1    | 25 | 10   | .11  |
| 71127 | 2    | 25 | 10   | .11  |
| 71128 | 3    | 25 | 10   | .11  |

**Wiha Phillips Long Insert Bits**



[SHOP](#)

**711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 71105 | 1    | 50 | 10   | .25  |
| 71106 | 2    | 50 | 10   | .25  |
| 71107 | 3    | 50 | 10   | .27  |



2 bit pack



[SHOP](#)

**711 Phillips Long Insert Bit Packs, 2"**

CVM S2 modified tool steel

| Item  |      |    |      |  |
|-------|------|----|------|--|
| No.   | Size | mm | lbs. |  |
| 71165 | 1    | 50 | .06  |  |
| 71166 | 2    | 50 | .06  |  |
| 71167 | 3    | 50 | .06  |  |

**Wiha Phillips Power Bits**



**741 Phillips Power Bits**

1/4" Hex Drive, Length 2.0"/50mm

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 74103 | 1    | 50 | 10   | .24  |
| 74112 | 2    | 50 | 10   | .25  |
| 74124 | 3    | 50 | 10   | .26  |

[SHOP](#)



2 bit pack



**741 Phillips Power Bit Packs, 2"**

CVM S2 modified tool steel.

| Item  |      |    |      |  |
|-------|------|----|------|--|
| No.   | Size | mm | lbs. |  |
| 74164 | 1    | 50 | .06  |  |
| 74165 | 2    | 50 | .06  |  |
| 74166 | 3    | 50 | .06  |  |

[SHOP](#)



**74150 Phillips Power Bit Packs, 2" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**74150 Set includes the following bits:**

|  |  |  |  | wt. | Size    | Length    |
|--|--|--|--|-----|---------|-----------|
|  |  |  |  | .09 | 1, 2, 3 | 2" (50mm) |

[SHOP](#)



**741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm**

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 74167 | 00   | 70 | 1    | .29  |
| 74168 | 0    | 70 | 1    | .29  |
| 74106 | 1    | 70 | 1    | .29  |
| 74115 | 2    | 70 | 1    | .37  |
| 74127 | 3    | 70 | 1    | .41  |

[SHOP](#)



**741 Phillips Power Bits**

1/4" Hex Drive, Length 3.5"/90mm

| Item  |      |    |      |      |
|-------|------|----|------|------|
| No.   | Size | mm | pkg. | lbs. |
| 74109 | 1    | 90 | 1    | .34  |
| 74118 | 2    | 90 | 1    | .47  |
| 74130 | 3    | 90 | 1    | .53  |

[SHOP](#)



**741 Phillips Power Bits**

1/4" Hex Drive, Length 4.33"/110mm

| Item  |      |     |      |      |
|-------|------|-----|------|------|
| No.   | Size | mm  | pkg. | lbs. |
| 74111 | 1    | 110 | 1    | .40  |
| 74121 | 2    | 110 | 1    | .56  |
| 74131 | 3    | 110 | 1    | .65  |

[SHOP](#)



**741 Phillips Power Bits**

1/4" Hex Drive, Length 127mm/5"

| Item  |      |     |      |      |
|-------|------|-----|------|------|
| No.   | Size | mm  | pkg. | lbs. |
| 74113 | 1    | 127 | 1    | .04  |
| 74123 | 2    | 127 | 1    | .06  |
| 74133 | 3    | 127 | 1    | .07  |

[SHOP](#)



**741 Phillips Power Bits**

1/4" Hex Drive, Length 150mm/5.9"

| Item  |      |     |      |      |
|-------|------|-----|------|------|
| No.   | Size | mm  | pkg. | lbs. |
| 74116 | 1    | 150 | 1    | .05  |
| 74126 | 2    | 150 | 1    | .07  |
| 74136 | 3    | 150 | 1    | .09  |

[SHOP](#)

**Wiha Phillips Power Bit Packs**



**714 Phillips Double End Bits**  
1/4" Hex Drive, Length 2.36"/60mm

| Item No. | Size  | Size | mm | pkg. | lbs. | <a href="#">SHOP</a> |
|----------|-------|------|----|------|------|----------------------|
| 71404    | 1 x 1 | 60   | 10 | .31  |      |                      |
| 71414    | 2 x 2 | 60   | 10 | .31  |      |                      |
| 71424    | 3 x 3 | 60   | 10 | .32  |      |                      |



2 bit pack



**714 Phillips Double End Power Bit Packs, 60mm OAL**

| Item No. | Size  | Size | mm  | lbs. | <a href="#">SHOP</a> |
|----------|-------|------|-----|------|----------------------|
| 71464    | 1 + 1 | 60   | .07 |      |                      |
| 71465    | 2 + 2 | 60   | .07 |      |                      |
| 71466    | 3 + 3 | 60   | .07 |      |                      |



**743 Slotted & Phillips Double End Bits, 1/4" Hex Drive, Length 2.36"/60mm**

| Item No. | mm      | Size | mm | pkg. | lbs. | <a href="#">SHOP</a> |
|----------|---------|------|----|------|------|----------------------|
| 74303    | 4.5 x 1 | 60   | 10 | .22  |      |                      |
| 74306    | 5.5 x 2 | 60   | 10 | .30  |      |                      |
| 74309    | 7.0 x 3 | 60   | 10 | .30  |      |                      |



2 bit pack



**743 Slotted/Phillips Double End Power Bit Packs, 60mm OAL**

| Item No. | mm      | Size | mm  | lbs. | <a href="#">SHOP</a> |
|----------|---------|------|-----|------|----------------------|
| 74304    | 4.5 + 1 | 60   | .07 |      |                      |
| 74308    | 5.5 + 2 | 60   | .07 |      |                      |
| 74310    | 7.0 + 3 | 60   | .07 |      |                      |

**Terminal Block Xeno Bits**



**714 Xeno Combination Terminal Block Power Bits, 1/4" Hex Drive, OAL 2.0"/50mm**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71452    | 1    | 50 | 10   | .24  |
| 71453    | 2    | 50 | 10   | .25  |



2 bit pack



**714 Xeno Combination Terminal Block Power Bit Packs, 2" CVM S2 modified tool steel**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71455    | 1    | 50 | .06  |
| 71456    | 2    | 50 | .06  |

**Wiha Stainless Steel Phillips Insert Bits & Power Bits**



**711 Stainless Steel Phillips Insert Bits, 1/4"**

| Item No. | Size | mm | pkg. | <a href="#">SHOP</a> |
|----------|------|----|------|----------------------|
| 71133    | 1    | 25 | 1    |                      |
| 71134    | 2    | 25 | 1    |                      |
| 71135    | 3    | 25 | 1    |                      |



**704 Stainless Steel Phillips Power Bits, 1/4"**

| Item No. | Size | mm | pkg. | <a href="#">SHOP</a> |
|----------|------|----|------|----------------------|
| 70401    | 1    | 50 | 1    |                      |
| 70402    | 2    | 50 | 1    |                      |
| 70405    | 3    | 50 | 1    |                      |



# Hex Bits


The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Impact resistant modified CVM, tool steel, hardened


Suitable for all applications for both manual and machine  
Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life



**71396 Hex Inch Insert Bit Packs, 1" CVM S2 modified tool steel.** Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71396 Set includes the following bits:**

| Hex Inch:   |                        |
|---|------------------------|
|  | 1/16, 3/32, 1/8, 5/32  |
| wt. .13   | 3/16, 1/4" x 1" (25mm) |



**71397 Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel.** Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**71397 Set includes the following bits:**






| Hex Metric:   |                              |
|---|------------------------------|
|  | 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 |
| wt. .21   |                              |



## Wiha Hex Inch & Metric Insert Bits







**713 Hex Inch Insert Bits, 1/4"**





| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 71329 | .050  | 25  | 10  | .12   |   |
| 71326 | 1/16  | 25  | 10  | .12   |   |
| 71328 | 5/64  | 25  | 10  | .12   |   |
| 71330 | 3/32  | 25  | 10  | .12   |   |
| 71333 | 7/64  | 25  | 10  | .12   |   |
| 71336 | 1/8   | 25  | 10  | .12   |   |
| 71339 | 9/64  | 25  | 10  | .12   |   |
| 71342 | 5/32  | 25  | 10  | .12   |   |
| 71345 | 3/16  | 25  | 10  | .13   |   |
| 71348 | 7/32  | 25  | 10  | .13   |   |
| 71351 | 1/4   | 25  | 10  | .13   |   |
| 71353 | 5/16  | 25  | 10  | .20   |   |
| 71356 | 3/8   | 25  | 10  | .25   |   |



**713 Hex Metric Insert Bits, 1/4"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |
| 71303 | 1.5   | 25  | 10  | .12   |
| 71306 | 2.0   | 25  | 10  | .12   |
| 71308 | 2.5   | 25  | 10  | .12   |
| 71309 | 3.0   | 25  | 10  | .12   |
| 71312 | 4.0   | 25  | 10  | .12   |
| 71315 | 5.0   | 25  | 10  | .14   |
| 71318 | 6.0   | 25  | 10  | .14   |
| 71321 | 8.0   | 25  | 10  | .20   |
| 71324 | 10.0  | 25  | 10  | .27   |





**725 Hex Metric Insert Contractor Grade, 1/4"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 72582 | 2.0   | 25  | 30 pc   | .85   |
| 72583 | 2.5   | 25  | 30 pc   | .85   |
| 72584 | 3.0   | 25  | 30 pc   | .85   |
| 72585 | 4.0   | 25  | 30 pc   | .85   |
| 72586 | 5.0   | 25  | 30 pc   | .85   |
| 72587 | 6.0   | 25  | 30 pc   | .85   |







**713 Hex Inch Insert Bit Packs, 1"**

CVM S2 modified tool steel.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Inch  | mm  | lbs.  |   |
| 71359 | .050  | 25  | .03   |   |
| 71360 | 1/16  | 25  | .03   |   |
| 71361 | 5/64  | 25  | .03   |   |
| 71362 | 3/32  | 25  | .03   |   |
| 71363 | 7/64  | 25  | .03   |   |
| 71364 | 1/8   | 25  | .03   |   |
| 71365 | 9/64  | 25  | .03   |   |
| 71366 | 5/32  | 25  | .04   |   |
| 71367 | 3/16  | 25  | .04   |   |
| 71368 | 7/32  | 25  | .04   |   |
| 71369 | 1/4   | 25  | .04   |   |
| 71373 | 5/16  | 25  | .05   |   |
| 71387 | 3/8   | 25  | .06   |   |

**733 Hex Metric Insert Bit Packs, 1"**





CVM S2 modified tool steel.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | lbs.  |   |
| 73301 | 1.5   | 25  | .03   |   |
| 73302 | 2.0   | 25  | .03   |   |
| 73303 | 2.5   | 25  | .03   |   |
| 73304 | 3.0   | 25  | .03   |   |
| 73305 | 4.0   | 25  | .03   |   |
| 73306 | 5.0   | 25  | .03   |   |
| 73307 | 6.0   | 25  | .04   |   |
| 73308 | 8.0   | 25  | .05   |   |
| 73309 | 10.0  | 25  | .06   |   |

## Hex Metric Long Insert Bit On 5/16"






**72388 Hex Metric Bit On 5/16" Stock**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |
| 72388 | 12.0  | 75  | 10  | .14   |

## Wiha Stainless Steel Hex Metric Insert Bits






**701 Stainless Steel Hex MM Insert Bits, 1/4"**

| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | mm  | pkg.  |
| 70170 | 1.5   | 25  | 1   |
| 70171 | 2.0   | 25  | 1   |
| 70172 | 2.5   | 25  | 1   |
| 70173 | 3.0   | 25  | 1   |
| 70174 | 4.0   | 25  | 1   |
| 70175 | 5.0   | 25  | 1   |
| 70176 | 6.0   | 25  | 1   |

**Wiha Hex Inch & Metric Power Bits**



**743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**





| Item  |  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|---|----------------------|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |                      |
| 74311 | 3/32  | 50  | 10  | .30   |   |                      |
| 74312 | 7/64  | 50  | 10  | .30   |   |                      |
| 74313 | 1/8   | 50  | 10  | .30   |   |                      |
| 74314 | 9/64  | 50  | 10  | .30   |   |                      |
| 74315 | 5/32  | 50  | 10  | .30   |   |                      |
| 74316 | 3/16  | 50  | 10  | .30   |   |                      |
| 74317 | 7/32  | 50  | 10  | .30   |   |                      |
| 74318 | 1/4   | 50  | 10  | .30   |   |                      |



2 bit pack







**743 Hex Inch Power Bit Packs, 2"**

| Item  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|----------------------|
| No.   | Inch  | mm  | lbs.  |   |                      |
| 74381 | 3/32  | 50  | .07   |   |                      |
| 74382 | 7/64  | 50  | .07   |   |                      |
| 74383 | 1/8   | 50  | .07   |   |                      |
| 74384 | 9/64  | 50  | .07   |   |                      |
| 74385 | 5/32  | 50  | .07   |   |                      |
| 74386 | 3/16  | 50  | .07   |   |                      |
| 74387 | 7/32  | 50  | .07   |   |                      |
| 74388 | 1/4   | 50  | .07   |   |                      |








**743 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm**

| Item  |  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|---|----------------------|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |                      |
| 74341 | 5/64  | 70  | 1   | .36   |   |                      |
| 74342 | 3/32  | 70  | 1   | .36   |   |                      |
| 74343 | 7/64  | 70  | 1   | .36   |   |                      |
| 74344 | 1/8   | 70  | 1   | .36   |   |                      |
| 74345 | 9/64  | 70  | 1   | .36   |   |                      |
| 74346 | 5/32  | 70  | 1   | .36   |   |                      |
| 74347 | 3/16  | 70  | 1   | .36   |   |                      |
| 74348 | 7/32  | 70  | 1   | .36   |   |                      |
| 74349 | 1/4   | 70  | 1   | .36   |   |                      |



**743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**





| Item  |  |  |  |  |  | <a href="#">SHOP</a> |
|-------|--|--|--|--|--|----------------------|
| No.   | mm   | mm   | pkg.   | lbs.   |  |                      |
| 74325 | 2.5  | 50   | 10   | .25  |  |                      |
| 74330 | 3.0  | 50   | 10   | .25  |  |                      |
| 74340 | 4.0  | 50   | 10   | .25  |  |                      |
| 74350 | 5.0  | 50   | 10   | .25  |  |                      |
| 74360 | 6.0  | 50   | 10   | .25  |  |                      |
| 74380 | 8.0  | 50   | 10   | .38  |  |                      |



2 bit pack








**743 Hex Metric Power Bit Packs, 2"**

| Item  |  |  |  |  | <a href="#">SHOP</a> |
|-------|--|--|--|--|----------------------|
| No.   | mm   | mm   | lbs.   |  |                      |
| 74361 | 2.5  | 50   | .07  |  |                      |
| 74362 | 3.0  | 50   | .07  |  |                      |
| 74363 | 4.0  | 50   | .07  |  |                      |
| 74364 | 5.0  | 50   | .07  |  |                      |
| 74365 | 6.0  | 50   | .07  |  |                      |
| 74366 | 8.0  | 50   | .09  |  |                      |

**743 Hex Metric Power Bits**






**1/4" Hex Drive, Length 2.75"/70mm**

| Item  |  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|---|----------------------|
| No.   | mm  | mm  | pkg.  | lbs.  |   |                      |
| 74351 | 2.0   | 70  | 1   | .36   |   |                      |
| 74352 | 2.5   | 70  | 1   | .36   |   |                      |
| 74353 | 3.0   | 70  | 1   | .36   |   |                      |
| 74354 | 4.0   | 70  | 1   | .36   |   |                      |
| 74355 | 5.0   | 70  | 1   | .36   |   |                      |
| 74356 | 6.0   | 70  | 1   | .36   |   |                      |
| 74357 | 8.0   | 70  | 1   | .36   |   |                      |






**Wiha Security Hex Insert Bits**



**719 Security Hex In Insert Bits, 1/4"**

| Item  |  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|---|----------------------|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |                      |
| 71930 | 5/64  | 25  | 10  | .12   |   |                      |
| 71932 | 3/32  | 25  | 10  | .12   |   |                      |
| 71934 | 7/64  | 25  | 10  | .12   |   |                      |
| 71936 | 1/8   | 25  | 10  | .12   |   |                      |
| 71938 | 9/64  | 25  | 10  | .12   |   |                      |
| 71940 | 5/32  | 25  | 10  | .12   |   |                      |
| 71955 | 3/16  | 25  | 10  | .13   |   |                      |
| 71956 | 7/32  | 25  | 10  | .14   |   |                      |
| 71960 | 1/4   | 25  | 10  | .15   |   |                      |

**719 Security Hex Metric Insert Bits, 1/4"**

| Item  |  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|---|----------------------|
| No.   | mm  | mm  | pkg.  | lbs.  |   |                      |
| 71939 | 2.0   | 25  | 10  | .12   |   |                      |
| 71941 | 2.5   | 25  | 10  | .12   |   |                      |
| 71942 | 3.0   | 25  | 10  | .12   |   |                      |
| 71943 | 4.0   | 25  | 10  | .12   |   |                      |
| 71944 | 5.0   | 25  | 10  | .15   |   |                      |
| 71945 | 6.0   | 25  | 10  | .15   |   |                      |
| 71946 | 8.0   | 25  | 10  | .20   |   |                      |







2 bit pack



**719 Security Hex Inch Insert Bit Packs, 1"**

CVM S2 modified tool steel.





| Item  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|----------------------|
| No.   | Inch  | mm  | lbs.  |   |                      |
| 71970 | 5/64  | 25  | .03   |   |                      |
| 71971 | 3/32  | 25  | .03   |   |                      |
| 71972 | 7/64  | 25  | .03   |   |                      |
| 71973 | 1/8   | 25  | .03   |   |                      |
| 71974 | 9/64  | 25  | .03   |   |                      |
| 71975 | 5/32  | 25  | .03   |   |                      |
| 71976 | 3/16  | 25  | .04   |   |                      |
| 71977 | 7/32  | 25  | .04   |   |                      |
| 71978 | 1/4   | 25  | .04   |   |                      |



2 bit pack



**719 Security Hex Metric Insert Bit Packs, 1"** CVM S2 modified tool steel.






| Item  |  |  |  |  | <a href="#">SHOP</a> |
|-------|---|---|---|---|----------------------|
| No.   | mm  | mm  | lbs.  |   |                      |
| 71979 | 2.0   | 25  | .03   |   |                      |
| 71980 | 2.5   | 25  | .03   |   |                      |
| 71981 | 3.0   | 25  | .03   |   |                      |
| 71982 | 4.0   | 25  | .03   |   |                      |
| 71983 | 5.0   | 25  | .04   |   |                      |
| 71984 | 6.0   | 25  | .04   |   |                      |
| 71985 | 8.0   | 25  | .05   |   |                      |

**Wiha Ball End Hex Inch Insert Bits**



[SHOP](#)

**717 Ball End Hex Inch Insert Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 71701 | 3/32  | 25  | 10  | .12   |   |
| 71702 | 7/64  | 25  | 10  | .12   |   |
| 71703 | 1/8   | 25  | 10  | .12   |   |
| 71704 | 9/64  | 25  | 10  | .12   |   |
| 71705 | 5/32  | 25  | 10  | .12   |   |
| 71706 | 3/16  | 25  | 10  | .13   |   |
| 71707 | 7/32  | 25  | 10  | .13   |   |
| 71708 | 1/4   | 25  | 10  | .13   |   |






**Wiha MagicRing Insert Bits**

**Screw Holding Hex Bits**



[SHOP](#)

**713 MagicRing Metric Insert Bits, 1/4"**






| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 71304 | 3.0   | 25  | 1   | .01   |   |
| 71307 | 4.0   | 25  | 1   | .01   |   |
| 71310 | 5.0   | 25  | 1   | .01   |   |
| 71311 | 6.0   | 25  | 1   | .01   |   |

**1/4" Ball End MagicRing Bits**

**Screw Holding Hex Bits**



**717 MagicRing Metric Power Ball End Bits**





| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 71730 | 3.0   | 50  | 1   | .02   |   |
| 71740 | 4.0   | 50  | 1   | .02   |   |
| 71750 | 5.0   | 50  | 1   | .03   |   |
| 71760 | 6.0   | 50  | 1   | .03   |   |



2 bit pack

[SHOP](#)






**717 Ball End Hex Inch Insert Bit Packs, 1"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Inch  | mm  | lbs.  |   |
| 71711 | 3/32  | 25  | .03   |   |
| 71712 | 7/64  | 25  | .03   |   |
| 71713 | 1/8   | 25  | .03   |   |
| 71714 | 9/64  | 25  | .03   |   |
| 71715 | 5/32  | 25  | .04   |   |
| 71716 | 3/16  | 25  | .04   |   |
| 71717 | 7/32  | 25  | .04   |   |
| 71718 | 1/4   | 25  | .04   |   |








[SHOP](#)

**713 MagicRing Inch Insert Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Inch  | mm  | pkg.  | lbs.  |   |
| 71343 | 1/8   | 25  | 1   | .01   |   |
| 71346 | 9/64  | 25  | 1   | .01   |   |
| 71349 | 5/32  | 25  | 1   | .01   |   |
| 71352 | 3/16  | 25  | 1   | .01   |   |
| 71354 | 7/32  | 25  | 1   | .01   |   |
| 71358 | 1/4   | 25  | 1   | .01   |   |



**717 MagicRing Inch Power Ball End Bits**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 71726 | 1/8   | 50  | 1   | .02   |   |
| 71728 | 9/64  | 50  | 1   | .02   |   |
| 71732 | 5/32  | 50  | 1   | .02   |   |
| 71734 | 3/16  | 50  | 1   | .03   |   |
| 71736 | 7/32  | 50  | 1   | .03   |   |
| 71738 | 1/4   | 50  | 1   | .03   |   |





**Ball End Hex Metric Power Bits**

2 pc. bit pack!








[SHOP](#)


**717 Ball End Hex Metric Insert Bits  
1/4" Hex Drive, Length 1.5"/38mm**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | mm  | mm  | pkg.  |   |
| 71719 | 1.5   | 38  | 1   |   |
| 71720 | 2.0   | 38  | 1   |   |
| 71721 | 2.5   | 38  | 1   |   |
| 71722 | 3.0   | 38  | 1   |   |
| 71723 | 4.0   | 38  | 1   |   |
| 71724 | 5.0   | 38  | 1   |   |
| 71725 | 6.0   | 38  | 1   |   |








**743 MagicRing Metric Power Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 74301 | 3.0   | 50  | 1   | .02   |   |
| 74305 | 4.0   | 50  | 1   | .02   |   |
| 74307 | 5.0   | 50  | 1   | .03   |   |
| 74319 | 6.0   | 50  | 1   | .03   |   |



**743 MagicRing Inch Power Bits, 1/4"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | mm  | pkg.  | lbs.  |   |
| 74369 | 1/8   | 50  | 1   | .02   |   |
| 74371 | 9/64  | 50  | 1   | .02   |   |
| 74373 | 5/32  | 50  | 1   | .02   |   |
| 74375 | 3/16  | 50  | 1   | .03   |   |
| 74377 | 7/32  | 50  | 1   | .03   |   |
| 74379 | 1/4   | 50  | 1   | .03   |   |

**Screw Holding Hex Bits**



Wiha Hex Inch & Metric Bit Sets



[SHOP](#)

|              |   |      |
|--------------|---|------|
| <b>79246</b> | <b>Bit-Selector With Hex Inch Bits</b><br>Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:  | lbs. |
|              | Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"                                       | .32  |
| <b>79256</b> | <b>Bit-Selector With Hex Metric Bits</b><br>Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits: | lbs. |
|              | Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm  | .30  |




[SHOP](#)

|              |   |      |
|--------------|---|------|
| <b>28298</b> | <b>Hex Inch Topra Ratchet Bit Set, 12 Pc.</b><br>Set includes Topra Handle, Magnetic bit holder and the following bits: | lbs. |
|              | Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"   | .65  |



[SHOP](#)

|              |   |      |
|--------------|---|------|
| <b>79446</b> | <b>XSelector Bit Set With Hex Inch Bits</b><br>Set Includes Quick Release Holder and the following 10 bits: | lbs. |
|              | Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"   | .27  |



[SHOP](#)

|              |   |      |
|--------------|---|------|
| <b>28299</b> | <b>Hex Metric Topra Ratchet Bit Set, 10 Pc.</b><br>Set includes Topra Handle, Magnetic bit holder and the following bits: | lbs. |
|              | Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm  | .65  |



[SHOP](#)

|              |   |      |
|--------------|---|------|
| <b>38058</b> | <b>Hex Inch SoftFinish® CushionGrip Stubby Bit Holder</b><br>with Wiha cushion grip handle and CVM tool steel shaft.<br>Set includes the following 1/4" bits: | lbs. |
|              | Hex Inch: 3/16, 5/32, 9/64, 1/8, 7/64, 3/32"  | .21  |



[SHOP](#)

|              |   |      |
|--------------|---|------|
| <b>74986</b> | <b>Power Bit Belt Pack With Inch &amp; Metric Hex Bits</b><br>Set includes the following 10 bits: | lbs. |
|              | Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"   | lbs. |
|              | Metric: 3.0, 4.0, 5.0, 6.0mm  | .34  |



[SHOP](#)


|              |   |      |
|--------------|---|------|
| <b>38057</b> | <b>Hex Metric SoftFinish® CushionGrip Stubby Bit Holder</b><br>with Wiha cushion grip handle and CVM tool steel shaft.<br>Set includes the following 1/4" bits: | lbs. |
|              | Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm  | .21  |

**Wiha Security Hex Inch & Metric Bit Sets**



|              |  |          |
|--------------|--|----------|
| <b>79266</b> | <b>Bit-Selector With Security Hex Inch Bits</b><br>Set Includes Magnetic 1/4" ClicFix Bit Holder & The Following 9 Bits: | ↕        |
|              | <b>Security Hex Inch:</b> 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  | lbs. .31 |

**Wiha Ball End Hex Inch & Metric Bit Sets**



|              |  |          |
|--------------|--|----------|
| <b>79276</b> | <b>Bit-Selector With Ball End Hex Inch Bits</b><br>Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits: | ↕        |
|              | <b>Ball End Hex Inch:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  | lbs. .30 |



|              |  |          |
|--------------|--|----------|
| <b>38014</b> | <b>Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set</b><br>With Wiha Powerhandle & CVM steel, hardened shaft.<br>Set includes the following 1/4" bits: | ↕        |
|              | <b>Security Hex:</b> 3/32, 1/8, 5/32, 3/16, 7/32"  | lbs. .39 |



|              |   |          |
|--------------|---|----------|
| <b>38056</b> | <b>Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder</b><br>with Wiha cushion grip handle and CVM tool steel shaft.<br>Set includes the following 1/4" bits: | ↕        |
|              | <b>Ball Hex:</b> 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  | lbs. .21 |



|              |   |          |
|--------------|---|----------|
| <b>71998</b> | <b>PokitPak - Security Hex Inch Insert Bits In Molded Case -</b><br>Set includes 6 - 1/4" Insert Bits | ↕        |
|              | <b>Inch Security Hex:</b> 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"  | lbs. .12 |

**Wiha MagicRing Hex Inch & Metric Bit Sets**



|              |   |          |
|--------------|---|----------|
| <b>71399</b> | <b>Bit-Selector With Metric &amp; Inch MagicRing Insert 1/4" Bits</b><br>Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits: | ↕        |
|              | No Ball End   | lbs. .46 |
|              | <b>Hex Metric:</b> 3.0, 4.0, 5.0, 6.0mm   |          |
|              | <b>Hex Inch:</b> 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  |          |



|              |   |          |
|--------------|---|----------|
| <b>71995</b> | <b>PokitPak - Security Hex Metric Insert Bits In Molded Case</b><br>Set Includes 6 - 1/4" Insert Bits | ↕        |
|              | <b>Metric:</b> 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm   | lbs. .21 |



|              |   |          |
|--------------|---|----------|
| <b>74989</b> | <b>Power Bit Belt Pack With Screw Holding Hex MagicRing Bits</b><br>Set includes the following 10 bits: | ↕        |
|              | <b>Inch:</b> 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  | lbs. .34 |
|              | <b>Metric:</b> 3.0, 4.0, 5.0, 6.0mm   |          |
| <b>74999</b> | <b>Power Bit Belt Pack With Ball End Screw Holding Hex Bits</b>   | ↕        |
|              | <b>Inch:</b> 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  | lbs. .37 |
|              | <b>Metric:</b> 3.0, 4.0, 5.0, 6.0mm   |          |

Square Insert & Power Bits


The ideal multi-purpose tools to meet production requirements for both quality & performance

Highly resistant to wear and tear for a long tool life



Suitable for all applications for both manual and machine  
Hardness HRC 59-61





Impact resistant modified CVM, tool steel, hardened

 Square



 SHOP

**718 Square Insert Bits, 1/4"**

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71801 | 1   | 25  | 10  | .11   |
| 71802 | 2   | 25  | 10  | .11   |
| 71803 | 3   | 25  | 10  | .11   |






2 bit pack

 SHOP

**718 Square Insert Bit Packs, 1"**

CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71851 | 1   | 25  | .03   |
| 71852 | 2   | 25  | .03   |
| 71853 | 3   | 25  | .03   |





2 bit pack

 SHOP

**71854 Square Insert Bit Packs, 1" CVM**

S2 modified tool steel. 3 pc. bit pack

**71854 Set includes the following bits:**





  Square:

|         |                     |
|---------|---------------------|
| wt. .04 | 1, 2, 3 x 1" (25mm) |
|---------|---------------------|

# Square Bits



**748 Square Power Bits, 1/4" Hex Drive, Length 2.0"/50mm**




| Item  |  |  |  |  |
|-------|---|---|---|--|
| No.   | Size  | mm  | pkg.  | lbs.   |
| 74813 | 1   | 50  | 10  | .20  |
| 74816 | 2   | 50  | 10  | .20  |
| 74819 | 3   | 50  | 10  | .20  |



2 bit pack

**748 Square Power Bit Packs, 2"**

CVM S2 modified tool steel.


| Item  |  |  |  |
|-------|--|--|---|
| No.   | Size   | mm   | lbs.  |
| 74860 | 1  | 50   | .05   |
| 74861 | 2  | 50   | .05   |
| 74862 | 3  | 50   | .05   |



**74890 Square Power Bit Packs, 2" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**74890 Set includes the following bits:**

  Square:

|         |                       |
|---------|-----------------------|
| wt. .08 | 1, 2, 3 x 2.0" (50mm) |
|---------|-----------------------|





 SHOP

**74895 Square Power Bit Packs, 2.0" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

**74895 Set includes the following bits:**

  Square: 2 of each sizes

|         |                       |
|---------|-----------------------|
| wt. 1.2 | 1, 2, 3 x 2.0" (50mm) |
|---------|-----------------------|

# Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality


Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine  
Hardness HRC 59-61






**Wiha Slotted Insert Bits & Power Bits**

 Slotted



 SHOP






**710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"**

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | Inch  | mm  | Inch  | pkg.  |
| 71001 | 4.5   | .177  | 0.6   | .024  | 10  |
| 71004 | 5.5   | .216  | 0.8   | .030  | 10  |
| 71002 | 6.5   | .255  | 1.2   | .039  | 10  |
| 71003 | 8.0   | .315  | 1.6   | .063  | 10  |



 SHOP

**740 Slotted Power Bits, 1/4" Hex Drive, Length 2.0"/50mm** 10pk. weight .20 lbs.

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | mm  | Inch  | mm  | Inch  | pkg.  |
| 74003 | 3.0   | .118  | 0.5   | .020  | 10  |
| 74006 | 3.5   | .139  | 0.6   | .024  | 10  |
| 74009 | 4.0   | .157  | 0.5   | .020  | 10  |
| 74010 | 4.0   | .157  | 0.8   | .030  | 10  |
| 74012 | 4.5   | .177  | 0.6   | .024  | 10  |
| 74015 | 5.5   | .216  | 0.8   | .032  | 10  |
| 74018 | 6.5   | .255  | 1.2   | .039  | 10  |
| 74021 | 8.0   | .315  | 1.2   | .039  | 10  |
| 74023 | 8.0   | .315  | 1.6   | .063  | 10  |

**Wiha Slotted Insert & Power Bits**



**SHOP**

**720** Slotted Insert Bits. 5/16" Hex Drive, Length 41mm

| Item  | ↓    | ⊕    | ⊖   | ⊕    | ⊖    | ⊕ | ⊖ |
|-------|------|------|-----|------|------|---|---|
| No.   | mm   | Inch | mm  | pkg. | lbs. |   |   |
| 72048 | 6.5  | .255 | 1.2 | 10   | .27  |   |   |
| 72049 | 8.0  | .315 | 1.6 | 10   | .31  |   |   |
| 72050 | 10.0 | .393 | 1.6 | 10   | .46  |   |   |
| 72051 | 12.0 | .472 | 2.0 | 10   | .56  |   |   |



**SHOP**

**720** Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. 5/16" Hex Drive.

| Item  | ↓   | ⊕    | ⊖    | ⊕  | ⊖    | ⊕ | ⊖ |
|-------|-----|------|------|----|------|---|---|
| No.   | mm  | mm   | Inch | mm | lbs. |   |   |
| 72025 | 1.2 | 6.5  | .255 | 41 | .06  |   |   |
| 72031 | 1.6 | 8.0  | .315 | 41 | .08  |   |   |
| 72039 | 1.6 | 10.0 | .393 | 41 | .10  |   |   |
| 72047 | 2.0 | 12.0 | .472 | 41 | .12  |   |   |



**SHOP**

**710** Slotted Insert Bits. 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

| Item  | ↓   | ⊕    | ⊖   | ⊕    | ⊖    | ⊕ | ⊖ |
|-------|-----|------|-----|------|------|---|---|
| No.   | mm  | Inch | mm  | Inch | pkg. |   |   |
| 71030 | 3.0 | .118 | 0.5 | .020 | 2    |   |   |
| 71031 | 3.5 | .139 | 0.6 | .024 | 2    |   |   |
| 71032 | 4.0 | .157 | 0.8 | .031 | 2    |   |   |
| 71033 | 4.5 | .177 | 0.6 | .024 | 2    |   |   |
| 71034 | 5.5 | .216 | 1.0 | .039 | 2    |   |   |
| 71035 | 6.5 | .255 | 1.2 | .047 | 2    |   |   |
| 71036 | 8.0 | .315 | 1.6 | .063 | 2    |   |   |



**SHOP**

**740** Slotted Power Bits, 1/4" Hex Drive, Length 2.75"/70mm

| Item  | ↓   | ⊕    | ⊖   | ⊕    | ⊖    | ⊕ | ⊖ |
|-------|-----|------|-----|------|------|---|---|
| No.   | mm  | Inch | mm  | Inch | pkg. |   |   |
| 74033 | 2.5 | .098 | 0.4 | .015 | 1    |   |   |
| 74034 | 3.0 | .118 | 0.5 | .020 | 1    |   |   |
| 74035 | 3.5 | .139 | 0.6 | .024 | 1    |   |   |
| 74036 | 4.0 | .157 | 0.8 | .020 | 1    |   |   |
| 74039 | 5.5 | .216 | 1.0 | .032 | 1    |   |   |
| 74041 | 6.5 | .255 | 1.2 | .039 | 1    |   |   |



**SHOP**

**743** Slotted and Phillips Double End Bits, 1/4" Hex Drive, Length 2.36"/60mm

| Item  | ↓       | ⊕    | ⊖  | ⊕    | ⊖    | ⊕ | ⊖ |
|-------|---------|------|----|------|------|---|---|
| No.   | mm      | Size | mm | pkg. | lbs. |   |   |
| 74303 | 4.5 x 1 | 60   | 10 | .22  |      |   |   |
| 74306 | 5.5 x 2 | 60   | 10 | .30  |      |   |   |
| 74309 | 7.0 x 3 | 60   | 10 | .30  |      |   |   |



2 bit pack

**SHOP**

**710** Slotted Insert Bit Packs, 1" CVM S2 modified tool steel.

| Item  | ↓   | ⊕   | ⊖    | ⊕  | ⊖    | ⊕ | ⊖ |
|-------|-----|-----|------|----|------|---|---|
| No.   | mm  | mm  | Inch | mm | lbs. |   |   |
| 71051 | 0.6 | 4.5 | .177 | 25 | .03  |   |   |
| 71052 | 0.8 | 5.5 | .216 | 25 | .03  |   |   |
| 71053 | 1.2 | 6.5 | .255 | 25 | .03  |   |   |
| 71054 | 1.6 | 8.0 | .315 | 25 | .03  |   |   |



**71055** Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**71055** Set includes the following bits:

| ⊕        | ⊖                         | ⊕ | ⊖ |
|----------|---------------------------|---|---|
| Slotted: |                           |   |   |
| wt. .04  | 5.5, 6.5, 8.0 x 1" (25mm) |   |   |



**SHOP**

**74050** Slotted Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

**74050** Set includes the following bits:

| ⊕        | ⊖                         |
|----------|---------------------------|
| Slotted: |                           |
| wt. .08  | 4.5, 5.5, 6.5 x 2" (50mm) |



2 bit pack

**740** Slotted Power Bit Packs, 2" CVM S2 modified tool steel.

| Item  | ⊕   | ⊖  | ⊕    | ⊖ |
|-------|-----|----|------|---|
| No.   | mm  | mm | lbs. |   |
| 74061 | 3.0 | 50 | .05  |   |
| 74062 | 3.5 | 50 | .05  |   |
| 74063 | 4.0 | 50 | .05  |   |
| 74064 | 4.0 | 50 | .05  |   |
| 74065 | 4.5 | 50 | .05  |   |
| 74066 | 5.5 | 50 | .05  |   |
| 74067 | 6.5 | 50 | .06  |   |
| 74068 | 8.0 | 50 | .08  |   |
| 74069 | 8.0 | 50 | .08  |   |

**SHOP**

**1/4" Stainless Steel Insert Bits**



**SHOP**

**701** Stainless Steel Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/984"

| Item  | ↓   | ⊕    | ⊖   | ⊕    | ⊖    | ⊕ | ⊖ |
|-------|-----|------|-----|------|------|---|---|
| No.   | mm  | Inch | mm  | Inch | pkg. |   |   |
| 70130 | 4.5 | .177 | 0.6 | .024 | 1    |   |   |
| 70131 | 5.5 | .216 | 0.8 | .030 | 1    |   |   |
| 70132 | 6.5 | .255 | 1.2 | .039 | 1    |   |   |
| 70133 | 8.0 | .315 | 1.6 | .063 | 1    |   |   |

**30 Piece Contractor Grade Bits**

**725** Slotted Insert Contractor Grade, 1/4"

| Item  | ↓    | ⊕  | ⊖     | ⊕    | ⊖ | ⊕ | ⊖ |
|-------|------|----|-------|------|---|---|---|
| No.   | Size | mm | pkg.  | lbs. |   |   |   |
| 72534 | 4.5  | 25 | 30 pc | .85  |   |   |   |
| 72535 | 5.5  | 25 | 30 pc | .85  |   |   |   |
| 72536 | 6.0  | 25 | 30 pc | .85  |   |   |   |

# Pozidriv® Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Impact resistant modified CVM, tool steel, hardened



Suitable for all applications for both manual and machine  
Hardness HRC 59-61



**742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item No. | Size | mm | pkg. | lbs. | <a href="#">SHOP</a> |
|----------|------|----|------|------|----------------------|
| 74203    | 1    | 50 | 10   | .24  |                      |
| 74212    | 2    | 50 | 10   | .25  |                      |
| 74221    | 3    | 50 | 10   | .26  |                      |

## PoziDriv® Insert & Power Bits



**712 Pozidriv® Insert Bits, 1/4"**

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71200    | 0    | 25 | 10   | .10  |
| 71201    | 1    | 25 | 10   | .10  |
| 71202    | 2    | 25 | 10   | .10  |
| 71203    | 3    | 25 | 10   | .10  |



**742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm**

| Item No. | Size | mm | pkg. | lbs. | <a href="#">SHOP</a> |
|----------|------|----|------|------|----------------------|
| 74207    | 1    | 90 | 10   | .34  |                      |
| 74216    | 2    | 90 | 10   | .46  |                      |
| 74225    | 3    | 90 | 10   | .53  |                      |



2 bit pack



**742 Pozidriv® Power Bit Packs, 2"**

CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74261    | 1    | 50 | .06  |
| 74262    | 2    | 50 | .06  |
| 74263    | 3    | 50 | .07  |



2 bit pack



**712 Pozidriv® Insert Bit Packs, 1"**

CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71250    | 0    | 25 | .03  |
| 71251    | 1    | 25 | .03  |
| 71252    | 2    | 25 | .03  |
| 71253    | 3    | 25 | .04  |




**742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm**

| Item No. | Size | mm | pkg. | <a href="#">SHOP</a> |
|----------|------|----|------|----------------------|
| 74201    | 0    | 70 | 1    |                      |
| 74205    | 1    | 70 | 1    |                      |
| 74214    | 2    | 70 | 1    |                      |

## Wiha Stainless Steel Pozidriv® Insert & Power Bits



**71254 Pozidriv® Insert Bit Packs, 1" CVM**

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.  
**71254 Set includes the following bits:**  
 Pozidriv®:  
 wt. .04 1, 2, 3 x 1" (25mm)



**712 Stainless Steel Pozidriv® Insert Bits, 1/4"**

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 71241    | 1    | 25 | 1    |
| 71242    | 2    | 25 | 1    |
| 71243    | 3    | 25 | 1    |



**704 Stainless Steel Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 70407    | 1    | 50 | 1    |
| 70408    | 2    | 50 | 1    |
| 70410    | 3    | 50 | 1    |



# Specialty Bits

Highly resistant to wear and tear for a long tool life



 Tri-Wing

 Torq Set





Suitable for all applications for both manual and machine Hardness HRC 59-61

## Tri-Wing Bits



 SHOP





### 719 Triwing Insert Bits, 1/4"/25mm

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71900 | 0   | 25  | 10  | .10   |
| 71901 | 1   | 25  | 10  | .10   |
| 71902 | 2   | 25  | 10  | .10   |
| 71903 | 3   | 25  | 10  | .10   |
| 71904 | 4   | 25  | 10  | .13   |
| 71905 | 5   | 25  | 10  | .13   |



 SHOP

### 749 Tri-Wing Power Bits, 1/4"/50mm




| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74901 | 3   | 50  | 10  | .24   |
| 74902 | 4   | 50  | 10  | .24   |
| 74903 | 5   | 50  | 10  | .24   |
| 74904 | 6   | 50  | 10  | .46   |



2 bit pack

 SHOP

### 719 Tri-Wing Insert Bit Packs, 1"




| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71949 | 0   | 25  | .03   |
| 71950 | 1   | 25  | .03   |
| 71951 | 2   | 25  | .03   |
| 71952 | 3   | 25  | .03   |
| 71953 | 4   | 25  | .03   |
| 71913 | 5   | 25  | .04   |



2 bit pack

 SHOP

### 749 Tri-Wing Power Bit Packs, 2"

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74960 | 3   | 50  | .06   |
| 74961 | 4   | 50  | .06   |
| 74962 | 5   | 50  | .06   |
| 74963 | 6   | 50  | .10   |




 SHOP

### 71954 Tri-Wing Insert Bit Packs, 1"

6 pc. bit pack.

71954 Set includes the following bits:





 Triwing: 0, 1, 2, wt. .07 3, 4, 5 x 1" (25mm)

## Torq Set Bits







 SHOP

### 719 Torq Set Insert Bits, 1/4"

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71921 | 0   | 25  | 10  | .10   |
| 71922 | 1   | 25  | 10  | .10   |
| 71923 | 2   | 25  | 10  | .10   |
| 71924 | 3   | 25  | 10  | .10   |
| 71907 | 4   | 25  | 10  | .10   |
| 71909 | 5   | 25  | 10  | .10   |
| 71906 | 6   | 25  | 10  | .10   |
| 71908 | 8   | 25  | 10  | .13   |
| 71910 | 10  | 25  | 10  | .13   |



### 749 Torq Set Power Bits, 1/4"/50mm

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 74911 | 4   | 50  | 10  | .03   |
| 74912 | 5   | 50  | 10  | .03   |
| 74913 | 6   | 50  | 10  | .03   |
| 74914 | 8   | 50  | 10  | .04   |
| 74915 | 10  | 50  | 10  | .04   |






2 bit pack

 SHOP

### 719 Torq Set Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71911 | 4   | 25  | .03   |
| 71912 | 5   | 25  | .03   |
| 71957 | 6   | 25  | .03   |
| 71958 | 8   | 25  | .04   |
| 71959 | 10  | 25  | .04   |




2 bit pack



 SHOP

### 749 Torq Set Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 74964 | 4   | 50  | .06   |
| 74965 | 5   | 50  | .06   |
| 74966 | 6   | 50  | .06   |
| 74967 | 8   | 50  | .07   |
| 74968 | 10  | 50  | .07   |

# Specialty Bits

Highly resistant to wear and tear for a long tool life







Suitable for all applications for both manual and machine  
Hardness HRC 59-61

## Spanner Bits



### 719 Spanner Insert Bits, 1/4"




| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 71914 | 4   | 25  | 10  | .11   |
| 71916 | 6   | 25  | 10  | .12   |
| 71918 | 8   | 25  | 10  | .12   |
| 71920 | 10  | 25  | 10  | .12   |



2 bit pack

### 719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Size  | mm  | lbs.  |
| 71963 | 4   | 25  | .03   |
| 71964 | 6   | 25  | .03   |
| 71965 | 8   | 25  | .04   |
| 71966 | 10  | 25  | .04   |

## XZN Insert Bits

# Specialty Bits

Suitable for all applications for both manual and machine  
Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life







Impact resistant modified CVM, tool steel, hardened

Triple Square







2 bit pack

### 701 XZN Insert Bits, 1/4"

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 70143 | M3  | 25  | 2   | .04   |
| 70144 | M4  | 25  | 2   | .04   |
| 70145 | M5  | 25  | 2   | .04   |
| 70146 | M6  | 25  | 2   | .04   |
| 70147 | M8  | 25  | 2   | .04   |



### 355 XZN Triple Square L-key

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | pkg.  | lbs.  |
| 35510 | M10   | 110   | 1   | .01   |
| 35512 | M12   | 124   | 1   | .02   |
| 35514 | M14   | 138   | 1   | .04   |
| 35516 | M16   | 156   | 1   | .07   |

## Countersink & Drill Bits




High quality HSS steel, ground with radial relief.  
Universal application in metal, plastic and wood.  
Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

## 90° Countersink Bit - 1/4" Shank



### 786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief.  
1/4" Hex shank according to DIN 3126 C 6.3.




| Item  |  |  |  |      |      |     |
|-------|---|---|---|------|------|-----|
| No.   | Size  | Inch  | mm  | Inch | size | pkg |
| 78615 | 6.3   | .26   | 35  | 1.38 | M3   | 1   |
| 78617 | 8.3   | .33   | 35  | 1.38 | M4   | 1   |
| 78619 | 10.4  | .41   | 35  | 1.38 | M5   | 1   |
| 78621 | 12.4  | .49   | 35  | 1.38 | M6   | 1   |
| 78622 | 16.5  | .65   | 35  | 1.38 | M8   | 1   |
| 78624 | 20.5  | .81   | 35  | 1.38 | M10  | 1   |

## 1/4" Shank High Speed Drill Bits



### 780 1/4" Shank Stubby High Speed Drill Bits

DIN 3126 C 6.3.






| Item  |  |  |  |      |
|-------|---|---|---|------|
| No.   | Size  | Inch  | pkg   | lbs. |
| 78002 | 1/16  | 1.26  | 1   | .02  |
| 78005 | 3/32  | 1.41  | 1   | .02  |
| 78008 | 1/8   | 1.57  | 1   | .02  |
| 78011 | 5/32  | 1.73  | 1   | .03  |
| 78015 | 3/16  | 1.97  | 1   | .03  |
| 78018 | 1/4   | 1.97  | 1   | .03  |

## High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

### 71480 CentroFix Bit Holder

| Item  |  |  |  |  |  |
|-------|---|---|---|---|---|
| No.   | Size  | Size  | mm  | Inch  | lbs.  |
| 71480 | 1/4"  | 1/4"  | 60  | 2.3   | .09   |


**Dura Torsion Insert and Power Bits**

**Carbide Coated**

*Positive location in the screw head with decrease of:*

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



**SHOP**

**710 Dura Bits, Slotted, 1/4"**

| Item  | Slotted | Phillips | TORX | Pozidriv | Hex Drive |
|-------|---------|----------|------|----------|-----------|
| No.   | mm      | Inch     | mm   | Inch     | mm        |
| 71010 | 0.6     | .024     | 4.5  | .177     | 25        |
| 71011 | 0.8     | .030     | 5.5  | .216     | 25        |
| 71012 | 1.0     | .039     | 5.5  | .216     | 25        |
| 71013 | 1.2     | .039     | 6.5  | .255     | 25        |
| 71014 | 1.2     | .039     | 8.0  | .315     | 25        |



**SHOP**

**715 Dura Bits, TORX®, 1/4"**

| Item  | TORX | Hex Drive |
|-------|------|-----------|
| No.   | Size | mm lbs.   |
| 71574 | T10  | 25 .02    |
| 71576 | T15  | 25 .02    |
| 71578 | T20  | 25 .02    |
| 71580 | T25  | 25 .02    |
| 71582 | T30  | 25 .02    |
| 71584 | T40  | 25 .03    |



**SHOP**

**711 Dura Bits, Phillips, 1/4"**

| Item  | Phillips | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 71111 | 1        | 25 .02    |
| 71112 | 2        | 25 .02    |
| 71113 | 3        | 25 .02    |



**SHOP**

**712 Dura Bits, Pozidriv, 1/4"**

| Item  | Pozidriv | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 71211 | 1        | 25 .02    |
| 71212 | 2        | 25 .02    |
| 71213 | 3        | 25 .02    |



**SHOP**

**741 Dura Phillips Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item  | Phillips | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 74141 | 1        | 50 .04    |
| 74142 | 2        | 50 .04    |
| 74143 | 3        | 50 .04    |



**SHOP**

**742 Dura Pozidriv® Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item  | Pozidriv | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 74241 | 1        | 50 .04    |
| 74242 | 2        | 50 .04    |
| 74243 | 3        | 50 .04    |



**Bits Tungsten Carbide Coated** **SHOP**

**71094 Bit-Selector With Dura Insert 1/4"**  
Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

- Slotted: 5.5, 6.5, 8.0mm
- ⊕ Phillips: 1, 2, 3
- ⊗ TORX®: T10, T15, T20, T25
- ↵ .29 lbs.


**Diamond Torsion Insert and Power Bits**

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

**Reduction of:**

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect



*The ideal bit even for the most difficult of applications*



**SHOP**

**710 Diamond Bits, Slotted, 1/4"**

| Item  | Slotted | Phillips | TORX | Pozidriv | Hex Drive |
|-------|---------|----------|------|----------|-----------|
| No.   | mm      | Inch     | mm   | Inch     | mm        |
| 71020 | 4.5     | .177     | 0.6  | .024     | 25        |
| 71021 | 5.5     | .216     | 0.8  | .030     | 25        |
| 71022 | 5.5     | .216     | 1.0  | .039     | 25        |
| 71023 | 6.5     | .255     | 1.2  | .039     | 25        |
| 71024 | 8.0     | .315     | 1.2  | .063     | 25        |



**SHOP**

**715 Diamond Bits, TORX®, 1/4"**

| Item  | TORX | Hex Drive |
|-------|------|-----------|
| No.   | Size | mm lbs.   |
| 71516 | T10  | 25 .02    |
| 71517 | T15  | 25 .02    |
| 71518 | T20  | 25 .02    |
| 71519 | T25  | 25 .02    |
| 71521 | T30  | 25 .02    |
| 71522 | T40  | 25 .03    |



**SHOP**

**711 Diamond Bits, Phillips, 1/4"**

| Item  | Phillips | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 71181 | 1        | 25 .02    |
| 71182 | 2        | 25 .02    |
| 71183 | 3        | 25 .02    |



**SHOP**

**741 Diamond Phillips Power Bits**  
1/4" Hex Drive, Length 2.0"/50mm

| Item  | Phillips | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 74161 | 1        | 50 .03    |
| 74162 | 2        | 50 .03    |
| 74163 | 3        | 50 .04    |



**SHOP**

**71197 PokitPak - Diamond Coated Insert**  
Bits In Molded Case. 6 - 1/4" Insert Bits

- ↵ .16
- Slotted: 5.5, 6.5mm
- ⊕ Phillips: #1, 3 & 2/each #2
- 1/4" Magnetic Bit Holder



**SHOP**

**712 Diamond Bits, Pozidriv®, 1/4"**

| Item  | Pozidriv | Hex Drive |
|-------|----------|-----------|
| No.   | Size     | mm lbs.   |
| 71221 | 1        | 25 .02    |
| 71222 | 2        | 25 .02    |
| 71223 | 3        | 25 .02    |

**Wiha TiN Coated Insert/Power Bits**

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance

**Titanium Coated**



**715 TORX® TiN Coated Insert Bits, 1/4"**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71585    | T5   | 25 | .02  |
| 71586    | T6   | 25 | .02  |
| 71587    | T7   | 25 | .02  |
| 71588    | T8   | 25 | .02  |
| 71562    | T9   | 25 | .02  |
| 71563    | T10  | 25 | .02  |
| 71564    | T15  | 25 | .02  |
| 71565    | T20  | 25 | .02  |
| 71566    | T25  | 25 | .02  |
| 71569    | T27  | 25 | .02  |
| 71567    | T30  | 25 | .02  |
| 71568    | T40  | 25 | .02  |

TiN - Titanium Nitride



**711 Phillips TiN Coated Insert Bits 1/4" Hex Drive, Length 2.0"/50mm**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71141    | 1    | 50 | .04  |
| 71142    | 2    | 50 | .04  |
| 71143    | 3    | 50 | .04  |

TiN - Titanium Nitride



**71196 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -**  
 Set Includes 6 - 1/4" Insert Bits  
 Phillips: 2 of each - 1, 2, 3  
 lbs. .31

TiN - Titanium Nitride [SHOP](#)

**71194 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -**  
 Set Includes 6 - 1/4" Insert Bits  
 Phillips: 1 of each - #1, #3  
 Phillips: 4 of - #2  
 lbs. .31

TiN - Titanium Nitride



**71596 PokitPak - TORX® Dura Insert Bits In Molded Case -**  
 Set Includes 6 - 1/4" Insert Bits  
 T10, T15, T20, T25, T30, T40  
 lbs. .26

TiN - Titanium Nitride



**711 Phillips TiN Coated Insert Bits, 1/4"**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71121    | 1    | 25 | .02  |
| 71122    | 2    | 25 | .02  |
| 71123    | 3    | 25 | .02  |

TiN - Titanium Nitride




**741 Phillips TiN Coated Power Bits 1/4" Hex Drive, Length 2.0"/50mm**


| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74101    | 1    | 50 | .04  |
| 74105    | 2    | 50 | .04  |
| 74108    | 3    | 50 | .04  |

TiN - Titanium Nitride

**Wear Characteristics**



**Wiha Security Bits Collector With Extra Fine 72 Tooth Ratchet**



**71988 Bits Collector with Security TORX®, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv® and Square bits. 38 Piece Set includes: 1/4" Bit Holding Ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits:**

- Security TORX®: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Tri-Wing: 1, 2, 3, 4
- Torq Set: 6, 8, 10
- Spanner: 4, 6, 8, 10
- Slotted: 6.5, 8.0mm
- Phillips: 1, 2
- Pozidriv®: 0, 1, 2, 3
- Square: 1, 2, 3
- lbs. .88

### Wiha Security Bits Collector



[SHOP](#)

**71990** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits.

**39 Piece Set includes:** Handle, 1/4" magnetic bit holder, 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

- ⊕ **Security TORX<sup>®</sup>:**  
T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ **Tri-Wing:** 1, 2, 3, 4
- ⊕ **Torq Set:** 6, 8, 10
- ⊖ **Spanner:** 4, 6, 8, 10
- ⊖ **Slotted:** 6.5, 8.0mm
- ⊕ **Phillips:** 1, 2
- ⊕ **Pozidriv<sup>®</sup>:** 0, 1, 2, 3
- ⊖ **Square:** 1, 2, 3
- ⚖ **lbs.** 1.03



[SHOP](#)

**71994** Bits Collector with **TORX**<sup>®</sup>, Slotted, Phillips, Pozidriv<sup>®</sup>, Square and Hex Inch bits. **26 Piece Set**

**Set includes:** Handle, 1/4" bit holder, storage box and the following 1/4" bits:

- ⊕ **TORX<sup>®</sup>:** T8, T10, T15, T20, T25, T27, T30, T40
- ⊖ **Slotted:** 4.5, 5.5, 6.0mm
- ⊕ **Phillips:** 1, 2
- ⊕ **Pozidriv<sup>®</sup>:** 1, 2, 3
- ⊖ **Square:** 1, 2
- ⊖ **Hex Inch:** 1/16, 5/64, 3/32, 1/8, 5/32, 3/16"
- ⚖ **lbs.** .89

### Drive-Loc VI Adjustable



**With Quick Release Holder**

[SHOP](#)

**71991** Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits.

**39 Pc. Set includes:** Handle, Clicfix quick release bit holder 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

- ⊕ **Security TORX<sup>®</sup>:**  
T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ **Tri-Wing:** 1, 2, 3, 4
- ⊕ **Torq Set:** 6, 8, 10
- ⊖ **Spanner:** 4, 6, 8, 10
- ⊖ **Slotted:** 6.5, 8.0mm
- ⊕ **Phillips:** 1, 2
- ⊕ **Pozidriv<sup>®</sup>:** 0, 1, 2, 3
- ⊖ **Square:** 1, 2, 3
- ⚖ **lbs.** 1.04



Adjustable locking  
(7/8" - 3 1/2" in  
1/8" increments)

[SHOP](#)

**71997** Drive-Loc VI Bits Collector with Security **TORX**<sup>®</sup>, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv<sup>®</sup> and Square bits. **39 Piece Set**

**Set includes:** Drive-Loc VI handle & 4" Bit holder, socket, storage box and the following 1/4" bits:

- ⊕ **Security TORX<sup>®</sup>:**  
T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ **Tri-Wing:** 1, 2, 3, 4
- ⊕ **Torq Set:** 6, 8, 10
- ⊖ **Spanner:** 4, 6, 8, 10
- ⊖ **Slotted:** 6.5, 8.0mm
- ⊕ **Phillips:** 1, 2
- ⊕ **Pozidriv<sup>®</sup>:** 0, 1, 2, 3
- ⊖ **Square:** 1, 2, 3
- ⚖ **lbs.** 1.05

**71992** Bits Collector with Security 1/4" Insert bits. **29 Piece Set**

**Set includes:** 1/4" Bit Holder, 1/4" Bit holding socket adapter, 1/4" Universal Magnetic Bit Holder, storage box and the following 1/4" bits:

- Security TORX<sup>®</sup>:** T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- Security Hex:** 1/8, 3/32, 7/64, 9/64, 5/32, 3/16, 7/32, 1/4"
- Tri-Wing:** 4, 5 & **Torq Set:** 5, 8 & **Spanner:** 6, 8, 10
- Square:** 1, 2 & **Pozidriv<sup>®</sup>:** 2

⚖ **lbs.** .99

[SHOP](#)

[SHOP](#)

**71095** Bits Collector with Phillips & Hex Inch bits. **51 Piece Set**

**Set includes:** ClicFix Quick Release Bit Holder storage box and the following 1/4" bits:

- ⊕ **10 Each Phillips:** 1, 2 & **5 Phillips:** 3
- ⊖ **10 Each Hex Inch:** 1/8, 3/16" & **5 Hex Inch:** 5/32"
- ⚖ **lbs.** 1.24

**Wiha BitFlip Sets - Insulated & Standard**

**“8 In 1 Bit Sets”**

BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage



Blade CVM tool steel, hardened

BitFlip Insulated

Each insulated tool individually tested to 10,000 volts

BitFlip Insulated



BitFlip Standard



**38016 Slotted/Phillips/Square BitFlip Insulated**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:

- ↓  **Slotted:** 4.5, 6.5mm
- ⊕ **Phillips:** 0, 1, 2, 3
- ◻ **Square:** 1, 2




lbs.  
.45

**38026 Slotted/Phillips/Square BitFlip Standard**

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- ↓  **Slotted:** 4.5, 6.5mm
- ⊕ **Phillips:** 0, 1, 2, 3
- ◻ **Square:** 1, 2



lbs.  
.44

BitFlip Insulated




BitFlip Standard



**38017 Slotted/Phillips/TORX® BitFlip Insulated**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:

- ↓  **Slotted:** 4.5, 6.5mm
- ⊕ **Phillips:** 1, 2
- ⊛ **TORX®:** T10, T15, T20, T25




lbs.  
.45

**38027 Slotted/Phillips/TORX® BitFlip Standard**

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

- ↓  **Slotted:** 4.5, 6.5mm
- ⊕ **Phillips:** 1, 2
- ⊛ **TORX®:** T10, T15, T20, T25



lbs.  
.44

BitFlip Insulated




BitFlip Standard



**38018 Slotted/Phillips BitFlip Insulated**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:

- ↓  **Slotted Sizes:** 4.5, 5.5, 6.5, 8.0mm
- ⊕ **Phillips Sizes:** 0, 1, 2, 3



lbs.  
.45

**38028 TORX® BitFlip Standard**

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4" bits:


- ⊛ **TORX®:** T8, T10, T15, T20, T25, T27, T30, T40



lbs.  
.44

**Wiha Bit Selectors**

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



**Slide out drawer** allows quick bit access and secure storage

**Plastic storage box** is compact, durable and light weight



**Molded hex cavity in box end** Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

**1/4" Magnetic Adapter** fits all standard 1/4" bits

**792 Sets Bit-Selector Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



[SHOP](#)

**79243 Bit-Selector With Slotted, Phillips and TORX® Bits**

Set Includes 1/4" Bit Holder lbs. 

- & The Following 10 Bits:**
-  Slotted: 4.5, 5.5, 6.0mm .31
  -  Phillips: 0, 1, 2, 3
  -  TORX®: T10, T15, T20

**79248 Bit-Selector With Slotted, Phillips and Square Bits**

Set Includes 1/4" Bit Holder lbs. 

- & The Following 10 Bits:**
-  Slotted: 4.5, 5.5, 6.0mm .32
  -  Phillips: 0, 1, 2, 3
  -  Square: 1, 2, 3

**71090 Bit-Selector With Slotted, Phillips & Hex 1/4" Bits**

Set Includes Magnetic 1/4" ClicFix Bit Holder lbs. 

- & The Following 9 Bits:**
-  Slotted: 4.5, 5.5, 6.5 .25
  -  Phillips: 1, 2, 3
  -  Hex Inch: 1/8, 5/32, 3/16

**Wiha XSelector & XLSelector Bit Sets**

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover

**XLSelector**  
Pocket Sized  
5.3" x 3.1" x .7"



XSelector Pocket Sized  
3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder







These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.

[SHOP](#)

**79443 XSelector Bit Set With Slotted, Phillips, and TORX® Bits**

Set Includes Quick Release Holder & the following 10 bits:

- |  |  |
|--|--|
|  Slotted: 5.5, 6.5, 8.0mm |  lbs. |
|  Phillips: 0, 1, 2, 3     | .27  |
|  TORX®: T10, T15, T20     |  |

**Wiha XLSelector 31 Piece Bit Sets**








[SHOP](#)

**79495 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits**

31 Piece Set Includes:

Universal Bit Holder-magnetic & 30 Insert Bits: lbs. .29 

-  Slotted: 4.5, 5.5, 6.0mm
-  Phillips: 0, 1, 2, 3
-  TORX®: T6, T7, T8, T9, T10, T15, T20, T25
-  Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
-  Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"












[SHOP](#)

**79490 XLSelector Security Bit Set**

31 Piece Set Includes:

Universal Bit Holder-magnetic lbs. 

and the following 30 bits:

-  Slotted: 6.5mm
-  Phillips: 1, 2
-  Security TORX®: T8s, T10s, T15s, T20s, T25s
-  Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"
-  Spanner: 4, 6, 8, 10
-  Torq Set: 6, 8, 10
-  Square: 1, 2
-  Pozidriv: 1, 2
-  Triwing: 2, 3, 4, 5

**Wiha Multi-Bit Screwdrivers**

**Six Tools in One!**

**1/4" Magnetic Bit Holder**  
directs magnetism through the bit for powerful screw holding

**Cap rotates**  
eliminating palm blisters  
**Allows one handed**  
turning & frees other hand for positioning the work piece



**Ergonomic Powerhandle**  
for maximum comfort and exceptional torque

**Cap snaps**  
on & off, doesn't unscrew while you're using the tool

**Chambered Bit Storage**

- In the handle
- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

Insulated Bit Holder



**SHOP**

**38006 Slotted/Phillips Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft. Set includes the following 1/4" bits:**

|                         |        |
|-------------------------|--------|
| ↓ ● Slotted: 5.5, 6.0mm | ↔ lbs. |
| ⊕ Phillips: 0, 1, 2, 3  | .39    |

**38007 Slotted/Phillips/Square Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft. Set includes the following 1/4" bits:**

|                         |        |
|-------------------------|--------|
| ↓ ● Slotted: 6.5, 8.0mm | ↔ lbs. |
| ⊕ Phillips: 1, 2        | .41    |
| ○ Square: 1, 2          |        |

**Wiha ClicFix Quick Release Magnetic Sets**



**SHOP**

**38033 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set** with Wiha Powerhandle and CVM steel, hardened shaft.

|  |        |
|--|--------|
| <b>Set includes the following 1/4" bits:</b> | ↔ lbs. |
| ↓ ● Slotted: 6.5, 8.0mm                      | lbs.   |
| ⊕ Phillips: 0, 1, 2, 3                       | .43    |

**38059 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set** with Wiha Powerhandle and CVM steel, hardened shaft.

|  |        |
|--|--------|
| <b>Set includes the following 1/4" bits:</b> | ↔ lbs. |
| ↓ ● Slotted: 4.5, 5.5, 6.5mm                 | lbs.   |
| ⊕ Phillips: 1, 2, 3                          | .43    |

**Wiha Cushion Grip Stubby Bit Sets**

**Stubby 6 in 1 Multi-Bit Driver Sets**

Ergo soft grip handles



Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length



**SHOP**

**38043 SoftFinish® CushionGrip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.

|  |        |
|--|--------|
| <b>Set includes the following 1/4" bits:</b> | ↔ lbs. |
| ↓ ● Slotted: 4.5, 6.5                        | lbs.   |
| ⊕ Phillips: #1, #2                           | .20    |
| ⊕ Pozidriv®: #1, #2                          |        |



**SHOP**

**38048 SoftFinish® CushionGrip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.

|  |        |
|--|--------|
| <b>Set includes the following 1/4" bits:</b> | ↔ lbs. |
| ↓ ● Slotted: 4.5, 6.5                        | lbs.   |
| ⊕ Phillips: #1, #2                           | .20    |
| ○ Square: #1, #2                             |        |

**Wiha ClicFix Quick Release Magnetic Holder**



**SHOP**

**38030 ClicFix Quick Release Magnetic Bit Holder**  
Blade high alloy chrome-vanadium-molybdenum steel, hardened, chrome-plated. Wiha Powerhandle high quality plastic, impact resistant.

| Item  | ○    | —   | —    | —   | —    | ↔   | —    |
|-------|------|-----|------|-----|------|-----|------|
| No.   | Size | mm  | Inch | mm  | Inch | lbs | pkg. |
| 38030 | 1/4" | 120 | 4.7  | 230 | 9.0  | .27 | 10   |



**Wiha Torque Ratchet Bit Sets**

**Smooth, high torque, silent ratchet handle**

**Pistol Grip Handle** ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

**Hex Retainer** for bit holder blades

Allows for quick adjustment to right, left or fixed turning.




**No release** of handle is needed, change of direction can be made with index finger and thumb.

**Opens a new generation of easier torque transmission**

**28200 Topra Handle**



Wiha-Topra handle, high quality plastic, impact resistant. Rated to 150in/lbs. Fits all Wiha Drive-Loc VI Blades.

| Item  |     |     |      |    |  |      |
|-------|-----|-----|------|----|---|------|
| No.   | mm  | mm  | Inch | mm | Inch  | lbs. |
| 28200 | 6.0 | 100 | 3.94 | 85 | 3.35  | .48  |




**28296 Slotted/Phillips/TORX® Topra Ratchet Bit Set, 12 Pc.**

Set includes Topra Handle, Magnetic bit holder and the following bits:

|   |                                 |      |     |
|---|---------------------------------|------|-----|
|  | <b>Slotted:</b> 5.5, 6.5, 8.0mm | lbs. | .69 |
|  | <b>Phillips:</b> 0, 1, 2, 3     |      |     |
|  | <b>TORX®:</b> T10, T15, T20     |      |     |



**28291 57 Piece Topra Ratchet Set**

|  |  |
|--|--|
|  | <b>Set includes:</b> Topra Handle & Dynamic Handle   |
| lbs.   | <b>1/4" Bit Holder &amp; 1/4" Hex to 1/4" Square Adapter</b>   |
| 2.03   | <b>Slotted:</b> 4.5, 5.5, 6.5mm <b>Phillips:</b> 0, 1, 2   |
|  | <b>TORX®:</b> T5, T6, T7, T8, T9, T10, T15, T20, T25, T30  |
|  | <b>Pozidriv®:</b> 1, 2 <b>Square:</b> 1, 2, 3 <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" |
|  | <b>Hex Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm   |
|  | <b>Sockets Inch:</b> 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"   |
|  | <b>Sockets Metric:</b> 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm   |








**1/4" Ratchet & Bit Set**


**74992 Ratchet Bit Set, 29 Pcs. In Canvas Pouch.** Includes Wiha 1/4" ratchet bit handle, bit holder & 27 Insert bits.

[SHOP](#)

**Item No. 1/4" Ratchet Bit Set**

**74992 Set includes the following bits:**

-  **Slotted:** 5.5, 6.5mm / **Phillips:** 0, 1, 2
-  **Square:** 1, 2 / **Pozidriv®:** 1, 2
-  **TORX®:** T8, T9, T10, T15, T20, T25
-  **Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0mm
-  **Hex Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"
-  **1/4" Bit Holder**
-  lbs. .72









**74996 Ratchet Bit Set, 35 Pcs. Includes:**

Wiha 1/4" ratchet bit handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits.

**Item No. 1/4" Ratchet Bit Set**

[SHOP](#)




**74996 Set includes the following bits:**

-  **Slotted:** 5.5, 6.0mm / **Phillips:** 0, 1, 2, 3
-  **Square:** 1, 2 / **TORX®:** T8, T10, T15, T20, T25, T27, T30
-  **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
-  **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
-  **1/4" ClicFix Bit Holder, 1/4" Hex to 1/4" Sqr. Adapter**
-  lbs. .74

**Wiha Power Bit Belt Packs**






**74983 Power Bit Belt Pack With Slotted, Phillips & TORX® Bits**

|  |      |
|--|------|
| <b>Set includes the following 10 bits:</b>   | lbs. |
|  <b>Slotted:</b> 4.5, 5.5, 6.5mm  | .30  |
|  <b>Phillips:</b> 1, 2, 3         |      |
|  <b>TORX®:</b> T10, T15, T20, T25 |      |



**74988 Power Bit Belt Pack With Slotted, Phillips & Square Bits**

|  |      |
|--|------|
| <b>Set includes the following 10 bits:</b>   | lbs. |
|  <b>Slotted:</b> 3.0, 4.5, 5.5, 6.5mm | .30  |
|  <b>Phillips:</b> 1, 2, 3             |      |
|  <b>Square:</b> 1, 2, 3               |      |

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box




With Certificate of Calibration



**28590 24 Piece TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

| Item No.     |   |  |
|--------------|---|---|
| <b>28590</b> | <b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm <b>Phillips:</b> #00, #0, #1 | lbs.  |
|              | <b>TORX®:</b> T6, T7, T8, T9, T10, T15                            | 1.33  |
|              | <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32    |   |
|              | 28504 - Handle Range 7.5 - 20 Inch lbs.                           |   |




With Certificate of Calibration



**28593 24 Piece TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

| Item No.     |   |  |
|--------------|---|---|
| <b>28593</b> | <b>Slotted:</b> 1.5, 2.0, 3.0, 4.0mm <b>Phillips:</b> #00, #0, #1 | lbs.  |
|              | <b>TORX®:</b> T6, T7, T8, T9, T10, T15                            | 1.33  |
|              | <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32    |   |
|              | 28501 - Handle Range 15-80 Inch/oz (+/- 10%)                      |   |

**53 Piece Set**




With Certificate of Calibration



**28595 53 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

| Item No.     |   |  |
|--------------|---|---|
| <b>28595</b> | <b>Slotted:</b> 4.5, 5.5, 6.5, 8.0mm                            | lbs.  |
|              | <b>Phillips:</b> #0, #1, #2, #3                                 | 2.85  |
|              | <b>TORX®:</b> T6, T7, T8, T9, T10, T15, T20, T25, T27, T30      |   |
|              | <b>Hex Inch:</b> 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16" |   |
|              | <b>Hex Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm     |   |
|              | <b>Pozidriv:</b> #0, #1, #2, #3                                 |   |
|              | <b>Torq Set:</b> #4, #5, #6, #8                                 |   |
|              | <b>Square:</b> #1, #2, #3                                       |   |
|              | <b>Triwing:</b> #0, #1, #2, #3, #4                              |   |
|              | 28506 - Handle Range 10 - 50 Inch lbs.                          |   |
|              | 28581 - 1/4" Bit Holder   |   |

**59 Piece Set**




With Certificate of Calibration



**28589 59 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

| Item No.     |  |  |
|--------------|--|---|
| <b>28589</b> | <b>Slotted:</b> 4.5, 5.5, 6.5mm  | lbs.  |
|              | <b>Phillips:</b> #0, #1, #2  | 2.58  |
|              | <b>TORX®:</b> T5, T6, T7, T8, T9, T10, T15, T20, T25, T30                        |   |
|              | <b>Hex Inch:</b> .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" |   |
|              | <b>Hex Metric:</b> 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm                           |   |
|              | <b>Pozidriv:</b> #1, #2  |   |
|              | <b>Square:</b> #1, #2, #3  |   |
|              | <b>Inch Sockets:</b> 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"                     |   |
|              | <b>Metric Sockets:</b> 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm                       |   |
|              | <b>3 Handles:</b> 15-80 Inch/oz., 5-10 & 10-50 Inch lbs.                         |   |
|              | 1/4" Bit Holder & 1/4" Hex to 1/4" Square adapter                                |   |

**Wiha SYSTEM 4 Micro Bits**

**SYSTEM 4  
Handles &  
Micro Bits**

Tips Exact fit, precision machined

Rotating Cap for precise turning and control

Tapered Handle allows rapid rotation, requires less clearance

Bits CVM steel, hardened

Use bits directly in handle or with 4" bit extension



[SHOP](#)

**750 SYSTEM 4 Slotted Bits**

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item  |     |    |           |
|-------|-----|----|-----------|
| No.   | mm  | mm | Inch lbs. |
| 75008 | 0.8 | 28 | 1.1 .01   |
| 75012 | 1.2 | 28 | 1.1 .01   |
| 75015 | 1.5 | 28 | 1.1 .01   |
| 75018 | 1.8 | 28 | 1.1 .01   |
| 75020 | 2.0 | 28 | 1.1 .01   |
| 75025 | 2.5 | 28 | 1.1 .01   |
| 75030 | 3.0 | 28 | 1.1 .01   |
| 75035 | 3.5 | 28 | 1.1 .01   |
| 75040 | 4.0 | 28 | 1.1 .01   |



[SHOP](#)

**751 SYSTEM 4 Phillips Bits** High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

| Item  |      |    |           |
|-------|------|----|-----------|
| No.   | Size | mm | Inch lbs. |
| 75105 | 000  | 28 | 1.1 .01   |
| 75110 | 00   | 28 | 1.1 .01   |
| 75115 | 0    | 28 | 1.1 .01   |
| 75120 | 1    | 28 | 1.1 .01   |



[SHOP](#)

**753 SYSTEM 4 Hex Metric Bits**

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item  |     |    |           |
|-------|-----|----|-----------|
| No.   | mm  | mm | Inch lbs. |
| 75307 | .7  | 28 | 1.1 .01   |
| 75309 | .9  | 28 | 1.1 .01   |
| 75313 | 1.3 | 28 | 1.1 .01   |
| 75315 | 1.5 | 28 | 1.1 .01   |
| 75320 | 2.0 | 28 | 1.1 .01   |
| 75325 | 2.5 | 28 | 1.1 .01   |
| 75330 | 3.0 | 28 | 1.1 .01   |
| 75340 | 4.0 | 28 | 1.1 .01   |



[SHOP](#)

**753 SYSTEM 4 Hex Inch Bits** High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

| Item  |      |    |           |
|-------|------|----|-----------|
| No.   | Inch | mm | Inch lbs. |
| 75307 | .028 | 28 | 1.1 .01   |
| 75309 | .035 | 28 | 1.1 .01   |
| 75313 | .050 | 28 | 1.1 .01   |
| 75350 | 1/16 | 28 | 1.1 .01   |
| 75352 | 5/64 | 28 | 1.1 .01   |
| 75354 | 3/32 | 28 | 1.1 .01   |
| 75356 | 7/64 | 28 | 1.1 .01   |
| 75358 | 1/8  | 28 | 1.1 .01   |
| 75360 | 9/64 | 28 | 1.1 .01   |
| 75340 | 5/32 | 28 | 1.1 .01   |



[SHOP](#)

**75800 SYSTEM 4 Standard Precision Micro Bit Handle**

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

| Item  |     |       |      |      |      |
|-------|-----|-------|------|------|------|
| No.   | mm  | Inch  | mm   | Inch | lbs. |
| 75800 | 4.0 | .1574 | 14.0 | .55  | .06  |



[SHOP](#)

**75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle**

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications  
Surface resistant 10<sup>6</sup>-10<sup>9</sup> Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

| Item  |     |       |      |      |      |
|-------|-----|-------|------|------|------|
| No.   | mm  | Inch  | mm   | Inch | lbs. |
| 75801 | 4.0 | .1574 | 14.0 | .55  | .06  |

**SYSTEM 4 Micro Bit Extension Blades**



[SHOP](#)

**75900 Extension blade for SYSTEM 4 Micro Bits** Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

| Item  |      |     |     |      |
|-------|------|-----|-----|------|
| No.   | Size | mm  | mm  | lbs. |
| 75900 | 4.0  | 100 | 4.0 | .07  |



[SHOP](#)

**75901 Magnetic Bit extension blade for SYSTEM 4 Micro Bits**

Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

| Item  |      |     |     |      |
|-------|------|-----|-----|------|
| No.   | Size | mm  | mm  | lbs. |
| 75901 | 4.0  | 100 | 4.0 | .04  |

**Wiha SYSTEM 4 Micro Bits**



[SHOP](#)

**757 SYSTEM 4 TORX® Bits**

High alloy CVM steel, hardened, on 4 mm stock.

| Item No. | Size | mm | Inch | lbs. |
|----------|------|----|------|------|
| 75703    | T3   | 28 | 1.1  | .01  |
| 75704    | T4   | 28 | 1.1  | .01  |
| 75705    | T5   | 28 | 1.1  | .01  |
| 75706    | T6   | 28 | 1.1  | .01  |
| 75707    | T7   | 28 | 1.1  | .01  |
| 75708    | T8   | 28 | 1.1  | .01  |
| 75709    | T9   | 28 | 1.1  | .01  |
| 75710    | T10  | 28 | 1.1  | .01  |
| 75715    | T15  | 28 | 1.1  | .01  |
| 75720    | T20  | 28 | 1.1  | .01  |



[SHOP](#)

**757 SYSTEM 4 Security TORX® Bits**

High alloy CVM steel, hardened, on 4 mm stock.

| Item No. | Size | mm | Inch | lbs. |
|----------|------|----|------|------|
| 75727    | T7s  | 28 | 1.1  | .01  |
| 75728    | T8s  | 28 | 1.1  | .01  |
| 75729    | T9s  | 28 | 1.1  | .01  |
| 75735    | T10s | 28 | 1.1  | .01  |
| 75739    | T15s | 28 | 1.1  | .01  |
| 75742    | T20s | 28 | 1.1  | .01  |



[SHOP](#)

**753 SYSTEM 4 Metric & Inch Security Hex Bits**

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item No. | Metric | mm | Inch | lbs. |
|----------|--------|----|------|------|
| 75322    | 2.0    | 28 | 1.1  | .01  |
| 75327    | 2.5    | 28 | 1.1  | .01  |
| 75332    | 3.0    | 28 | 1.1  | .01  |
| 75342    | 4.0    | 28 | 1.1  | .01  |

| Inch  | mm   | Inch | lbs. |     |
|-------|------|------|------|-----|
| 75362 | 5/64 | 28   | 1.1  | .01 |
| 75364 | 3/32 | 28   | 1.1  | .01 |
| 75366 | 7/64 | 28   | 1.1  | .01 |
| 75368 | 1/8  | 28   | 1.1  | .01 |
| 75370 | 9/64 | 28   | 1.1  | .01 |
| 75372 | 5/32 | 28   | 1.1  | .01 |

Wiha Pentolobe IPR drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air



[SHOP](#)

**757 SYSTEM 4 Pentolobe IPR Bits** High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

| Item No. | Size | mm | Inch | lbs. |
|----------|------|----|------|------|
| 75743    | P1   | 28 | 1.1  | .01  |
| 75744    | P2   | 28 | 1.1  | .01  |
| 75745    | P3   | 28 | 1.1  | .01  |
| 75746    | P4   | 28 | 1.1  | .01  |
| 75747    | P5   | 28 | 1.1  | .01  |
| 75748    | P6   | 28 | 1.1  | .01  |



**NEW**

[SHOP](#)

**758 SYSTEM 4 Metric & Inch Nut Setters**

High alloy CVM steel, hardened, on 4 mm hex stock.

| Item No. | Metric | mm | Inch | lbs. |
|----------|--------|----|------|------|
| 75820    | 2.0    | 30 | 1.2  | .01  |
| 75821    | 2.5    | 30 | 1.2  | .01  |
| 75822    | 3.0    | 30 | 1.2  | .01  |
| 75823    | 3.5    | 30 | 1.2  | .01  |
| 75824    | 4.0    | 30 | 1.2  | .01  |
| 75825    | 4.5    | 30 | 1.2  | .01  |
| 75826    | 5.0    | 30 | 1.2  | .01  |
| 75827    | 5.5    | 30 | 1.2  | .01  |

| Inch  | mm   | Inch | lbs. |     |
|-------|------|------|------|-----|
| 75810 | 5/64 | 30   | 1.2  | .01 |
| 75811 | 3/32 | 30   | 1.2  | .01 |
| 75812 | 7/64 | 30   | 1.2  | .01 |
| 75813 | 1/8  | 30   | 1.2  | .01 |
| 75814 | 9/64 | 30   | 1.2  | .01 |
| 75815 | 5/32 | 30   | 1.2  | .01 |
| 75816 | 3/16 | 30   | 1.2  | .01 |
| 75817 | 7/32 | 30   | 1.2  | .01 |

**Micro Bit 1/4" Drive Power Tool Adapter**



[SHOP](#)

**75802 Micro Bit To 1/4" Drive Insert Bit Adapter**

uses magnets to hold 4mm Micro Bits

| Item No. | Size | mm | mm  | lbs. |
|----------|------|----|-----|------|
| 75802    | 4.0  | 25 | 4.0 | .01  |

**75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter**

uses spring clip non-magnetic to hold 4mm Micro Bits

| Item No. | Size | mm | mm  | lbs. |
|----------|------|----|-----|------|
| 75803    | 4.0  | 38 | 4.0 | .02  |

**Micro Bit 1/4" Drive Power Tool Adapter**



[SHOP](#)

**75902 Micro Bit 1/4" Drive Power Tool Adapter**

Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL

| Item No. | Size | mm | mm  | lbs. |
|----------|------|----|-----|------|
| 75902    | 4.0  | 60 | 4.0 | .07  |

[SHOP](#)

**Wiha SYS 4 Micro Bits & Compact Bit Sets**

**SHOP**


**75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension & 24 interchangeable bits.

**Item No. Combination Bit Set**

**75999** Set with Standard Precision Handle

**Set includes the following bits:**

- ⚙️ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⬢ **Hex Metric:** .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 🌀 **100mm Bit Extension**
- 📦 **lbs. .64**



26 Pc. Set

**SHOP**

**75792 SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.**

Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

**Item SYSTEM 4 TORX® Bit Set**

**No.** Set with ESD Safe Precision Handle

**75792** and the following bits:

- ⚙️ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- 🌀 **100mm Bit Extension**
- 📦 **lbs. .64**



11 Pc. Set

**SHOP**

**75395 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

**Item No. Combination Bit Set**

**75395** Set with Standard Precision Handle

**Includes the following bits:**

- ⬢ **Hex Metric:** .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 🌀 **100mm Bit Extension**
- 📦 **lbs. .58**



18 Pc. Set

**SHOP**

**759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.


**Item Handle Options for SYSTEM 4**

**No. Combination Bit Sets**

**75991** Set with Standard Precision Handle  
**75992** Set with ESD Safe Precision Handle

**Sets include the following bits:**

- ⚙️ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⚙️ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 🌀 **100mm Bit Extension**
- 📦 **lbs. .64**



27 Pc. Set

**SHOP**

**75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

**Item SYSTEM 4**

**No. Combination Bit Set**

**75996** Set with ESD Safe Precision Handle

**Set includes the following bits:**

- ⚙️ **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⚙️ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 🌀 **100mm Bit Extension**
- 📦 **lbs. 1.04**



40 Pc. Set

**SHOP**

**75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.**

Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

**Item SYSTEM 4**

**No. Combination Bit Set**

**75994** Set with ESD Safe Precision Handle

**Set includes the following bits:**

- ⚙️ **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⚙️ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ **Hex Metric:** .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- 🌀 **100mm Bit Extension**
- 📦 **lbs. .64**



27 Pc. Set

**Wiha Master Tech Micro Bit Sets**

**75990 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

**Item No.** Set with ESD Safe Precision Handle

**75990 Set includes the following bits:**

↓ ● **Slot:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T3, T4, T5,

T6, T7, T8, T9, T10, T15


⬡ **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

⬢ **Hex Inch:** .028(.7), .035(.9), .050,


1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

○ **100mm Bit Extension**

↔ **lbs.** .65



**SHOP**



**SHOP**

**75989 SYSTEM 4 Protturn Precision Power Screwdriver Set With Micro Bits, 40 Pieces In Storage Box.** Includes Wiha precision handle, Protturn power screwdriver & 38 interchangeable micro bits.

**Item No.** Set With Battery Powered Driver & Precision Handle

**75989 Set includes the following micro bits:**

↓ ● **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm


⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

⬡ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** 1.18



**75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

**Item No.** With ESD Precision Handle, 1/4" Ratchet, Micro Bit Extension

**75965 Set includes the following micro bits:**

↓ ● **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

⬡ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

○ **Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm

○ **Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

⊕ **Pentalobe:** 1, 2, 3, 4, 5, 6

Magnetic 1/4" to 4mm Adapter

↔ **lbs.** 1.16

**SHOP**

**Micro Bit Handle Storage Sets**

Micro precision bits on 4mm hex drive



Storage handle

Bits of exclusive CRM-72 tool steel

Bits hardened for extreme durability



**SHOP**



**75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.**

Wiha precision storage handle & 6 interchangeable bits.

**Item No.** Set with Precision Storage Handle

**75981** ↓ ● **Slotted:** 1.2, 1.5, 2.0mm

⊕ **Phillips:** 000, 00, 0

↔ **lbs.** .08



**SHOP**



**75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.**

Wiha precision storage handle & 6 interchangeable bits.

**Item No.** Set with Precision Storage Handle

**75983** ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"

↔ **lbs.** .08



**SHOP**



**75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.**

Wiha precision storage handle & 6 interchangeable bits.

**Item No.** Set with Precision Storage Handle

**75985** ⊗ **TORX®:** T3, T4, T5, T6, T7, T8

↔ **lbs.** .08

**Technicians MicroBit Sets**

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Rotation cap  
Light weight & compact  
Handle tapered for precise control  
Bits hardened for extreme durability

Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms



**75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75093** Set with ESD Safe Precision Handle

- ↓ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 00, 0, 1
- TORX®:** T6, T7, T8, T9, T10, T15, T20
- 100mm Bit Extension**
- lbs. .17

[SHOP](#)

**75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75094** Set with ESD Safe Precision Handle

- ↓ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 00, 0, 1
- Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- 100mm Bit Extension**
- lbs. .17

[SHOP](#)

**75095 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75095** Set with ESD Safe Precision Handle

- ↓ **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- Phillips:** 00, 0, 1
- Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- 100mm Bit Extension**
- lbs. .17

[SHOP](#)

**75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75096** Set with ESD Safe Precision Handle

- Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric:** .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- 100mm Bit Extension**
- lbs. .17

[SHOP](#)


**Wiha ESD Safe Cushion Grip Bit Holders**



ESD Safe

Dissipative material offers protection against electrostatic discharge

Bit holders without magnetics



For working on static sensitive components

Surface resistance of handles is 10<sup>6</sup> - 10<sup>9</sup> Ohms



[SHOP](#)

**28180 ESD Safe Stubby 1/4" Bit Holder With Ring Retainer, Cushion Grip Wiha-SoftFinish® Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.

| Item No. | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|------|------|
| 28180    | 1/4" | 57 | 2.2  | .11  | 1    |



[SHOP](#)

**38701 ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10<sup>6</sup> - 10<sup>9</sup> Ohm.

| Item No. | Inch | mm  | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 38701    | 1/4" | 148 | 5.8  | 38 | 1.5  | .18  | 1    |



In Durable Pouch

Surface resistance of handle is 10<sup>6</sup> - 10<sup>9</sup> Ohms



[SHOP](#)

**38790 ESD Safe 1/4" Quick Release Blade Holder Set With Interchangeable 70mm Blades & Quick Release Blade Holder** 20 Pc. set includes ESD Safe Quick Release Holder, cushion grip handle. 70mm blades are CVM tool steel, hardened. Also includes a Quick Release blade extension.

**Item nNo. 38790**

- Slotted:** 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm
- Phillips:** 0, 1, 2
- TORX®:** T6, T7, T8, T9, T10, T15
- Pozidriv®:** 0, 1, 2



**Wiha Bit Holders**



[SHOP](#)

**38030 ClicFix Quick Release Magnetic Bit Holder** Blade high alloy CVM steel, hardened, hard chromed. Wiha Powerhandle impact resistant.

| Item  | ○    | ▬   | ▬    | ▬   | ▬    | ↵   | ▬    |
|-------|------|-----|------|-----|------|-----|------|
| No.   | Size | mm  | Inch | mm  | Inch | lbs | pkg. |
| 38030 | 1/4" | 120 | 4.7  | 230 | 9.0  | .27 | 1    |



[SHOP](#)

**38800 Bit Holder With Wiha T-handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft CVM steel, nickel-plated. Wiha-T-handle high quality plastic, impact resistant.

| Item  | ○    | ▬   | ▬    | ▬  | ▬    | ↵    | ▬    |
|-------|------|-----|------|----|------|------|------|
| No.   | Size | mm  | Inch | mm | Inch | lbs. | pkg. |
| 38800 | 1/4" | 150 | 6.0  | 80 | 3.0  | .18  | 1    |



[SHOP](#)

**38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft** Plastic coated flexible metal. Stainless steel with retaining ring. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item  | ○    | ▬   | ▬    | ▬   | ▬    | ↵    | ▬    |
|-------|------|-----|------|-----|------|------|------|
| No.   | Inch | mm  | Inch | mm  | Inch | lbs. | pkg. |
| 38600 | 1/4" | 150 | 5.9  | 268 | 10.6 | .30  | 1    |



[SHOP](#)

**28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** For working in confined spaces. Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item  | ○    | ▬  | ▬    | ↵    | ▬    |
|-------|------|----|------|------|------|
| No.   | Inch | mm | Inch | lbs. | pkg. |
| 28103 | 1/4" | 57 | 2.2  | .11  | 1    |



Adjustable Blade Length  
Magnetic Bit Holder

[SHOP](#)

**28489 Drive-Loc VI Bit Holder** High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item  | ○    | ▬                | ↵    | ▬    |
|-------|------|------------------|------|------|
| No.   | Inch | Extends          | lbs. | pkg. |
| 28489 | 1/4" | 1-3/4" to 4-7/8" | .36  | 1    |



[SHOP](#)

Magnetic

**384 1/4" Magnetic Bit Holding Screwdrivers, With Wiha-SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

| Item  | ○    | ▬   | ▬    | ▬   | ▬     | ↵    | ▬    |
|-------|------|-----|------|-----|-------|------|------|
| No.   | Size | mm  | Inch | mm  | Inch  | lbs. | pkg. |
| 38450 | 1/4" | 125 | 5.0  | 240 | 9.46  | .23  | 1    |
| 38460 | 1/4" | 300 | 11.8 | 400 | 15.69 | .37  | 1    |



[SHOP](#)

**52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle** Non-slip grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

| Item  | ○    | ▬   | ▬    | ▬   | ▬    | ↵    | ▬    |
|-------|------|-----|------|-----|------|------|------|
| No.   | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| 52650 | 1/4" | 125 | 5.0  | 225 | 8.9  | .24  | 1    |



[SHOP](#)

**48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

| Item  | ○    | ▬   | ▬    | ▬   | ▬    | ↵    | ▬    |
|-------|------|-----|------|-----|------|------|------|
| No.   | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| 48401 | 1/4" | 125 | 5.0  | 211 | 8.3  | .24  | 1    |



[SHOP](#)

**48400 1/4" Bit Holding Screwdriver, With Wiha-Proturn Handle** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

| Item  | ○    | ▬   | ▬    | ▬   | ▬    | ↵    | ▬    |
|-------|------|-----|------|-----|------|------|------|
| No.   | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
| 48400 | 1/4" | 125 | 5.0  | 243 | 9.6  | .24  | 10   |



[SHOP](#)

**66850 1/4" Bit Holding Screwdriver, With Wiha-Proturn Precision handle.** Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium-molybdenum steel, nickel-plated.

| Item  | ○    | ▬  | ▬    | ▬   | ▬    | ↵    | ▬    |
|-------|------|----|------|-----|------|------|------|
| No.   | Size | mm | Inch | mm  | Inch | lbs. | pkg. |
| 66850 | 1/4" | 60 | 2.36 | 170 | 6.7  | .07  | 1    |



**Wiha Bit Holders**



**38025 Magnetic Bit Holder, 1/4"**, Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw. Cavity holds up to 6 bits.

| Item No. | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|------|------|
| 38025    | 1/4" | 120 | 4.7  | 230 | 9.0  | .26  | 1    |



**38015 Magnetic Bit Holder, 1/4"**, Wiha-Powerhandle impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel. Cavity holds up to 6 bits.

| Item No. | Size | mm  | Inch | mm  | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|------|------|
| 38015    | 1/4" | 120 | 4.7  | 230 | 9.0  | .25  | 1    |



**38060 Mini Bit Ratchet & ClicFix Set**  
Extra fine 72 tooth ratchet, rugged drop forged steel. ClicFix quick release holder, precision narrow profile, magnetic. Accepts 1/4" Bits.

| Item No. | Includes Phillips: #2 |
|----------|-----------------------|
| 38060    | lbs. .28              |



| Item No. | Size | mm  | Inch | lbs. |
|----------|------|-----|------|------|
| 71475    | 2.4" | 60  | 2.4  | .06  |
| 71476    | 3.9" | 100 | 3.9  | .09  |
| 71477    | 5.9" | 150 | 5.9  | .11  |
| 71478    | 7.9" | 200 | 7.8  | .14  |
| 71479    | 9.9" | 250 | 9.8  | .17  |

| Item No. | Includes: 60mm, 100mm, 150mm, 200mm, 250mm       | lbs. |
|----------|--|------|
| 71474    | 5 Pc. Protturn 1/4" Quick Release Bit Holder Set | .58  |

**Wiha Magnetic Bit Holders**



- Narrow Profile
- One handed bit changes
- Internal bit lock mechanism



| Item No. | Size | Size | mm | Inch | lbs. | pkg. |
|----------|------|------|----|------|------|------|
| 71490    | 1/4" | 1/4" | 60 | 2.4  | .07  | 1    |
| 71491    | 1/4" | 1/4" | 75 | 2.9  | .07  | 1    |

**High Precision Tool Holder**



| Item No. | Size | Size | mm | Inch | lbs. | pkg. |
|----------|------|------|----|------|------|------|
| 71480    | 1/4" | 1/4" | 60 | 2.3  | .09  | 1    |



| Item No. | Size | Size | mm | Inch | lbs. |
|----------|------|------|----|------|------|
| 71494    | 1/4" | 1/4" | 54 | 2.1" | .05  |



**Wiha Bit Holders**



[SHOP](#)

**711 Universal Magnetic Bit Holder, 1/4" For Insert Bits**

| Item No. | Size | Size | mm | Inch | lbs. |
|----------|------|------|----|------|------|
| 71130    | 1/4" | 1/4" | 74 | 2.9  | .06  |
| 71131    | 1/4" | 1/4" | 59 | 2.3  | .05  |



Holds 1" (25mm) Bits  
All Stainless with Rubber O-Ring

**714 Screw Cap Bit Holder with O-Ring**

[SHOP](#)


| Item No. | Size | Size | mm | Inch | lbs. |              |
|----------|------|------|----|------|------|--------------|
| 71492    | 1/4" | 1/4" | 62 | 2.4  | .08  | Non Magnetic |
| 71493    | 1/4" | 1/4" | 76 | 3.0  | .08  | Magnetic     |



[SHOP](#)

**71470 Auto Lock Magnetic Bit Holder, Spring Loaded Bit Ejection, 1/4" For Insert & Power Bits**

| Item No. | Size | Size | mm | Inch | lbs. |
|----------|------|------|----|------|------|
| 71470    | 1/4" | 1/4" | 60 | 2.4  | .08  |



Retaining Ring Bit Holders

Magnetic

**714 Bit Holder, Retaining Ring & Magnetic**

[SHOP](#)

| Item No. | Size | Size | mm  | Inch | lbs. |
|----------|------|------|-----|------|------|
| 71431    | 1/4" | 1/4" | 60  | 2.4  | .05  |
| 71433    | 1/4" | 1/4" | 67  | 2.6  | .05  |
| 71435    | 1/4" | 1/4" | 100 | 3.9  | .07  |
| 71437    | 1/4" | 1/4" | 150 | 5.9  | .11  |
| 71439    | 1/4" | 1/4" | 200 | 7.8  | .13  |
| 71441    | 1/4" | 1/4" | 253 | 10.0 | .16  |

**71499 5 Pc. Bit Holder Set In Vinyl Pouch**

Includes: 60mm, 100mm, 150mm, 200mm, 253mm lbs. .60

**Wiha Inch & Metric Nut Setters**




Magnetic 1/4"

[SHOP](#)


**704 Metric Nut Setters Standard With Permanent Industrial Magnet, 1/4" Hex Metric Nut Setters**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70437    | 5.0  | 55 | .04  |
| 70438    | 5.5  | 55 | .05  |
| 70440    | 6.0  | 55 | .05  |
| 70442    | 7.0  | 55 | .05  |
| 70445    | 8.0  | 55 | .05  |
| 70448    | 10.0 | 55 | .06  |
| 70450    | 13.0 | 55 | .07  |



**704 Nut Setters Standard. 1/4" Hex Inch Permanent industrial magnet.**

| Item No. | Length | mm  | lbs. |
|----------|--------|-----|------|
| 70462    | 2.5"   | 65  | .06  |
| 70463    | 4.0"   | 102 | .10  |
| 70464    | 6.0"   | 152 | .15  |
| 70466    | 12.0"  | 305 | .27  |



**704 Nut Setters Standard. 5/16" Hex Inch Permanent industrial magnet.**

| Item No. | Length | mm  | lbs. |
|----------|--------|-----|------|
| 70468    | 2.5"   | 65  | .07  |
| 70469    | 4.0"   | 102 | .12  |
| 70470    | 6.0"   | 152 | .17  |
| 70472    | 12.0"  | 305 | .28  |

**Wiha Inch & Metric Nut Setters**




3/8"

 [SHOP](#)

**704 Nut Setters Standard. 3/8" Hex Inch**

Permanent industrial magnet.

| Item No. | Length | mm  | lbs. |
|----------|--------|-----|------|
| 70474    | 2.5"   | 65  | .08  |
| 70476    | 4.0"   | 102 | .14  |
| 70477    | 6.0"   | 152 | .18  |
| 70479    | 12.0"  | 305 | .41  |



Non Magnetic

 [SHOP](#)

**704 Nut Setters Standard. 1/4" Hex Inch**

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70424    | 1/4  | 55 | .05  |
| 70427    | 5/16 | 55 | .05  |
| 70430    | 3/8  | 55 | .06  |




55mm

 [SHOP](#)

**70494 3 pc. Hex Metric Nut Setter Set**

Permanent industrial magnet. 55mm OAL

Hex Metric Nut Setters.

| Item No. | Set includes   |
|----------|--|
| 70494    |  lbs. the following:<br>.21 7, 8, 10 x 55mm |




2.5"

 [SHOP](#)

**70490 3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 65mm OAL

Hex Inch Nut Setters.

| Item No. | Set includes   |
|----------|--|
| 70490    |  lbs. the following:<br>.25 1/4, 5/16, 3/8 x 2.5" |




4"

 [SHOP](#)

**70491 3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 102mm OAL Hex Inch Nut Setters.

| Item No. | Set includes  |
|----------|---|
| 70491    |  lbs. the following:<br>.39 1/4, 5/16, 3/8 x 4.0" |



6"

 [SHOP](#)

**70492 3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 152mm OAL Hex Inch Nut Setters.

| Item No. | Set includes  |
|----------|---|
| 70492    |  lbs. the following:<br>.54 1/4, 5/16, 3/8 x 6.0" |




12"


 [SHOP](#)

**70493 3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 305mm OAL

Hex Inch Nut Setters.

| Item No. | Set includes  |
|----------|---|
| 70493    |  lbs. the following:<br>1.03 1/4, 5/16, 3/8 x 12.0" |



Canvas Belt Clip Pouch

**74990 19 Piece Quick Change Bit Belt Pack Set**

Set includes: 1/4" quick release bit holder

and the following 1/4" bits and Nut Setters:

|   |   |
|---|---|
|  Slotted - Power: 4.5, 5.5, 6.5mm x 50mm             |  |
|  Phillips - Power: #1, #2, #3 x 50mm                 | lbs.  |
|  Square - Power: #1, #2, #3 x 50mm                   | .93   |
|  Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm |   |
|  Nut Setters - Power: 1/4, 5/16, 3/8" Magnetic       |   |

 [SHOP](#)



## Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 761 TORX® Sockets 1/4" Square Drive

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 76106 | T6   | 38 | .04  |
|      | 76107 | T7   | 38 | .04  |
|      | 76109 | T8   | 38 | .04  |
|      | 76111 | T9   | 38 | .04  |
|      | 76113 | T10  | 38 | .04  |
|      | 76117 | T15  | 38 | .04  |
|      | 76119 | T20  | 38 | .04  |
|      | 76121 | T25  | 38 | .04  |
|      | 76123 | T27  | 38 | .04  |
|      | 76129 | T30  | 38 | .05  |
|      | 76131 | T40  | 38 | .05  |



[SHOP](#)

### 763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 76312 | T9   | 42 | .09  |
|      | 76314 | T10  | 42 | .09  |
|      | 76316 | T15  | 42 | .09  |
|      | 76318 | T20  | 42 | .09  |
|      | 76322 | T25  | 42 | .09  |
|      | 76324 | T27  | 42 | .09  |
|      | 76326 | T30  | 42 | .09  |
|      | 76328 | T40  | 42 | .09  |



[SHOP](#)

### 763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 76346 | T40  | 51 | .11  |
|      | 76348 | T45  | 51 | .11  |
|      | 76352 | T50  | 51 | .11  |
|      | 76354 | T55  | 51 | .13  |



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

| Item | No.   | Size | mm |
|------|-------|------|----|
|      | 76339 | T40s | 51 |
|      | 76340 | T45s | 51 |
|      | 76341 | T50s | 51 |
|      | 76342 | T55s | 51 |



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

| Item | No.   | Size | mm |
|------|-------|------|----|
|      | 76329 | T7s  | 38 |
|      | 76330 | T8s  | 38 |
|      | 76331 | T9s  | 38 |
|      | 76332 | T10s | 38 |
|      | 76333 | T15s | 38 |
|      | 76334 | T20s | 38 |
|      | 76335 | T25s | 38 |
|      | 76336 | T27s | 38 |
|      | 76337 | T30s | 38 |
|      | 76338 | T40s | 38 |



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 70107 | T7s  | 42 | .09  |
|      | 70108 | T8s  | 42 | .09  |
|      | 70109 | T9s  | 42 | .09  |
|      | 70110 | T10s | 42 | .09  |
|      | 70113 | T15s | 42 | .09  |
|      | 70115 | T20s | 42 | .09  |
|      | 70117 | T25s | 42 | .09  |
|      | 70119 | T27s | 42 | .09  |
|      | 70121 | T30s | 42 | .09  |
|      | 70123 | T40s | 42 | .09  |



[SHOP](#)

### 716 TORXPlus® Sockets 1/4" Square Drive,

Set Screw Replaceable Bit. 1/4" bits

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 71661 | IP6  | 38 | .04  |
|      | 71662 | IP7  | 38 | .04  |
|      | 71663 | IP8  | 38 | .04  |
|      | 71664 | IP9  | 38 | .04  |
|      | 71665 | IP10 | 38 | .04  |
|      | 71666 | IP15 | 38 | .04  |
|      | 71667 | IP20 | 38 | .04  |
|      | 71668 | IP25 | 38 | .04  |
|      | 71669 | IP27 | 38 | .04  |
|      | 71670 | IP30 | 38 | .04  |
|      | 71671 | IP40 | 38 | .04  |



[SHOP](#)

### 716 TORXPlus® Sockets 3/8" Square Drive,

Set Screw Replaceable Bit. 1/4" bits

| Item | No.   | Size | mm | lbs. |
|------|-------|------|----|------|
|      | 71673 | IP9  | 42 | .09  |
|      | 71674 | IP10 | 42 | .09  |
|      | 71675 | IP15 | 42 | .09  |
|      | 71676 | IP20 | 42 | .09  |
|      | 71677 | IP25 | 42 | .09  |
|      | 71678 | IP27 | 42 | .09  |
|      | 71680 | IP30 | 42 | .09  |
|      | 71681 | IP40 | 42 | .09  |

## 1/2" Square Drive Sockets



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 764 Slotted Bit Sockets 1/2" Square Drive

| Item | No.   | mm | mm | lbs. | pkg. |
|------|-------|----|----|------|------|
|      | 76417 | 8  | 59 | .12  | 1    |
|      | 76418 | 10 | 59 | .12  | 1    |
|      | 76419 | 12 | 59 | .12  | 1    |



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 764 TORX® Sockets 1/2" Square Drive

| Item | No.   | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
|      | 76403 | T30  | 59 | .10  | 1    |
|      | 76404 | T40  | 59 | .10  | 1    |
|      | 76405 | T45  | 59 | .10  | 1    |
|      | 76406 | T50  | 59 | .10  | 1    |
|      | 76407 | T55  | 59 | .11  | 1    |



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 764 Security TORX® Sockets

1/2" Square Drive

| Item | No.   | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
|      | 76411 | T40s | 59 | .11  | 1    |
|      | 76412 | T45s | 59 | .11  | 1    |
|      | 76413 | T50s | 59 | .11  | 1    |
|      | 76414 | T55s | 59 | .12  | 1    |



Set Screw  
Replaceable  
Bits

[SHOP](#)

### 764 Phillips Bit Sockets 1/2" Square Drive





| Item | No.   | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
|      | 76422 | 2    | 59 | .15  | 1    |
|      | 76423 | 3    | 59 | .15  | 1    |
|      | 76424 | 4    | 59 | .15  | 1    |

**Hex Inch/Metric Bit Sockets**



**SHOP**




**713 Hex Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Inch  | mm  | lbs.  |   |
| 71371 | 1/16  | 38  | .05   |   |
| 71370 | 5/64  | 38  | .05   |   |
| 71372 | 3/32  | 38  | .05   |   |
| 71374 | 7/64  | 38  | .05   |   |
| 71376 | 1/8   | 38  | .05   |   |
| 71378 | 9/64  | 38  | .05   |   |
| 71380 | 5/32  | 38  | .05   |   |
| 71382 | 3/16  | 38  | .05   |   |
| 71384 | 7/32  | 38  | .05   |   |
| 71386 | 1/4   | 38  | .05   |   |



**SHOP**




**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | mm  | lbs.  |
| 71300 | 2.0   | 42  | .09   |
| 71316 | 2.5   | 42  | .09   |
| 71341 | 3.0   | 42  | .09   |
| 71331 | 4.0   | 42  | .09   |
| 71323 | 5.0   | 42  | .09   |
| 71325 | 6.0   | 42  | .09   |
| 71320 | 8.0   | 42  | .10   |
| 71322 | 10.0  | 42  | .11   |



**SHOP**



**713 Hex Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | mm  | lbs.  |
| 71375 | 1/8   | 42  | .09   |
| 71377 | 9/64  | 42  | .09   |
| 71379 | 5/32  | 42  | .09   |
| 71381 | 3/16  | 42  | .09   |
| 71383 | 7/32  | 42  | .09   |
| 71385 | 1/4   | 42  | .09   |
| 71388 | 5/16  | 42  | .10   |
| 71390 | 3/8   | 42  | .10   |



**SHOP**




**713 Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

| Item  |  |  |
|-------|---|---|
| No.   | mm  | mm  |
| 71332 | 12.0  | 75  |



**SHOP**




**761 Security Hex Inch Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | mm  | lbs.  |
| 76164 | 5/64  | 42  | .09   |
| 76165 | 3/32  | 42  | .09   |
| 76166 | 7/64  | 42  | .09   |
| 76167 | 1/8   | 42  | .09   |
| 76168 | 9/64  | 42  | .09   |
| 76169 | 5/32  | 42  | .09   |
| 76170 | 3/16  | 42  | .09   |
| 76171 | 7/32  | 42  | .09   |
| 76172 | 1/4   | 42  | .09   |



**SHOP**




**713 Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | mm  | lbs.  |
| 71301 | 1.5   | 38  | .04   |
| 71302 | 2.0   | 38  | .04   |
| 71305 | 2.5   | 38  | .04   |
| 71313 | 3.0   | 38  | .04   |
| 71314 | 4.0   | 38  | .04   |
| 71317 | 5.0   | 38  | .05   |
| 71319 | 6.0   | 38  | .05   |
| 71327 | 8.0   | 38  | .05   |
| 71340 | 10.0  | 38  | .05   |



**SHOP**

**761 Security Hex Metric Sockets** 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.




| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | mm  | lbs.  |
| 76132 | 2.0   | 42  | .09   |
| 76133 | 2.5   | 42  | .09   |
| 76134 | 3.0   | 42  | .09   |
| 76135 | 4.0   | 42  | .09   |
| 76136 | 5.0   | 42  | .09   |
| 76137 | 6.0   | 42  | .09   |
| 76138 | 8.0   | 42  | .09   |

**Wiha Ball End Hex Inch & Metric Bit Sockets**



**SHOP**




**717 Ball End Hex Inch Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Inch  | mm  | lbs.  |
| 71761 | 3/32  | 38  | .05   |
| 71762 | 7/64  | 38  | .05   |
| 71763 | 1/8   | 38  | .05   |
| 71764 | 9/64  | 38  | .05   |
| 71765 | 5/32  | 38  | .05   |
| 71766 | 3/16  | 38  | .05   |
| 71767 | 7/32  | 38  | .05   |
| 71768 | 1/4   | 38  | .05   |



**SHOP**

**717 Ball End Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.




| Item  |  |  |  |
|-------|---|---|---|
| No.   | mm  | mm  | lbs.  |
| 71771 | 1.5   | 51  | .11   |
| 71772 | 2.0   | 51  | .11   |
| 71773 | 2.5   | 51  | .11   |
| 71774 | 3.0   | 51  | .11   |
| 71775 | 4.0   | 51  | .11   |
| 71776 | 5.0   | 51  | .12   |
| 71777 | 6.0   | 51  | .12   |

**Wiha Bit Holding Socket Replacements**



**SHOP**




**72014 1/4" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Bit   | mm  | Drive lbs.  |
| 72014 | 1/4"  | 25  | 1/4" .04  |



**SHOP**





**72038 3/8" Drive Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

| Item  |  |  |  |
|-------|---|---|---|
| No.   | Bit   | mm  | Drive lbs.  |
| 72038 | 1/4"  | 25  | 3/8" .08  |

## Socket Adapters


[SHOP](#)





### 721 Hex To Square 1/4" socket bit adapter.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | mm  | Drive   | lbs.  |
| 72110 | 1/4"  | 25  | 1/4"  | .03   |
| 72115 | 1/4"  | 30  | 3/8"  | .05   |


[SHOP](#)

### 724 Tool Shaft





1/4" drive socket power adapter.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Drive   | mm  | Drive   | lbs.  |
| 72401 | 1/4"  | 100   | 1/4"  | .09   |
| 72405 | 1/4"  | 50  | 1/4"  | .03   |
| 72410 | 1/4"  | 100   | 3/8"  | .17   |
| 72415 | 1/4"  | 50  | 3/8"  | .06   |

## Impact Bit Holding Sockets



[SHOP](#)

### 720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72001 | 1/4"  | 25  | 1/4"  | .05   |
| 72002 | 1/4"  | 30  | 3/8"  | .10   |
| 72003 | 1/4"  | 35  | 1/2"  | .21   |

### 72090 3 Piece Bit Holding Socket Set





for use with 1/4" Insert bits

| Drive:           |  | lbs. |
|------------------|---|------|
| 1/4", 3/8", 1/2" |   | .40  |

[SHOP](#)

[SHOP](#)

### 720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.





| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Bit   | mm  | Drive   | lbs.  |
| 72004 | 5/16"   | 25  | 1/4"  | .04   |
| 72005 | 5/16"   | 30  | 3/8"  | .04   |
| 72006 | 5/16"   | 35  | 1/2"  | .04   |

## Wiha Long Blade Sockets & Sets


[SHOP](#)

### 771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | Inch  | lbs.  |   |
| 77128 | 3/32  | 6   | .12   |   |
| 77130 | 7/64  | 6   | .12   |   |
| 77132 | 1/8   | 6   | .12   |   |
| 77134 | 9/64  | 6   | .12   |   |
| 77136 | 5/32  | 6   | .12   |   |
| 77138 | 3/16  | 6   | .12   |   |
| 77139 | 7/32  | 6   | .12   |   |
| 77141 | 1/4   | 6   | .12   |   |





### 77191 8 Pc. Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  wt. .81


[SHOP](#)

### 771 Hex Inch Sockets





3/8" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | Inch  | lbs.  |   |
| 77165 | 3/32  | 6   | .12   |   |
| 77167 | 7/64  | 6   | .12   |   |
| 77169 | 1/8   | 6   | .12   |   |
| 77171 | 9/64  | 6   | .12   |   |
| 77173 | 5/32  | 6   | .12   |   |
| 77175 | 3/16  | 6   | .12   |   |
| 77177 | 7/32  | 6   | .12   |   |
| 77179 | 1/4   | 6   | .12   |   |


[SHOP](#)


### 771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | Inch  | lbs.  |   |
| 77140 | 2.5   | 6   | .12   |   |
| 77142 | 3.0   | 6   | .12   |   |
| 77144 | 4.0   | 6   | .12   |   |
| 77146 | 5.0   | 6   | .12   |   |
| 77148 | 6.0   | 6   | .12   |   |

### 77192 5 Pc. Hex Metric Socket Blade Set





Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

 lbs. .51


[SHOP](#)


### 771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | Inch  | lbs.  |   |
| 77151 | T8  | 6   | .12   |   |
| 77153 | T9  | 6   | .12   |   |
| 77152 | T10   | 6   | .12   |   |
| 77154 | T15   | 6   | .12   |   |
| 77156 | T20   | 6   | .12   |   |
| 77158 | T25   | 6   | .12   |   |
| 77160 | T27   | 6   | .12   |   |
| 77162 | T30   | 6   | .12   |   |
| 77164 | T40   | 6   | .12   |   |

### 77193 7 Pc. TORX® Socket Blade Set





TORX®: T10, T15, T20, T25,

T27, T30, T40  wt. .69


[SHOP](#)


### 771 TORX® Sockets


3/8" Drive 6" Long Bit Socket

| Item  |  |  |  |  |
|-------|---|---|---|---|
| No.   | Size  | Inch  | lbs.  |   |
| 77101 | T8  | 6   | .12   |   |
| 77103 | T9  | 6   | .12   |   |
| 77105 | T10   | 6   | .12   |   |
| 77107 | T15   | 6   | .12   |   |
| 77109 | T20   | 6   | .12   |   |
| 77111 | T25   | 6   | .12   |   |
| 77113 | T27   | 6   | .12   |   |
| 77115 | T30   | 6   | .12   |   |
| 77117 | T40   | 6   | .12   |   |

### 77195 9 Pc. TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25,

T27, T30, T40  wt. 93




### 77198 22 Pc. Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20,


T25, T27, T30, T40

 lbs. 2.82

[SHOP](#)


**Wiha Socket Sets On Molded Rails**



**76191 10 pc. TORX® Socket Set**  
1/4" Square Drive Replaceable Bit Socket.  
Bits CVM tool steel. OAL 1.5"  
Item No.   
**76191** lbs. **Set includes the following:**  
.48 T7, T8, T9, T10, T15,  
T20, T25, T27, T30, T40


[SHOP](#)




**70195 10 pc. Security TORX® Socket Set** 1/4" Square drive  
replaceable bit socket. 1/4" Bits CVM tool steel.  
Item No.   
**70195** lbs. **Set includes the following:**  
.48 T7s, T8s, T9s, T10s, T15s,  
T20s, T25s, T27s, T30s, T40s


[SHOP](#)



**76194 6 pc. TORX® Socket Set**  
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.  
Item No.   
**76194** lbs. **Set includes the following:**  
.20 T10, T15, T20, T25, T27, T30


[SHOP](#)




**76397 9 pc. Security TORX® Socket Set** 1/4" & 3/8"  
Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.  
Item No.   
**76397** lbs. **Set includes the following:**  
.85 1/4": T10s, T15s, T20s, T25s, T27s, T30s  
3/8": T40s (1/4" bit)  
3/8": T45s, T50s (5/16" bit)


[SHOP](#)



**76395 8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit  
Socket. Bits CVM tool steel. OAL 1.5"  
Item No.   
**76395** lbs. **Set includes the following:**  
.60 T9, T10, T15, T20, T25,  
T27, T30, T40


[SHOP](#)



**76399 12 pc. Security TORX® Socket Set** 1/4" & 3/8" Square Drive  
Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.  
Item No.   
**76399** lbs. **Set includes the following:**  
.77 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s  
5/16": T45s, T50s, T55s


[SHOP](#)



**76396 8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit  
Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"  
Item No.   
**76396** lbs. **Set includes the following:**  
.84 1/4": T20, T25, T27, T30, T40,  
5/16": T45, T50, T55


[SHOP](#)



**71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch**  
1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-  
vanadium-molybdenum tool steel.  
Item No.   
**71698** lbs. **Set includes the following:**  
.60 1/4": IP9, IP10, IP15, IP20  
3/8": IP25, IP27, IP30, IP40

[SHOP](#)

**Wiha Socket Sets On Molded Rails**




[SHOP](#)

**71391 10 Piece Hex Inch Socket Set** 1/4" Square drive replaceable bit socket. Bits CVM tool steel. OAL 1.5"

Item No. 

**71391** lbs. **Set includes the following:**  
.48 1/16, 5/64, 3/32, 7/64, 1/8  
9/64, 5/32, 3/16, 7/32, 1/4"



[SHOP](#)

**71798 8 Piece Ball End Hex Inch Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL

Item No. 

**71798** lbs. **Set includes the following:**  
.72 3/32, 7/64, 1/8, 9/64, 5/32,  
3/16, 7/32, 1/4"



[SHOP](#)

**71398 7 Piece Ball End Hex Inch Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL


Item No. 

**71398** lbs. **Set includes the following:**  
.48 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



[SHOP](#)

**71797 7 Piece Ball End Hex Metric Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.


Item No. 

**71797** lbs. **Set includes the following:**  
.72 Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



[SHOP](#)

**71392 8 Piece Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"


Item No. 

**71392** lbs. **Set includes the following:**  
.78 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



[SHOP](#)

**71393 5 Piece Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.


Item No. 

**71393** lbs. **Set includes the following:**  
.54 Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"




[SHOP](#)

**71394 5 Piece Hex Metric Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.


Item No. 

**71394** lbs. **Set includes the following:**  
.56 Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm




[SHOP](#)

**71996 9 Piece Hex Metric Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"


Item No. 

**71996** lbs. **Set includes the following:**  
.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm  
3/8": 5.0, 6.0, 8.0, 10.0mm



[SHOP](#)

**71999 9 Piece Security Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.


Item No. 

**71999** lbs. **Set includes the following:**  
.86 Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,  
3/16, 7/32, 1/4"



[SHOP](#)

**71989 7 Piece Security Hex Metric Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

**71989** lbs. **Set includes the following:**  
.72 Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



| Item No. | Page  | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page  | Item No. | Page |
|----------|-------|----------|------|----------|------|----------|------|----------|-------|----------|------|
| 28103    | 40    | 70146    | 26   | 70558    | 10   | 71183    | 27   | 71362    | 17    | 71512    | 7    |
| 28180    | 39    | 70147    | 26   | 70559    | 10   | 71194    | 28   | 71363    | 17    | 71513    | 7    |
| 28200    | 33    | 70148    | 10   | 70560    | 10   | 71195    | 8    | 71364    | 17    | 71515    | 6    |
| 28291    | 33    | 70150    | 10   | 70561    | 10   | 71196    | 28   | 71365    | 17    | 71516    | 27   |
| 28295    | 8     | 70151    | 10   | 70562    | 10   | 71197    | 27   | 71366    | 17    | 71517    | 27   |
| 28296    | 33    | 70152    | 10   | 70563    | 10   | 71198    | 14   | 71367    | 17    | 71518    | 27   |
| 28297    | 11    | 70153    | 10   | 70564    | 10   | 71199    | 14   | 71368    | 17    | 71519    | 27   |
| 28298    | 20    | 70154    | 10   | 70565    | 10   | 71200    | 24   | 71369    | 17    | 71520    | 6    |
| 28299    | 20    | 70155    | 10   | 70566    | 10   | 71201    | 24   | 71370    | 45    | 71521    | 27   |
| 28489    | 40    | 70156    | 10   | 70567    | 10   | 71202    | 24   | 71371    | 45    | 71522    | 27   |
| 28589    | 34    | 70157    | 10   | 70568    | 10   | 71203    | 24   | 71372    | 45    | 71523    | 6    |
| 28590    | 34    | 70158    | 10   | 71001    | 22   | 71211    | 27   | 71373    | 17    | 71524    | 6    |
| 28593    | 34    | 70159    | 10   | 71002    | 22   | 71212    | 27   | 71374    | 45    | 71525    | 6    |
| 28595    | 34    | 70160    | 10   | 71003    | 22   | 71213    | 27   | 71375    | 45    | 71527    | 6    |
| 35510    | 26    | 70163    | 10   | 71004    | 22   | 71221    | 27   | 71376    | 45    | 71530    | 6    |
| 35512    | 26    | 70168    | 10   | 71010    | 27   | 71222    | 27   | 71377    | 45    | 71536    | 9    |
| 35514    | 26    | 70170    | 17   | 71011    | 27   | 71223    | 27   | 71378    | 45    | 71537    | 9    |
| 35516    | 26    | 70171    | 17   | 71012    | 27   | 71241    | 24   | 71379    | 45    | 71538    | 9    |
| 38003    | 8     | 70172    | 17   | 71013    | 27   | 71242    | 24   | 71380    | 45    | 71539    | 9    |
| 38004    | 8     | 70173    | 17   | 71014    | 27   | 71243    | 24   | 71381    | 45    | 71540    | 6    |
| 38006    | 32    | 70174    | 17   | 71020    | 27   | 71250    | 24   | 71382    | 45    | 71541    | 9    |
| 38007    | 32    | 70175    | 17   | 71021    | 27   | 71251    | 24   | 71383    | 45    | 71542    | 9    |
| 38008    | 8     | 70176    | 17   | 71022    | 27   | 71252    | 24   | 71384    | 45    | 71543    | 9    |
| 38009    | 11    | 70190    | 11   | 71023    | 27   | 71253    | 24   | 71385    | 45    | 71544    | 9    |
| 38010    | 11    | 70195    | 47   | 71024    | 27   | 71254    | 24   | 71386    | 45    | 71545    | 9    |
| 38014    | 21    | 70401    | 16   | 71030    | 23   | 71300    | 45   | 71387    | 17    | 71546    | 9    |
| 38015    | 41    | 70402    | 16   | 71031    | 23   | 71301    | 45   | 71388    | 45    | 71547    | 9    |
| 38016    | 30    | 70405    | 16   | 71032    | 23   | 71302    | 45   | 71390    | 45    | 71548    | 6    |
| 38017    | 30    | 70407    | 24   | 71033    | 23   | 71303    | 17   | 71391    | 48    | 71549    | 6    |
| 38018    | 30    | 70408    | 24   | 71034    | 23   | 71304    | 19   | 71392    | 48    | 71550    | 6    |
| 38025    | 41    | 70410    | 24   | 71035    | 23   | 71305    | 45   | 71393    | 48    | 71551    | 6    |
| 38026    | 30    | 70411    | 7    | 71036    | 23   | 71306    | 17   | 71394    | 48    | 71552    | 6    |
| 38027    | 30    | 70413    | 7    | 71051    | 23   | 71307    | 19   | 71396    | 17    | 71553    | 6    |
| 38028    | 8,30  | 70414    | 7    | 71052    | 23   | 71308    | 17   | 71397    | 17    | 71554    | 6    |
| 38030    | 32,40 | 70416    | 7    | 71053    | 23   | 71309    | 17   | 71398    | 48    | 71555    | 6    |
| 38033    | 32    | 70417    | 7    | 71054    | 23   | 71310    | 19   | 71399    | 21    | 71556    | 6    |
| 38043    | 32    | 70424    | 43   | 71055    | 23   | 71311    | 19   | 71404    | 16    | 71557    | 6    |
| 38045    | 8     | 70427    | 43   | 71056    | 14   | 71312    | 17   | 71414    | 16    | 71558    | 6    |
| 38047    | 11    | 70430    | 43   | 71090    | 31   | 71313    | 45   | 71424    | 16    | 71559    | 6    |
| 38048    | 32    | 70437    | 42   | 71094    | 27   | 71314    | 45   | 71431    | 42    | 71560    | 6    |
| 38056    | 21    | 70438    | 42   | 71095    | 29   | 71315    | 17   | 71433    | 42    | 71561    | 6    |
| 38057    | 20    | 70440    | 42   | 71100    | 14   | 71316    | 45   | 71435    | 42    | 71562    | 28   |
| 38058    | 20    | 70442    | 42   | 71101    | 14   | 71317    | 45   | 71437    | 42    | 71563    | 28   |
| 38059    | 32    | 70445    | 42   | 71102    | 14   | 71318    | 17   | 71439    | 42    | 71564    | 28   |
| 38060    | 41    | 70448    | 42   | 71103    | 14   | 71319    | 45   | 71441    | 42    | 71565    | 28   |
| 38450    | 40    | 70450    | 42   | 71105    | 15   | 71320    | 45   | 71452    | 16    | 71566    | 28   |
| 38460    | 40    | 70462    | 42   | 71106    | 15   | 71321    | 17   | 71453    | 16    | 71567    | 28   |
| 38600    | 40    | 70463    | 42   | 71107    | 15   | 71322    | 45   | 71455    | 16    | 71568    | 28   |
| 38701    | 39    | 70464    | 42   | 71111    | 27   | 71323    | 45   | 71456    | 16    | 71569    | 28   |
| 38790    | 39    | 70466    | 42   | 71112    | 27   | 71324    | 17   | 71464    | 16    | 71570    | 6    |
| 38800    | 40    | 70468    | 42   | 71113    | 27   | 71325    | 45   | 71465    | 16    | 71571    | 6    |
| 48400    | 40    | 70469    | 42   | 71121    | 28   | 71326    | 17   | 71466    | 16    | 71574    | 27   |
| 48401    | 40    | 70470    | 42   | 71122    | 28   | 71327    | 45   | 71470    | 42    | 71576    | 27   |
| 52650    | 40    | 70472    | 42   | 71123    | 28   | 71328    | 17   | 71474    | 41    | 71578    | 27   |
| 66850    | 40    | 70474    | 43   | 71125    | 14   | 71329    | 17   | 71475    | 41    | 71580    | 27   |
| 70107    | 44    | 70476    | 43   | 71126    | 15   | 71330    | 17   | 71476    | 41    | 71582    | 27   |
| 70108    | 44    | 70477    | 43   | 71127    | 15   | 71331    | 45   | 71477    | 41    | 71584    | 27   |
| 70109    | 44    | 70479    | 43   | 71128    | 15   | 71332    | 45   | 71478    | 41    | 71585    | 28   |
| 70110    | 44    | 70490    | 43   | 71130    | 42   | 71333    | 17   | 71479    | 41    | 71586    | 28   |
| 70113    | 44    | 70491    | 43   | 71131    | 42   | 71336    | 17   | 71480    | 26,41 | 71587    | 28   |
| 70115    | 44    | 70492    | 43   | 71133    | 16   | 71339    | 17   | 71490    | 41    | 71588    | 28   |
| 70117    | 44    | 70493    | 43   | 71134    | 16   | 71340    | 45   | 71491    | 41    | 71596    | 28   |
| 70119    | 44    | 70494    | 43   | 71135    | 16   | 71341    | 45   | 71492    | 42    | 71603    | 12   |
| 70121    | 44    | 70507    | 10   | 71141    | 28   | 71342    | 17   | 71493    | 42    | 71604    | 12   |
| 70123    | 44    | 70508    | 10   | 71142    | 28   | 71343    | 19   | 71494    | 41    | 71605    | 12   |
| 70127    | 10    | 70509    | 10   | 71143    | 28   | 71345    | 17   | 71499    | 42    | 71606    | 12   |
| 70128    | 10    | 70510    | 10   | 71149    | 14   | 71346    | 19   | 71500    | 7     | 71607    | 12   |
| 70129    | 10    | 70515    | 10   | 71150    | 14   | 71348    | 17   | 71501    | 7     | 71608    | 12   |
| 70130    | 23    | 70520    | 10   | 71151    | 14   | 71349    | 19   | 71502    | 7     | 71609    | 12   |
| 70131    | 23    | 70525    | 10   | 71152    | 14   | 71351    | 17   | 71503    | 7     | 71610    | 12   |
| 70132    | 23    | 70527    | 10   | 71153    | 14   | 71352    | 19   | 71504    | 7     | 71615    | 12   |
| 70133    | 23    | 70530    | 10   | 71154    | 14   | 71353    | 17   | 71505    | 6     | 71620    | 12   |
| 70135    | 10    | 70540    | 10   | 71155    | 14   | 71354    | 19   | 71506    | 6     | 71625    | 12   |
| 70139    | 10    | 70545    | 10   | 71165    | 15   | 71356    | 17   | 71507    | 6     | 71627    | 12   |
| 70142    | 10    | 70550    | 10   | 71166    | 15   | 71358    | 19   | 71508    | 6     | 71630    | 12   |
| 70143    | 26    | 70555    | 10   | 71167    | 15   | 71359    | 17   | 71509    | 6     | 71631    | 12   |
| 70144    | 26    | 70556    | 10   | 71181    | 27   | 71360    | 17   | 71510    | 6     | 71632    | 12   |
| 70145    | 26    | 70557    | 10   | 71182    | 27   | 71361    | 17   | 71511    | 7     | 71633    | 12   |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page  | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|-------|----------|------|
| 71634    | 12   | 71764    | 45   | 71976    | 18   | 72575    | 6    | 74136    | 15    | 74379    | 19   |
| 71635    | 12   | 71765    | 45   | 71977    | 18   | 72576    | 6    | 74141    | 27    | 74380    | 18   |
| 71636    | 12   | 71766    | 45   | 71978    | 18   | 72577    | 6    | 74142    | 27    | 74381    | 18   |
| 71637    | 12   | 71767    | 45   | 71979    | 18   | 72578    | 6    | 74143    | 27    | 74382    | 18   |
| 71638    | 12   | 71768    | 45   | 71980    | 18   | 72579    | 6    | 74150    | 15    | 74383    | 18   |
| 71639    | 12   | 71771    | 45   | 71981    | 18   | 72580    | 6    | 74161    | 27    | 74384    | 18   |
| 71640    | 12   | 71772    | 45   | 71982    | 18   | 72581    | 6    | 74162    | 27    | 74385    | 18   |
| 71641    | 12   | 71773    | 45   | 71983    | 18   | 72582    | 17   | 74163    | 27    | 74386    | 18   |
| 71642    | 12   | 71774    | 45   | 71984    | 18   | 72583    | 17   | 74164    | 15    | 74387    | 18   |
| 71643    | 12   | 71775    | 45   | 71985    | 18   | 72584    | 17   | 74165    | 15    | 74388    | 18   |
| 71644    | 12   | 71776    | 45   | 71988    | 28   | 72585    | 17   | 74166    | 15    | 74411    | 7    |
| 71645    | 12   | 71777    | 45   | 71989    | 48   | 72586    | 17   | 74167    | 15    | 74413    | 7    |
| 71648    | 12   | 71797    | 48   | 71990    | 29   | 72587    | 17   | 74168    | 15    | 74415    | 7    |
| 71650    | 12   | 71798    | 48   | 71991    | 29   | 73301    | 17   | 74201    | 24    | 74417    | 7    |
| 71652    | 12   | 71801    | 22   | 71992    | 29   | 73302    | 17   | 74203    | 24    | 74419    | 7    |
| 71654    | 12   | 71802    | 22   | 71994    | 29   | 73303    | 17   | 74205    | 24    | 74421    | 7    |
| 71656    | 12   | 71803    | 22   | 71995    | 21   | 73304    | 17   | 74207    | 24    | 74423    | 7    |
| 71657    | 12   | 71851    | 22   | 71996    | 48   | 73305    | 17   | 74212    | 24    | 74429    | 7    |
| 71658    | 12   | 71852    | 22   | 71997    | 29   | 73306    | 17   | 74214    | 24    | 74431    | 7    |
| 71660    | 12   | 71853    | 22   | 71998    | 21   | 73307    | 17   | 74216    | 24    | 74433    | 7    |
| 71661    | 44   | 71854    | 22   | 71999    | 48   | 73308    | 17   | 74221    | 24    | 74435    | 7    |
| 71662    | 44   | 71900    | 25   | 72001    | 46   | 73309    | 17   | 74225    | 24    | 74460    | 7    |
| 71663    | 44   | 71901    | 25   | 72002    | 46   | 73310    | 9    | 74241    | 27    | 74461    | 7    |
| 71664    | 44   | 71902    | 25   | 72003    | 46   | 73311    | 9    | 74242    | 27    | 74462    | 7    |
| 71665    | 44   | 71903    | 25   | 72004    | 46   | 73312    | 9    | 74243    | 27    | 74463    | 7    |
| 71666    | 44   | 71904    | 25   | 72005    | 46   | 73313    | 9    | 74261    | 24    | 74464    | 7    |
| 71667    | 44   | 71905    | 25   | 72006    | 46   | 73314    | 9    | 74262    | 24    | 74465    | 7    |
| 71668    | 44   | 71906    | 25   | 72014    | 45   | 73315    | 9    | 74263    | 24    | 74466    | 7    |
| 71669    | 44   | 71907    | 25   | 72025    | 23   | 73316    | 9    | 74301    | 19    | 74467    | 7    |
| 71670    | 44   | 71908    | 25   | 72031    | 23   | 73317    | 9    | 74303    | 16,23 | 74468    | 7    |
| 71671    | 44   | 71909    | 25   | 72038    | 45   | 73318    | 9    | 74304    | 16    | 74469    | 7    |
| 71673    | 44   | 71910    | 25   | 72039    | 23   | 73319    | 9    | 74305    | 19    | 74470    | 7    |
| 71674    | 44   | 71911    | 25   | 72047    | 23   | 73320    | 9    | 74306    | 16,23 | 74501    | 7    |
| 71675    | 44   | 71912    | 25   | 72048    | 23   | 74003    | 22   | 74307    | 19    | 74502    | 7    |
| 71676    | 44   | 71913    | 25   | 72049    | 23   | 74006    | 22   | 74308    | 16    | 74503    | 7    |
| 71677    | 44   | 71914    | 26   | 72050    | 23   | 74009    | 22   | 74309    | 16,23 | 74504    | 7    |
| 71678    | 44   | 71916    | 26   | 72051    | 23   | 74010    | 22   | 74310    | 16    | 74505    | 13   |
| 71680    | 44   | 71918    | 26   | 72090    | 46   | 74012    | 22   | 74311    | 18    | 74506    | 7    |
| 71681    | 44   | 71920    | 26   | 72102    | 15   | 74015    | 22   | 74312    | 18    | 74508    | 7    |
| 71690    | 13   | 71921    | 25   | 72103    | 15   | 74018    | 22   | 74313    | 18    | 74510    | 7    |
| 71692    | 13   | 71922    | 25   | 72104    | 15   | 74021    | 22   | 74314    | 18    | 74511    | 7    |
| 71698    | 47   | 71923    | 25   | 72110    | 46   | 74023    | 22   | 74315    | 18    | 74512    | 7    |
| 71701    | 19   | 71924    | 25   | 72115    | 46   | 74033    | 23   | 74316    | 18    | 74513    | 7    |
| 71702    | 19   | 71930    | 18   | 72388    | 17   | 74034    | 23   | 74317    | 18    | 74514    | 7    |
| 71703    | 19   | 71932    | 18   | 72401    | 46   | 74035    | 23   | 74318    | 18    | 74515    | 7    |
| 71704    | 19   | 71934    | 18   | 72405    | 46   | 74036    | 23   | 74319    | 19    | 74516    | 7    |
| 71705    | 19   | 71936    | 18   | 72410    | 46   | 74039    | 23   | 74325    | 18    | 74517    | 7    |
| 71706    | 19   | 71938    | 18   | 72415    | 46   | 74041    | 23   | 74330    | 18    | 74518    | 7    |
| 71707    | 19   | 71939    | 18   | 72519    | 14   | 74050    | 23   | 74340    | 18    | 74519    | 7    |
| 71708    | 19   | 71940    | 18   | 72521    | 14   | 74061    | 23   | 74341    | 18    | 74520    | 13   |
| 71711    | 19   | 71941    | 18   | 72522    | 14   | 74062    | 23   | 74342    | 18    | 74521    | 7    |
| 71712    | 19   | 71942    | 18   | 72523    | 14   | 74063    | 23   | 74343    | 18    | 74522    | 13   |
| 71713    | 19   | 71943    | 18   | 72525    | 6    | 74064    | 23   | 74344    | 18    | 74523    | 7    |
| 71714    | 19   | 71944    | 18   | 72527    | 6    | 74065    | 23   | 74345    | 18    | 74524    | 13   |
| 71715    | 19   | 71945    | 18   | 72530    | 6    | 74066    | 23   | 74346    | 18    | 74526    | 13   |
| 71716    | 19   | 71946    | 18   | 72531    | 6    | 74067    | 23   | 74347    | 18    | 74528    | 13   |
| 71717    | 19   | 71949    | 25   | 72534    | 23   | 74068    | 23   | 74348    | 18    | 74529    | 7    |
| 71718    | 19   | 71950    | 25   | 72535    | 23   | 74069    | 23   | 74349    | 18    | 74531    | 7    |
| 71719    | 19   | 71951    | 25   | 72536    | 23   | 74101    | 28   | 74350    | 18    | 74532    | 13   |
| 71720    | 19   | 71952    | 25   | 72540    | 6    | 74103    | 15   | 74351    | 18    | 74533    | 7    |
| 71721    | 19   | 71953    | 25   | 72541    | 6    | 74105    | 28   | 74352    | 18    | 74534    | 13   |
| 71722    | 19   | 71954    | 25   | 72542    | 10   | 74106    | 15   | 74353    | 18    | 74535    | 7    |
| 71723    | 19   | 71955    | 18   | 72545    | 6    | 74108    | 28   | 74354    | 18    | 74536    | 7    |
| 71724    | 19   | 71956    | 18   | 72546    | 6    | 74109    | 15   | 74355    | 18    | 74537    | 13   |
| 71725    | 19   | 71957    | 25   | 72547    | 10   | 74111    | 15   | 74356    | 18    | 74538    | 7    |
| 71726    | 19   | 71958    | 25   | 72550    | 6    | 74112    | 15   | 74357    | 18    | 74539    | 13   |
| 71728    | 19   | 71959    | 25   | 72551    | 6    | 74113    | 15   | 74360    | 18    | 74541    | 13   |
| 71730    | 19   | 71960    | 18   | 72552    | 10   | 74115    | 15   | 74361    | 18    | 74542    | 7    |
| 71732    | 19   | 71963    | 26   | 72555    | 6    | 74116    | 15   | 74362    | 18    | 74543    | 13   |
| 71734    | 19   | 71964    | 26   | 72556    | 6    | 74118    | 15   | 74363    | 18    | 74544    | 7    |
| 71736    | 19   | 71965    | 26   | 72557    | 10   | 74121    | 15   | 74364    | 18    | 74545    | 13   |
| 71738    | 19   | 71966    | 26   | 72562    | 10   | 74123    | 15   | 74365    | 18    | 74546    | 7    |
| 71740    | 19   | 71970    | 18   | 72563    | 10   | 74124    | 15   | 74366    | 18    | 74547    | 13   |
| 71750    | 19   | 71971    | 18   | 72564    | 10   | 74126    | 15   | 74369    | 19    | 74548    | 7    |
| 71760    | 19   | 71972    | 18   | 72567    | 10   | 74127    | 15   | 74371    | 19    | 74549    | 13   |
| 71761    | 45   | 71973    | 18   | 72572    | 6    | 74130    | 15   | 74373    | 19    | 74550    | 13   |
| 71762    | 45   | 71974    | 18   | 72573    | 6    | 74131    | 15   | 74375    | 19    | 74551    | 7    |
| 71763    | 45   | 71975    | 18   | 72574    | 6    | 74133    | 15   | 74377    | 19    | 74552    | 13   |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 74553    | 7    | 74901    | 25   | 75709    | 36   | 76191    | 47   | 76550    | 5    | 76896    | 5    |
| 74554    | 13   | 74902    | 25   | 75710    | 36   | 76194    | 47   | 76553    | 5    | 77101    | 46   |
| 74555    | 13   | 74903    | 25   | 75715    | 36   | 76312    | 44   | 76554    | 5    | 77103    | 46   |
| 74556    | 7    | 74904    | 25   | 75720    | 36   | 76314    | 44   | 76555    | 5    | 77105    | 46   |
| 74557    | 13   | 74911    | 25   | 75727    | 36   | 76316    | 44   | 76556    | 5    | 77107    | 46   |
| 74558    | 7    | 74912    | 25   | 75728    | 36   | 76318    | 44   | 76557    | 5    | 77109    | 46   |
| 74561    | 7    | 74913    | 25   | 75729    | 36   | 76322    | 44   | 76558    | 5    | 77111    | 46   |
| 74562    | 13   | 74914    | 25   | 75735    | 36   | 76324    | 44   | 76559    | 5    | 77113    | 46   |
| 74563    | 7    | 74915    | 25   | 75739    | 36   | 76326    | 44   | 76563    | 5    | 77115    | 46   |
| 74564    | 13   | 74960    | 25   | 75742    | 36   | 76328    | 44   | 76564    | 5    | 77117    | 46   |
| 74565    | 7    | 74961    | 25   | 75743    | 36   | 76329    | 44   | 76565    | 5    | 77128    | 46   |
| 74567    | 7    | 74962    | 25   | 75744    | 36   | 76330    | 44   | 76566    | 5    | 77130    | 46   |
| 74569    | 7    | 74963    | 25   | 75745    | 36   | 76331    | 44   | 76570    | 5    | 77132    | 46   |
| 74571    | 7    | 74964    | 25   | 75746    | 36   | 76332    | 44   | 76571    | 5    | 77134    | 46   |
| 74573    | 7    | 74965    | 25   | 75747    | 36   | 76333    | 44   | 76572    | 5    | 77136    | 46   |
| 74575    | 7    | 74966    | 25   | 75748    | 36   | 76334    | 44   | 76573    | 5    | 77138    | 46   |
| 74577    | 7    | 74967    | 25   | 75749    | 36   | 76335    | 44   | 76574    | 5    | 77139    | 46   |
| 74579    | 7    | 74968    | 25   | 75800    | 35   | 76336    | 44   | 76575    | 5    | 77140    | 46   |
| 74581    | 7    | 74981    | 9    | 75801    | 35   | 76337    | 44   | 76578    | 5    | 77141    | 46   |
| 74583    | 7    | 74982    | 13   | 75802    | 36   | 76338    | 44   | 76579    | 5    | 77142    | 46   |
| 74586    | 7    | 74983    | 33   | 75803    | 36   | 76339    | 44   | 76580    | 5    | 77144    | 46   |
| 74587    | 7    | 74985    | 8    | 75810    | 36   | 76340    | 44   | 76801    | 4    | 77146    | 46   |
| 74588    | 7    | 74986    | 20   | 75811    | 36   | 76341    | 44   | 76802    | 4    | 77148    | 46   |
| 74589    | 7    | 74987    | 11   | 75812    | 36   | 76342    | 44   | 76803    | 4    | 77151    | 46   |
| 74590    | 7    | 74988    | 33   | 75813    | 36   | 76346    | 44   | 76806    | 4    | 77152    | 46   |
| 74591    | 7    | 74989    | 21   | 75814    | 36   | 76348    | 44   | 76807    | 4    | 77153    | 46   |
| 74601    | 12   | 74990    | 43   | 75815    | 36   | 76352    | 44   | 76808    | 4    | 77154    | 46   |
| 74602    | 12   | 74992    | 33   | 75816    | 36   | 76354    | 44   | 76810    | 4    | 77156    | 46   |
| 74603    | 12   | 74996    | 33   | 75817    | 36   | 76395    | 47   | 76811    | 4    | 77158    | 46   |
| 74604    | 12   | 74999    | 21   | 75820    | 36   | 76396    | 47   | 76812    | 4    | 77160    | 46   |
| 74608    | 12   | 75008    | 35   | 75821    | 36   | 76397    | 47   | 76813    | 4    | 77162    | 46   |
| 74612    | 12   | 75012    | 35   | 75822    | 36   | 76399    | 47   | 76814    | 4    | 77164    | 46   |
| 74616    | 12   | 75015    | 35   | 75823    | 36   | 76403    | 44   | 76816    | 4    | 77165    | 46   |
| 74620    | 12   | 75018    | 35   | 75824    | 36   | 76404    | 44   | 76817    | 4    | 77167    | 46   |
| 74624    | 12   | 75020    | 35   | 75825    | 36   | 76405    | 44   | 76823    | 4    | 77169    | 46   |
| 74628    | 12   | 75025    | 35   | 75826    | 36   | 76406    | 44   | 76824    | 4    | 77171    | 46   |
| 74632    | 12   | 75030    | 35   | 75827    | 36   | 76407    | 44   | 76825    | 4    | 77173    | 46   |
| 74636    | 12   | 75035    | 35   | 75900    | 35   | 76411    | 44   | 76826    | 4    | 77175    | 46   |
| 74659    | 12   | 75040    | 35   | 75901    | 35   | 76412    | 44   | 76830    | 4    | 77177    | 46   |
| 74660    | 12   | 75093    | 39   | 75902    | 36   | 76413    | 44   | 76831    | 4    | 77179    | 46   |
| 74661    | 12   | 75094    | 39   | 75965    | 38   | 76414    | 44   | 76832    | 4    | 77191    | 46   |
| 74662    | 12   | 75095    | 39   | 75981    | 38   | 76417    | 44   | 76833    | 4    | 77192    | 46   |
| 74663    | 12   | 75096    | 39   | 75983    | 38   | 76418    | 44   | 76834    | 4    | 77193    | 46   |
| 74664    | 12   | 75105    | 35   | 75985    | 38   | 76419    | 44   | 76835    | 4    | 77195    | 46   |
| 74665    | 12   | 75110    | 35   | 75989    | 38   | 76422    | 44   | 76838    | 4    | 77198    | 46   |
| 74666    | 12   | 75115    | 35   | 75990    | 38   | 76423    | 44   | 76839    | 4    | 78002    | 26   |
| 74667    | 12   | 75120    | 35   | 75991    | 37   | 76424    | 44   | 76840    | 4    | 78005    | 26   |
| 74668    | 12   | 75307    | 35   | 75992    | 37   | 76501    | 4    | 76843    | 5    | 78008    | 26   |
| 74669    | 12   | 75309    | 35   | 75994    | 37   | 76502    | 4    | 76844    | 5    | 78011    | 26   |
| 74670    | 12   | 75313    | 35   | 75996    | 37   | 76503    | 4    | 76845    | 5    | 78015    | 26   |
| 74711    | 9    | 75315    | 35   | 75999    | 37   | 76506    | 4    | 76848    | 5    | 78018    | 26   |
| 74714    | 9    | 75320    | 35   | 76106    | 44   | 76507    | 4    | 76849    | 5    | 78615    | 26   |
| 74717    | 9    | 75322    | 36   | 76107    | 44   | 76508    | 4    | 76850    | 5    | 78617    | 26   |
| 74721    | 9    | 75325    | 35   | 76109    | 44   | 76510    | 4    | 76853    | 5    | 78619    | 26   |
| 74724    | 9    | 75327    | 36   | 76111    | 44   | 76511    | 4    | 76854    | 5    | 78621    | 26   |
| 74728    | 9    | 75330    | 35   | 76113    | 44   | 76512    | 4    | 76855    | 5    | 78622    | 26   |
| 74732    | 9    | 75332    | 36   | 76117    | 44   | 76513    | 4    | 76856    | 5    | 78624    | 26   |
| 74736    | 9    | 75340    | 35   | 76119    | 44   | 76514    | 4    | 76857    | 5    | 79242    | 8    |
| 74739    | 9    | 75342    | 36   | 76121    | 44   | 76516    | 4    | 76858    | 5    | 79243    | 31   |
| 74742    | 9    | 75350    | 35   | 76123    | 44   | 76517    | 4    | 76859    | 5    | 79245    | 8    |
| 74760    | 9    | 75352    | 35   | 76129    | 44   | 76523    | 4    | 76863    | 5    | 79246    | 20   |
| 74761    | 9    | 75354    | 35   | 76131    | 44   | 76524    | 4    | 76864    | 5    | 79247    | 11   |
| 74762    | 9    | 75356    | 35   | 76132    | 45   | 76525    | 4    | 76865    | 5    | 79248    | 31   |
| 74763    | 9    | 75358    | 35   | 76133    | 45   | 76526    | 4    | 76866    | 5    | 79256    | 20   |
| 74764    | 9    | 75360    | 35   | 76134    | 45   | 76530    | 4    | 76870    | 5    | 79266    | 21   |
| 74765    | 9    | 75362    | 36   | 76135    | 45   | 76531    | 4    | 76871    | 5    | 79276    | 21   |
| 74766    | 9    | 75364    | 36   | 76136    | 45   | 76532    | 4    | 76872    | 5    | 79283    | 9    |
| 74767    | 9    | 75366    | 36   | 76137    | 45   | 76533    | 4    | 76873    | 5    | 79443    | 31   |
| 74768    | 9    | 75368    | 36   | 76138    | 45   | 76534    | 4    | 76874    | 5    | 79445    | 8    |
| 74769    | 9    | 75370    | 36   | 76164    | 45   | 76535    | 4    | 76875    | 5    | 79446    | 20   |
| 74813    | 22   | 75372    | 36   | 76165    | 45   | 76538    | 4    | 76878    | 5    | 79447    | 11   |
| 74816    | 22   | 75395    | 37   | 76166    | 45   | 76539    | 4    | 76879    | 5    | 79450    | 13   |
| 74819    | 22   | 75703    | 36   | 76167    | 45   | 76540    | 4    | 76880    | 5    | 79490    | 31   |
| 74860    | 22   | 75704    | 36   | 76168    | 45   | 76543    | 5    | 76891    | 5    | 79495    | 31   |
| 74861    | 22   | 75705    | 36   | 76169    | 45   | 76544    | 5    | 76892    | 5    | 91247    | 5    |
| 74862    | 22   | 75706    | 36   | 76170    | 45   | 76545    | 5    | 76893    | 5    | 91313    | 5    |
| 74890    | 22   | 75707    | 36   | 76171    | 45   | 76548    | 5    | 76894    | 5    |          |      |
| 74895    | 22   | 75708    | 36   | 76172    | 45   | 76549    | 5    | 76895    | 5    |          |      |

(800) 494-6104  
 fax: (800) 494-7456  
 email: cservice@wihatools.com  
 www.wihatools.com

**SEE OUR GREAT  
 WEB SPECIALS!**



**Wiha Quality Tools**

1348 Dundas Circle  
 Monticello, MN 55362  
 tel: 763.295.6591  
 fax: 763.295.6598

**Wiha Tools Canada Ltd.**

www.wihatools.ca  
 Brampton, ONT L6T 4X4  
 tel: 866.494.0096 or 763.295.6591  
 fax: 763.295.6598


To:

Catalog Item No. 99951 .wo  
 version - 5/15/14

Subject to change  
 without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of  
 Acument Intellectual Properties LLC.




91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog