

2013

wiha 
Premium Tools






















Complete **TORX**® Program
















Professional TORX® Tools







Torx® Index

|  | DESCRIPTION | Page |
|---|--------------------------------------|-------------|
|  | SoftFinish® Cushion Grip | 5 |
|  | ESD Safe SoftFinish® Cushion Grip | 6 |
|  | Insulated Cushion Grip | 7 |
|  | Powerhandle | 7 |
|  | Stainless Steel Cushion Grip | 7 |
|  | MicroFinish Non-Slip Grip | 8 |
|  | Protturn | 9 |
|  | 3K Series | 10 |
|  | Drive-Loc VI Blades | 11 |
|  | T-handle & ComfortGrip | 12-13 |
|  | L-Keys Offset Screwdrivers | 13-14 14 |
|  | PocketStar Fold Outs | 15 |
|  | Wing Handle | 16 |
|  | Flag Handle | 16 |
|  | TorqueControl Blades | 24 |
|  | Precision Tools | |
|  | ESD Safe | 26 |
|  | Standard | 27 |
|  | PicoFinish | 27 |
|  | SYSTEM 4 Micro Bits | 28 |
| | SYSTEM 4 Blades | 29 |
| | Bit Sets | 31 |
| | Insert & Power Bits | 34-36 |
| | Bit Sockets & Sets | 39-41 |

TorxPlus® Index











|  | DESCRIPTION | Page |
|--|-----------------------------|-------|
|  | Wing Handle | 18 |
|  | Flag Handle | 18 |
|  | PocketStar Fold Outs | 18 |
|  | SoftFinish® Cushion Grip | 19 |
|  | T-handles | 19 |
|  | L-Keys Short/Long Arm | 20 |
|  | TorqueControl Blade | 24 |
|  | ESD Safe Precision | 26 |
|  | Bit-Selectors | 31 |
|  | Insert Bits | 38 |
|  | Power Bits | 38 |
|  | Bit Sockets & Sets | 39,41 |

Ball End Torx® Index








|  | DESCRIPTION | Page |
|--|------------------------------------|------|
|  | SoftFinish Drivers Cushion Grip | 17 |
|  | L-Keys | 17 |
|  | Power Bits | 17 |

* Standard TORX® are not for use in TORXPlus® fasteners





Security Torx® Index

|  | DESCRIPTION | Page |
|--|----------------------------|-------|
|  | SoftFinish® Cushion Grip | 6 |
|  | Drive-Loc VI Blades | 11 |
|  | L-Keys | 14 |
|  | PocketStar Fold Outs | 15 |
|  | SYSTEM 4 Micro Bits | 28 |
|  | Bit Sets | 32 |
|  | Insert Bits - 1/4" & 5/16" | 37 |
|  | Power Bits | 37 |
|  | Bit Sockets | 39,41 |















MagicSpring Screw Holding

|  | DESCRIPTION | Page |
|---|--|------|
|  | SoftFinish® Screw Holding Cushion Grip | 21 |
|  | PicoFinish Soft Grip Screw Holding | 21 |
|  | L-keys Screw Holding | 22 |
|  | Wing Handle Screw Holding | 22 |
|  | TorqueControl Blades Screw Holding | 24 |
|  | Power Bits | 38 |





Wing/Flag & L-keys Index

| | DESCRIPTION | Page |
|--|---|----------|
|  | L-Keys | 13-14 |
|  | Offset Screwdrivers | 14 |
|  | Wing Handle Torx®, TorxPlus® & MagicSpring | 16,18,22 |
|  | Flag Handle Torx® & TorxPlus® | 16,18 |

Screwdrivers Index

|  | DESCRIPTION | Page |
|--|---|----------|
|  | SoftFinish® Cushion Grip 5-6,19,21 Torx®, Security Torx®, TorxPlus®, MagicSpring | |
|  | ESD Safe SoftFinish® Cushion Grip - Torx® | 6 |
|  | Insulated Cushion Grip - Torx® | 7 |
|  | Powerhandle- Torx® | 7 |
|  | Stainless Steel Cushion Grip - Torx® | 7 |
|  | MicroFinish Non-Slip Grip - Torx® | 8 |
|  | Protturn - Torx® | 9 |
|  | 3K Series - Torx® | 10 |
|  | Offset Screwdrivers | 14 |
|  | T-handle/ComfortGrip Torx® & TorxPlus® | 12-15,19 |
| | Precision Tools | |
|  | ESD Safe | 26 |
|  | Standard | 27 |
|  | PicoFinish | 27 |










Drive-Loc VI Interchangeable

| | DESCRIPTION | Page |
|--|---|------|
|  | Drive-Loc VI Handle SoftFinish® Cushion Grip | 11 |
|  | Drive-Loc VI Handle ESD Safe Cushion Grip | 11 |
|  | Drive-Loc VI Handle MicroFinish Non-Slip Grip | 11 |
|  | Drive-Loc VI Blades Torx® / Security Torx® | 11 |




Fold Outs Index

| | DESCRIPTION | Page |
|--|--|-------|
|  | PocketStars Torx, Security Torx, TorxPlus | 15,18 |


TorqueControl Index

| DESCRIPTION | Page |
|--|------|
|  TorqueVario Handle | 23 |
|  Torx® / TorxPlus® Blades | 23 |
|  Insulated Torque Tools | 24 |
|  Easy Torque Tools | 24 |
|  ESD Safe TorqueControl | 24 |
|  ESD Safe Torx® Blades | 24 |
|  T-handle Torque Tools | 25 |
|  Interchangeable Blades For Torque T-handle | 25 |
|  TorqueControl Sets | 25 |









High Performance Bits Index

| DESCRIPTION | Page |
|---|------|
|  Torx® Dura Insert Bits Tungsten Carbide Coated | 34 |
|  Torx® Diamond Bits | 34 |
|  Torx® TiN Coated- Titanium | 34 |








Standard Bits Index

| DESCRIPTION | Page |
|---|-------|
|  Torx® Insert/Power Bits | 35-36 |

Specialty Bits Index


| DESCRIPTION | Page |
|---|-------|
|   Ball End Torx® | 17,38 |
|   Torx® Align Bits Insert/Power Bits | 36 |
|   Security Torx® Insert/Power Bits | 37 |
|   TorxPlus® Bits Insert/Power Bits | 38 |

Bit Sets Index








| DESCRIPTION | Page |
|---|-------|
|  BitFlip Sets | 30 |
|  Topra Bit Sets | 30,32 |
|  Six-in-One Bit Sets | 30,32 |
|  Bit Selector Sets | 31-32 |
|  Power Bit Belt Packs | 31-32 |
|  SYSTEM 4 Sets Micro Bits & Interchangeable Blades | 28-29 |
|  XSelectors | 31-32 |

 See Bit Holders on Page 33

ESD Blade Set Index

| DESCRIPTION | Page |
|--|------|
|  Interchangeable Blade Set | 6 |

Sockets Index

| DESCRIPTION | Page |
|---|------|
|  Torx® 1/4" Drive | 39 |
|  Torx® 3/8" Drive | 39 |
|  Torx® 3/8" - 5/16" Bits | 39 |
|  Security Torx® 3/8", 1/2" | 39 |
|  External Torx® Sockets 1/4", 3/8", 1/2" | 40 |
|  6" Bit Sockets 1/4" & 3/8" Drive | 40 |
|  Bit Socket Sets | 41 |


Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ |
|-------|------|-----|------|-----|------|-----|------|-----------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. pkg. |
| 36264 | T5 | 60 | 2.4 | 2.5 | .098 | 164 | 6.5 | .05 10 |
| 36266 | T6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 10 |
| 36268 | T7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 10 |
| 36270 | T8 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 10 |
| 36272 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 10 |
| 36274 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 10 |
| 36276 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 10 |
| 36278 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .11 10 |
| 36280 | T25 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .12 10 |
| 36282 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .19 10 |
| 36284 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 10 |
| 36286 | T40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .27 10 |
| 36288 | T45 | 130 | 5.1 | 8.0 | .315 | 254 | 10.0 | .31 10 |



36294 Set 8 Pcs. TORX® Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ |
|-------|-------|-----|------|-------|------|-----|------|
| No. | Size | mm | Size | mm | lbs. | | |
| 36294 | 36266 | T6 | 60 | 36278 | T20 | 100 | 1.24 |
| | 36270 | T8 | 60 | 36280 | T25 | 100 | |
| | 36274 | T10 | 80 | 36282 | T27 | 115 | |
| | 36276 | T15 | 80 | 36284 | T30 | 115 | |



36291 Set 6 Pcs. TORX®

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | |
|-------|-------|----|------|-------|------|-----|
| No. | Size | mm | Size | mm | lbs. | |
| 36291 | 36266 | T6 | 60 | 36272 | T9 | .77 |
| | 36268 | T7 | 60 | 36274 | T10 | 80 |
| | 36270 | T8 | 60 | 36276 | T15 | 80 |

36201 Set 6 Pcs. TORX®

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | |
|-------|-------|-----|------|-------|------|-----|
| No. | Size | mm | Size | mm | lbs. | |
| 36201 | 36266 | T6 | 60 | 36276 | T15 | .83 |
| | 36270 | T8 | 60 | 36278 | T20 | 100 |
| | 36274 | T10 | 80 | 36280 | T25 | 100 |



36267 Set 12 Pcs. TORX® Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | ⚙️ | |
|-------|-------|-----|------|-------|------|-----|------|
| No. | Size | mm | Size | mm | lbs. | | |
| 36267 | 36264 | T5 | 60 | 36276 | T15 | 80 | 2.03 |
| | 36266 | T6 | 60 | 36278 | T20 | 100 | |
| | 36268 | T7 | 60 | 36280 | T25 | 100 | |
| | 36270 | T8 | 60 | 36282 | T27 | 115 | |
| | 36272 | T9 | 60 | 36284 | T30 | 115 | |
| | 36274 | T10 | 80 | 36286 | T40 | 130 | |

Wiha Security TORX® Drivers



362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36269 | T7s | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36271 | T8s | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36273 | T9s | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36275 | T10s | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36277 | T15s | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36279 | T20s | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .11 | 10 |
| 36281 | T25s | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .11 | 10 |
| 36283 | T27s | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .19 | 10 |
| 36285 | T30s | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 10 |
| 36287 | T40s | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .28 | 10 |



36298 Set 7 Pcs. Security TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------------|----|------------|-----|------|
| 36298 | 36269 T7s | 60 | 36277 T15s | 80 | .95 |
| | 36271 T8s | 60 | 36279 T20s | 100 | |
| | 36273 T9s | 60 | 36281 T25s | 100 | |
| | 36275 T10s | 80 | | | |



36259 Set 10 Pcs. Security TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------------|----|------------|-----|------|
| 36259 | 36269 T7s | 60 | 36279 T20s | 100 | 1.5 |
| | 36271 T8s | 60 | 36281 T25s | 100 | |
| | 36273 T9s | 60 | 36283 T27s | 115 | |
| | 36275 T10s | 80 | 36285 T30s | 115 | |
| | 36277 T15s | 80 | 36287 T40s | 130 | |

Wiha SoftFinish® ESD Safe Handle



362 ESD Safe TORX® Driver, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/ 61340-5-2 Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36260 | T3 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36204 | T4 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36200 | T5 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36206 | T6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36208 | T8 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36209 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36218 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36219 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36224 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .11 | 10 |



36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers

| Item No. | TORX: T6, T8, T9, T10, T15, T20 | lbs. |
|----------|---------------------------------|------|
| 36289 | TORX: T6, T8, T9, T10, T15, T20 | .81 |

Wiha Stainless Steel TORX® Screwdrivers



376 TORX® Screwdriver, With Wiha-SoftFinish® Handle

High quality stainless steel. SoftFinish® cushion grip handle.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 37608 | T8 | 60 | 2.4 | 4.0 | .139 | 164 | 5.3 | .09 | 10 |
| 37609 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 5.5 | .11 | 10 |
| 37610 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 6.7 | .11 | 10 |
| 37615 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 6.7 | .11 | 10 |
| 37620 | T20 | 100 | 3.9 | 4.0 | .157 | 218 | 7.9 | .16 | 10 |
| 37625 | T25 | 100 | 3.9 | 4.5 | .177 | 218 | 7.9 | .17 | 10 |
| 37627 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 8.5 | .20 | 10 |
| 37630 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 8.9 | .21 | 10 |
| 37640 | T40 | 130 | 5.1 | 7.0 | .276 | 254 | 10.0 | .24 | 10 |




37690 Set 5 Pcs. Stainless Steel TORX® Screwdrivers

| Item No. | TORX: T6, T8, T9, T10, T15, T20 | lbs. |
|----------|---------------------------------|------|
| 37690 | TORX: T6, T8, T9, T10, T15, T20 | .81 |

Wiha Insulated TORX® Screwdrivers




325 TORX® Screwdriver, With Wiha-SoftFinish® Handle
Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E,  up to 1000 Volt. Individually Tested. Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|------|------|
| 32505 | T5 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32511 | T6 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32516 | T7 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32521 | T8 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32526 | T9 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32531 | T10 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32536 | T15 | 80 | 3.1 | 191 | 7.5 | .12 | 10 |
| 32541 | T20 | 80 | 3.1 | 191 | 7.5 | .12 | 10 |
| 32546 | T25 | 80 | 3.1 | 198 | 7.8 | .17 | 10 |
| 32551 | T27 | 100 | 3.9 | 218 | 8.6 | .20 | 10 |
| 32556 | T30 | 100 | 3.9 | 218 | 8.6 | .20 | 10 |
| 32561 | T40 | 150 | 5.9 | 274 | 10.8 | .30 | 10 |



32590 Set 6 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|----|-----------|----|------|
| 32590 | 32521 T8 | 60 | 32536 T15 | 80 | .83 |
| | 32526 T9 | 60 | 32541 T20 | 80 | |
| | 32531 T10 | 60 | 32546 T25 | 80 | |



32592 Set 10 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|----|-----------|-----|------|
| 32592 | 32511 T6 | 60 | 32536 T15 | 80 | 1.2 |
| | 32516 T7 | 60 | 32541 T20 | 80 | |
| | 32521 T8 | 60 | 32546 T25 | 80 | |
| | 32526 T9 | 60 | 32551 T27 | 100 | |
| | 32531 T10 | 60 | 32556 T30 | 100 | |

Wiha Powerhandle TORX® Made in Germany




362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36205 | T5 | 50 | 2.0 | 2.5 | .098 | 110 | 4.3 | .03 | 10 |
| 36210 | T6 | 50 | 2.0 | 3.5 | .139 | 125 | 4.9 | .06 | 10 |
| 36212 | T7 | 50 | 2.0 | 3.5 | .139 | 125 | 4.9 | .06 | 10 |
| 36215 | T8 | 60 | 2.4 | 3.5 | .139 | 135 | 5.3 | .06 | 10 |
| 36220 | T9 | 60 | 2.4 | 4.0 | .157 | 140 | 5.5 | .09 | 10 |
| 36225 | T10 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .13 | 10 |
| 36230 | T15 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .13 | 10 |
| 36235 | T20 | 100 | 3.9 | 4.0 | .157 | 200 | 7.9 | .17 | 10 |
| 36240 | T25 | 100 | 3.9 | 4.5 | .177 | 200 | 7.9 | .18 | 10 |
| 36245 | T27 | 115 | 4.5 | 5.5 | .216 | 215 | 8.5 | .20 | 10 |
| 36250 | T30 | 115 | 4.5 | 6.0 | .236 | 225 | 8.9 | .28 | 10 |



36292 8 Pc. Set TORX® With Wiha-Powerhandle

| Item No. | Includes: | lbs. |
|----------|--------------------------------------|------|
| 36292 | T6, T8, T10, T15, T20, T25, T27, T30 | 1.45 |



36293 6 Pc. Set TORX® With Wiha-Powerhandle

| Item No. | Includes: | lbs. |
|----------|--------------------------|------|
| 36293 | T6, T7, T8, T9, T10, T15 | .78 |

Wiha ESD Safe Interchangeable Blade Set



In Durable Pouch

10893 ESD Safe TORX® Interchangeable Blade Set
5 Pc. Set Includes ESD Safe handle & 4 interchangeable blades.

| Item No. | lbs. |
|----------|------|
| 10893 | .75 |

TORX®: T6, T7, T8, T9, T10, T15, T20, T25
Wiha ESD Safe Handle

Wiha TORX® MicroFinish Handle Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.


Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Blades are hardened & hard chromed

Exact fit precision ground tips

Blade CVM, hardened & tempered tool steel, gives exceptional tool life, wear resistance & high torque performance

MicroFinish Handle with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer



527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 52711 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .15 | 10 |
| 52713 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .15 | 10 |
| 52716 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .15 | 10 |
| 52719 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .15 | 10 |
| 52722 | T25 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .16 | 10 |
| 52726 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .25 | 10 |
| 52729 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .27 | 10 |
| 52732 | T40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .40 | 10 |

52790 Set 5 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

| Item No. | Size | mm | Size | mm | lbs. | | |
|----------|-------|-----|------|-------|------|-----|-----|
| 52790 | 52713 | T10 | 80 | 52722 | T25 | 100 | 1.0 |
| | 52716 | T15 | 80 | 52729 | T30 | 115 | |
| | 52719 | T20 | 100 | | | | |




52791 Set 8 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

| Item No. | Size | mm | Size | mm | lbs. | | |
|----------|-------|-----|------|-------|------|-----|------|
| 52791 | 52711 | T9 | 60 | 52722 | T25 | 100 | 1.89 |
| | 52713 | T10 | 80 | 52726 | T27 | 115 | |
| | 52716 | T15 | 80 | 52729 | T30 | 115 | |
| | 52719 | T20 | 100 | 52732 | T40 | 130 | |

Wiha TORX® Proturm Screwdrivers




45591 Set 6 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|----------|----|-----------|-----|------|
| 45591 | 45506 T7 | 50 | 45521 T10 | 80 | .72 |
| | 45511 T8 | 60 | 45526 T15 | 80 | |
| | 45516 T9 | 60 | 45531 T20 | 100 | |

45592 Set 8 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|----|-----------|-----|------|
| 45592 | 45511 T8 | 60 | 45531 T20 | 100 | 1.07 |
| | 45516 T9 | 60 | 45536 T25 | 100 | |
| | 45521 T10 | 80 | 45541 T27 | 115 | |
| | 45526 T15 | 80 | 45546 T30 | 115 | |



45589 Set 14 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|-----|-----------|-----|------|
| 45589 | 45505 T6 | 50 | 45531 T20 | 100 | 2.2 |
| | 45506 T7 | 50 | 45536 T25 | 100 | |
| | 45511 T8 | 60 | 45541 T27 | 115 | |
| | 45516 T9 | 60 | 45546 T30 | 115 | |
| | 45521 T10 | 80 | 45551 T40 | 130 | |
| | 45522 T10 | 275 | 45556 T45 | 130 | |
| | 45526 T15 | 80 | 45561 T50 | 130 | |



48400 1/4" Bit Holding Screwdriver, With Wiha-Proturm Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pcs. |
|----------|------|-----|------|-----|------|------|------|
| 48400 | 1/4 | 125 | 5.0 | 243 | 9.6 | .24 | 10 |

455 TORX® Screwdriver, With Wiha-Proturm Handle

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Proturm handle, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 45505 | T6 | 50 | 2.0 | 3.5 | .139 | 129 | 5.1 | .05 | 10 |
| 45506 | T7 | 50 | 2.0 | 3.5 | .139 | 129 | 5.1 | .05 | 10 |
| 45511 | T8 | 60 | 2.4 | 3.5 | .139 | 139 | 5.5 | .06 | 10 |
| 45516 | T9 | 60 | 2.4 | 4.0 | .157 | 149 | 5.8 | .08 | 10 |
| 45521 | T10 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .10 | 10 |
| 45522 | T10 | 275 | 10.8 | 4.0 | .157 | 363 | 14.2 | .13 | 10 |
| 45526 | T15 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .10 | 10 |
| 45531 | T20 | 100 | 3.9 | 4.0 | .157 | 190 | 7.5 | .11 | 10 |
| 45536 | T25 | 100 | 3.9 | 4.5 | .177 | 190 | 7.5 | .11 | 10 |
| 45541 | T27 | 115 | 4.5 | 5.5 | .216 | 215 | 8.4 | .11 | 10 |
| 45546 | T30 | 115 | 4.5 | 6.0 | .236 | 215 | 8.4 | .20 | 10 |
| 45551 | T40 | 130 | 5.1 | 7.0 | .275 | 240 | 9.4 | .28 | 10 |
| 45556 | T45 | 130 | 5.1 | 8.0 | .315 | 240 | 9.4 | .27 | 10 |
| 45561 | T50 | 130 | 5.1 | 9.0 | .354 | 240 | 9.4 | .31 | 10 |

Wiha TORX® 3K Series Drivers and Sets

3K Series

Hole for hanging

Molded on soft grip ergonomic handle, impact resistant

Precision black tip

Blade high alloy CVM steel, hardened



45598 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.

| Item No. | Size mm | Size mm | lbs. |
|----------|-------------|--------------|------|
| 45598 | 45504 T6 60 | 45509 T9 60 | .88 |
| | 45507 T7 60 | 45510 T10 80 | |
| | 45508 T8 60 | 45515 T15 80 | |



455 TORX® Screwdriver, With Wiha-3K Series Handle

Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

| Item No. | Size mm | Inch mm | Inch mm | mm | Inch lbs. | pkg. |
|----------|---------|---------|---------|-----|-----------|----------------|
| 45504 | T6 | 60 | 2.4 | 3.2 | 9/64 | 145 5.7 .06 10 |
| 45507 | T7 | 60 | 2.4 | 3.5 | 9/64 | 129 5.1 .05 10 |
| 45508 | T8 | 60 | 2.4 | 3.5 | 9/64 | 139 5.5 .06 10 |
| 45509 | T9 | 60 | 2.4 | 4.0 | 5/32 | 149 5.8 .08 10 |
| 45510 | T10 | 80 | 3.1 | 4.0 | 5/32 | 170 6.7 .10 10 |
| 45515 | T15 | 80 | 3.1 | 4.0 | 5/32 | 190 7.5 .11 10 |
| 45520 | T20 | 100 | 3.9 | 5.5 | 7/32 | 215 8.4 .11 10 |
| 45525 | T25 | 100 | 3.9 | 6.0 | 1/4 | 215 8.4 .20 10 |
| 45527 | T27 | 115 | 4.5 | 7.0 | 9/32 | 240 9.4 .28 10 |
| 45530 | T30 | 115 | 4.5 | 6.0 | 1/4 | 233 9.1 .21 10 |
| 45540 | T40 | 130 | 5.1 | 7.0 | 9/32 | 248 9.7 .25 10 |
| 45545 | T45 | 130 | 5.1 | 8.0 | 5/16 | 249 9.8 .30 10 |
| 45550 | T50 | 130 | 5.1 | 9.0 | 3/8 | 249 9.8 .33 10 |



45595 Set 8 Pcs. TORX® Wiha-3k Ergo handle, cushion grip.

| Item No. | Size mm | Size mm | lbs. |
|----------|--------------|---------------|------|
| 45595 | 45504 T8 60 | 45520 T20 100 | 1.36 |
| | 45509 T9 60 | 45525 T25 100 | |
| | 45510 T10 80 | 45527 T27 115 | |
| | 45515 T15 80 | 45530 T30 115 | |



45593 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

| Item No. | Size mm | Size mm | lbs. |
|----------|--------------|---------------|------|
| 45593 | 45508 T8 60 | 45520 T20 100 | .86 |
| | 45510 T10 80 | 45525 T25 100 | |
| | 45515 T15 80 | | |



45597 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set
Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

| Item No. | Size mm | Size mm | lbs. |
|----------|--------------|---------------|------|
| 45597 | 45504 T6 60 | 45520 T20 100 | 1.72 |
| | 45507 T7 60 | 45525 T25 100 | |
| | 45508 T8 60 | 45527 T27 115 | |
| | 45509 T9 60 | 45530 T30 115 | |
| | 45510 T10 80 | 45540 T40 130 | |
| | 45515 T15 80 | | |



Drive-Loc VI

For Adjustable Length Locking Blades



Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.









28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 28488 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |









28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 28486 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |









28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.





| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 28487 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |



281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.





Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | Size | lbs. | pkg. |
| 28126 | T6 | T8 | .09 | 1 |
| 28127 | T7 | T9 | .09 | 1 |
| 28128 | T10 | T15 | .10 | 1 |
| 28129 | T20 | T25 | .10 | 1 |
| 28130 | T30 | T40 | .10 | 1 |



281 Security TORX® Drive-Loc VI Interchangeable Blade, high alloy CVM steel, through hardened, hard chrome finish.


Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | Size | lbs. | pkg. |
| 28132 | T6s | T8s | .09 | 1 |
| 28133 | T7s | T9s | .09 | 1 |
| 28134 | T10s | T15s | .10 | 1 |
| 28135 | T20s | T25s | .10 | 1 |
| 28136 | T30s | T40s | .10 | 1 |



28195 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. In Durable Pouch

Set includes Drive-Loc VI handle & 5 interchangeable blades.

| Item |  | lbs. |
|-----------|---|------|
| No. 28195 | | .85 |


TORX®: T6&T8, T7&T9, T10&T15, T20&T25, T30&T40

Wiha SoftFinish® Cushion Grip Blade Lock Handle



28197 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. In Durable Pouch

Set includes Drive-Loc VI handle & 5 interchangeable blades.

| Item |  | lbs. |
|-----------|---|------|
| No. 28197 | | .83 |

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle

Wiha Insulated SlimLine Tools

Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E & CSA specification

Ideal for jobs where access is limited

Integrated *Slim* Insulation molded directly onto blade

Insulation does not exceed screw head diameter

High quality chrome vanadium steel, through-hardened

 **1000Volt Rated**
10,000Volt Tested

Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation



 **1000Volt**

28301 *SlimLine* Blade Holder, With Wiha-SoftFinish® Handle
Insulation According to VDE, ASTM F-1505-01 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt.

Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Quick release holder securely lock blades. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|-----|------|------|------|
| 28301 | 1/4" | 50 | 2.0 | 160 | 6.3 | .15 | 1 |



 **283** Insulated **TORX®** *SlimLine* Blades
High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter than standard insulated tools.

| Item No. | Size | mm | Dia. | Length | Max Nm | Inch/ lbs. | lbs. | pkg. |
|----------|------|----|------|--------|--------|------------|------|------|
| 28339 | T8 | 90 | 4.1 | 2.8" | 1.3 | 11.5 | .02 | 1 |
| 28340 | T10 | 90 | 4.1 | 2.8" | 3.8 | 33.7 | .02 | 1 |
| 28341 | T15 | 90 | 6.1 | 2.8" | 5.5 | 48.8 | .02 | 1 |
| 28342 | T20 | 90 | 6.1 | 2.8" | 5.5 | 48.8 | .02 | 1 |

WihaTORX® Soft Grip Dual Drive T-handle

Two Tools In One!



Short and Long Arm In One Powerful Tool

Maximum Comfort & Maximum Power

Torx - Blades of CVM tool steel, through hardened durability, hard chrome finish

Two component soft grip handle



364 Soft Grip **TORX®** T-handle

Blade CVM steel, through hardened, satin chrome finish. Soft grips are molded on and include through the handle side torque drive.

| Item No. | Size | mm | lbs. | pkg. |
|----------|------|-----|------|------|
| 36480 | T10 | 100 | .08 | 10 |
| 36481 | T15 | 100 | .08 | 10 |
| 36482 | T20 | 100 | .13 | 10 |
| 36483 | T25 | 150 | .16 | 10 |
| 36484 | T27 | 150 | .19 | 10 |
| 36486 | T30 | 150 | .20 | 10 |
| 36487 | T40 | 150 | .24 | 10 |



36497 Set 7 Pcs. **TORX®** Soft Grip T-handles

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|-----|-----------|-----|------|
| 36497 | 36480 T10 | 100 | 36484 T27 | 150 | 1.53 |
| | 36481 T15 | 100 | 36486 T30 | 150 | |
| | 36482 T20 | 100 | 36487 T40 | 150 | |
| | 36483 T25 | 150 | | | |


Wiha TORX® T-handle



364 TORX® with Wiha T-handles

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chrome finish. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs | pkg. |
|----------|------|-----|------|-----|------|-----|------|-----|------|
| 36409 | T9 | 100 | 3.9 | 4.0 | 5/32 | 80 | 3.1 | .07 | 10 |
| 36410 | T10 | 100 | 3.9 | 4.0 | 5/32 | 80 | 3.1 | .07 | 10 |
| 36415 | T15 | 100 | 3.9 | 4.0 | 5/32 | 80 | 3.1 | .07 | 10 |
| 36417 | T15 | 200 | 7.9 | 5.5 | 7/32 | 80 | 3.1 | .13 | 10 |
| 36420 | T20 | 100 | 3.9 | 4.0 | 5/32 | 100 | 3.9 | .10 | 10 |
| 36422 | T20 | 200 | 7.9 | 5.5 | 7/32 | 100 | 3.9 | .17 | 10 |
| 36425 | T25 | 100 | 3.9 | 4.0 | 5/32 | 100 | 3.9 | .11 | 10 |
| 36427 | T25 | 200 | 7.9 | 5.5 | 7/32 | 100 | 3.9 | .17 | 10 |
| 36430 | T27 | 100 | 3.9 | 5.5 | 7/32 | 100 | 3.9 | .14 | 10 |
| 36432 | T27 | 200 | 7.9 | 5.5 | 7/32 | 100 | 3.9 | .17 | 10 |
| 36435 | T30 | 100 | 3.9 | 7.9 | 6.0 | 100 | 3.9 | .14 | 10 |
| 36437 | T30 | 200 | 7.9 | 6.0 | 1/4 | 100 | 3.9 | .19 | 10 |
| 36440 | T40 | 100 | 3.9 | 7.0 | 9/32 | 100 | 3.9 | .16 | 10 |
| 36442 | T40 | 200 | 7.9 | 7.0 | 9/32 | 100 | 3.9 | .23 | 10 |
| 36445 | T45 | 150 | 5.9 | 8.0 | 5/16 | 120 | 4.7 | .29 | 10 |
| 36450 | T50 | 150 | 5.9 | 9.0 | 3/8 | 120 | 4.7 | .30 | 10 |
| 36452 | T50 | 250 | 9.8 | 9.0 | 3/8 | 120 | 4.7 | .45 | 10 |



36492 TORX® T-handle Set, 7 Pc.

Equipped with T9, T10, T15, T20, T25, T27, T30

Item No. lbs. pkg.

36492 1.24 1

36490 TORX® T-handle Set, 7 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50

Item No. lbs. pkg.

36490 2.65 1

- Blade high alloy CVM steel, hardened, hard chrome finish

- Wiha T-handle high quality plastic, impact resistant



36494 TORX® T-handle Set, 8 Pc. In Metal Stand

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item No. lbs. pkg.

36494 3.10 1

Wiha TORX® Short Arm L-keys



363 TORX® L-key, Short Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|----|------|------|------|
| 36305 | T5 | 37 | 1.5 | 16 | .6 | .01 | 10 |
| 36306 | T6 | 39 | 1.5 | 16 | .6 | .01 | 10 |
| 36307 | T7 | 42 | 1.7 | 16 | .6 | .01 | 10 |
| 36308 | T8 | 45 | 1.8 | 16 | .6 | .01 | 10 |
| 36309 | T9 | 48 | 1.9 | 16 | .6 | .01 | 10 |
| 36310 | T10 | 51 | 2.0 | 17 | .7 | .01 | 10 |
| 36315 | T15 | 54 | 2.1 | 19 | .7 | .01 | 10 |
| 36320 | T20 | 58 | 2.3 | 19 | .7 | .01 | 10 |
| 36325 | T25 | 63 | 2.5 | 21 | .8 | .02 | 10 |
| 36327 | T27 | 67 | 2.6 | 22 | .9 | .03 | 10 |
| 36330 | T30 | 73 | 2.9 | 24 | .9 | .05 | 10 |
| 36340 | T40 | 79 | 3.1 | 26 | 1.0 | .06 | 10 |
| 36345 | T45 | 82 | 3.2 | 28 | 1.1 | .09 | 10 |
| 36350 | T50 | 95 | 3.7 | 32 | 1.3 | .13 | 10 |
| 36355 | T55 | 108 | 4.3 | 35 | 1.4 | .27 | 10 |
| 36360 | T60 | 120 | 4.7 | 38 | 1.5 | .40 | 10 |



36392 TORX® Set, 7 Pc. In Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item No. lbs. pkg.

36392 .10 1

36394 TORX® Set, 9 Pc. In Plastic Holder

Equipped with T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No. lbs. pkg.

36394 .30 1

36399 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item No. lbs. pkg.

36399 1.14 1

36390 TORX® Set, 9 Pc. In Metal Stand


Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

Item No. lbs. pkg.

36390 1.86 1










Wiha TORX® Long Arm L-keys



366 TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 36645 | T5 | 71 | 2.8 | 12 | .5 | .06 | 10 |
| 36646 | T6 | 78 | 3.1 | 13 | .5 | .07 | 10 |
| 36647 | T7 | 87 | 3.4 | 16 | .6 | .10 | 10 |
| 36648 | T8 | 99 | 3.9 | 18 | .7 | .13 | 10 |
| 36649 | T9 | 106 | 4.2 | 18 | .7 | .17 | 10 |
| 36650 | T10 | 118 | 4.6 | 21 | .8 | .23 | 10 |
| 36651 | T15 | 131 | 5.2 | 23 | .9 | .33 | 10 |
| 36652 | T20 | 144 | 5.7 | 25 | 1.0 | .44 | 10 |
| 36653 | T25 | 158 | 6.2 | 28 | 1.1 | .65 | 10 |
| 36654 | T27 | 169 | 6.7 | 30 | 1.2 | .98 | 10 |
| 36655 | T30 | 184 | 7.2 | 32 | 1.3 | 1.27 | 10 |
| 36659 | T40 | 201 | 7.9 | 35 | 1.4 | 2.09 | 10 |
| 36660 | T45 | 222 | 8.7 | 40 | 1.6 | 2.70 | 10 |
| 36661 | T50 | 213 | 8.4 | 40 | 1.6 | 3.14 | 10 |



36699 Long Arm TORX® Set, 13 Pc. in Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 36699 | 1.13 | 1 |



36698 Long Arm TORX® Set, 10 Pc. In Molded Holder



Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 36698 | 4.4 | 1 |



36694 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 36694 | 2.13 | 1 |

Wiha ErgoStar Ball End TORX® Long L-keys



36689 ErgoStar TORX® Long Arm Set, 13 Pc. In Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 36689 | 1.08 | 1 |

Wiha Security TORX® L-keys










Security Torx® L-Keys



363 Security TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 36321 | T7s | 42 | 1.7 | 16 | .6 | .01 | 10 |
| 36323 | T8s | 45 | 1.8 | 16 | .6 | .01 | 10 |
| 36326 | T9s | 48 | 1.9 | 16 | .6 | .01 | 10 |
| 36328 | T10s | 51 | 2.0 | 17 | .7 | .01 | 10 |
| 36329 | T15s | 54 | 2.1 | 19 | .7 | .01 | 10 |
| 36332 | T20s | 58 | 2.3 | 19 | .7 | .02 | 10 |
| 36335 | T25s | 63 | 2.5 | 21 | .8 | .02 | 10 |
| 36337 | T27s | 67 | 2.6 | 22 | .9 | .03 | 10 |
| 36339 | T30s | 73 | 2.9 | 24 | .9 | .04 | 10 |
| 36342 | T40s | 79 | 3.1 | 26 | 1.0 | .06 | 10 |
| 36346 | T45s | 82 | 3.2 | 28 | 1.1 | .09 | 10 |
| 36352 | T50s | 95 | 3.7 | 35 | 1.3 | .13 | 10 |
| 36357 | T55s | 108 | 4.3 | 38 | 1.4 | .27 | 10 |





Security Torx® L-Key Set



36393 Security TORX® Set, 9 Pcs. In Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

| Item |  |  |
|-------|---|---|
| No. | lbs. | pkg. |
| 36393 | .30 | 1 |

Wiha Offset Screwdrivers



207 TORX® Offset Screwdriver With Molded Handle

For working in confined spaces. Blade CVM special steel, hardened, black finish.

| Item No. | Size | lbs. | pkg. |
|----------|-----------|------|------|
| 20756 | T6 + T8 | .02 | 1 |
| 20757 | T7 + T9 | .02 | 1 |
| 20758 | T10 + T15 | .02 | 1 |
| 20759 | T20 + T25 | .07 | 1 |
| 20760 | T27 + T30 | .10 | 1 |



20799 TORX® Offset Screwdriver Set, 5 Pcs. With Molded Handle Blade CVM special steel, hardened, black finish.

| Item No. | Set Includes: | lbs. | pkg. |
|----------|---|------|------|
| 20799 | T6+T8, T7+T9, T10+T15, T20+T25, T27+T30 | .24 | 1 |

Wiha PocketStar Fold Outs



Push button key release



Blade length range 1.68 - 1.94"

36396 TORX® PocketStar Fold Outs, 7 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

| Item No. | Weight |
|----------|----------|
| 36396 | lbs. .22 |

TORX®: T7, T8, T9, T10, T15, T20, T25



Push button key release



Blade length range 1.68 - 1.94"

36395 Security TORX® PocketStar Fold Outs, 7 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

| Item No. | Weight |
|----------|----------|
| 36395 | lbs. .22 |

TR TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s



Push button key release



Blade length range 1.95 - 2.39"

36398 TORX® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

| Item No. | Weight |
|----------|----------|
| 36398 | lbs. .24 |

TORX®: T9, T10, T15, T20, T25, T27, T30, T40



Push button key release



Blade length range 1.95 - 2.39"

36397 Security TORX® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

| Item No. | Weight |
|----------|----------|
| 36397 | lbs. .24 |

TR TORX®: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Wiha TORX® Tools



Ideal for use with indexable carbide tooling and also for working in confined spaces



Ideal for use with indexable carbide tooling and also for working in confined spaces



365 TORX® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish.
Wing handle high quality plastic, impact resistant.

| Item | Star | Double | Double | Double | Double | Double | Double | Double | Double |
|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 36510 | T6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36512 | T7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36515 | T8 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 10 |
| 36520 | T9 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 10 |
| 36525 | T10 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 10 |
| 36530 | T15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |
| 36535 | T20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |



370 TORX® Screwdriver, With Flag Handle

Blade high alloy CVM steel, hardened, black finish.
Flag handle high quality plastic, impact resistant.

| Item | Star | Double | Double | Double | Double | Double | Double | Double | Double |
|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 37013 | T5 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37016 | T6 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37019 | T7 | 35 | 1.4 | 67 | 2.6 | 19.0 | .75 | .01 | 10 |
| 37022 | T8 | 40 | 1.6 | 72 | 2.8 | 19.0 | .75 | .01 | 10 |
| 37026 | T9 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37029 | T10 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37032 | T15 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |
| 37036 | T20 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |



36591 Wing Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20 ⚖ wt. .16




37091 Flag Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20 ⚖ wt. .14



36590 Wing Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 ⚖ wt. .32



37090 Flag Handle TORX® Set, 7 Pc. in Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 ⚖ wt. .31

Wiha Ball End TORX® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ☄ | ☄ | ☄ | ☄ | ☄ | ☄ | ☄ | ☄ |
|-------|------|-----|------|-----|------|-----|------|-----------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. pkg. |
| 36216 | T9 | 60 | 2.4 | 4.0 | .157 | 164 | 6.5 | .10 10 |
| 36217 | T10 | 60 | 2.4 | 4.0 | .157 | 184 | 7.2 | .11 10 |
| 36221 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 10 |
| 36222 | T20 | 80 | 3.1 | 4.0 | .157 | 211 | 8.3 | .11 10 |
| 36226 | T25 | 100 | 3.9 | 4.5 | .177 | 218 | 8.6 | .12 10 |
| 36227 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .19 10 |
| 36236 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 10 |



36237 Set 7 Pcs. TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ☄ | ☄ | ☄ | ☄ | ☄ | | |
|-------|-------|-----|------|-------|------|-----|------|
| No. | Size | mm | Size | mm | lbs. | | |
| 36237 | 36216 | T9 | 60 | 36226 | T25 | 100 | 1.24 |
| | 36217 | T10 | 60 | 36227 | T27 | 115 | |
| | 36221 | T15 | 80 | 36236 | T30 | 115 | |
| | 36222 | T20 | 80 | | | | |

Wiha Ball End TORX® L-keys



366 Ball End TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

| Item | ☄ | ☄ | ☄ | ☄ | ☄ | ☄ |
|-------|------|-----|------|----|------|-----------|
| No. | Size | mm | Inch | mm | Inch | lbs. pkg. |
| 36631 | T9 | 111 | 4.4 | 21 | .83 | .17 10 |
| 36632 | T10 | 121 | 4.8 | 23 | .91 | .23 10 |
| 36633 | T15 | 136 | 5.4 | 27 | 1.1 | .33 10 |
| 36634 | T20 | 148 | 5.8 | 29 | 1.1 | .44 10 |
| 36635 | T25 | 163 | 6.4 | 33 | 1.3 | .65 10 |
| 36636 | T27 | 176 | 6.9 | 36 | 1.4 | .98 10 |
| 36637 | T30 | 191 | 7.5 | 38 | 1.5 | 1.27 10 |
| 36638 | T40 | 210 | 8.3 | 43 | 1.7 | 2.09 10 |



36692 Ball End TORX® L-key Set, 8 Pc. in Plastic Holder

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

| Item | ☄ | ☄ |
|-------|------|------|
| No. | lbs. | pkg. |
| 36692 | 6.16 | 1 |

Wiha Ball End TORX® Power Bits



745 Ball End TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item | ☄ | ☄ | ☄ | ☄ |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74524 | T9 | 50 | 10 | .18 |
| 74526 | T10 | 50 | 10 | .18 |
| 74528 | T15 | 50 | 10 | .18 |
| 74532 | T20 | 50 | 10 | .18 |
| 74534 | T25 | 50 | 10 | .18 |
| 74537 | T27 | 50 | 10 | .18 |
| 74539 | T30 | 50 | 10 | .18 |
| 74541 | T40 | 50 | 10 | .18 |


745 Ball End TORX® Power Bit Packs, 1"

| Item | ☄ | ☄ | ☄ |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 74505 | T9 | 50 | .05 |
| 74520 | T10 | 50 | .05 |
| 74522 | T15 | 50 | .05 |
| 74543 | T20 | 50 | .05 |
| 74545 | T25 | 50 | .06 |
| 74547 | T27 | 50 | .06 |
| 74549 | T30 | 50 | .08 |
| 74550 | T40 | 50 | .08 |




The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.



- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



Wiha PocketStar Fold Out



Push button key release

36697 TORXPlus® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle.

| Item No. | | |
|--|------------|----------|
| 36697 | PocketStar | lbs. .31 |
| TORXPlus®: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25 | | |

36592 TORXPlus® 7 Pc. Wing Handle


Set In Metal Stand
Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

| Item | | |
|-------|------|------|
| No. | lbs. | pkg. |
| 36592 | .38 | 1 |



Wiha TORXPlus® Tools

TORXPlus®

 Not for use in standard Torx fasteners


#37092

370 TORXPlus® Screwdriver, With Flag Handle


Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

| Item | | | | | | | | | |
|-------|------|----|------|----|------|------|------|------|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 37040 | IP5 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37042 | IP6 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37044 | IP7 | 35 | 1.4 | 67 | 2.6 | 19.0 | .75 | .01 | 10 |
| 37046 | IP8 | 40 | 1.6 | 72 | 2.8 | 19.0 | .75 | .01 | 10 |
| 37048 | IP9 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37050 | IP10 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37052 | IP15 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |
| 37054 | IP20 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |

37092 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes:  wt. .31
IP6, IP7, IP8, IP9, IP10, IP15, IP20

TORXPlus®

 Not for use in standard Torx fasteners

365 TORXPlus® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish.
Wing handle high quality plastic, impact resistant.

| Item | | | | | | | | | |
|-------|------|----|------|----|------|----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 36540 | IP5 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36542 | IP6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36544 | IP7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36546 | IP8 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36548 | IP9 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36550 | IP10 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36552 | IP15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |
| 36554 | IP20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |



Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36211 | IP6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36223 | IP7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36228 | IP8 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36229 | IP9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .11 | 10 |
| 36233 | IP10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36238 | IP15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36239 | IP20 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .11 | 10 |
| 36243 | IP25 | 100 | 3.9 | 5.5 | .216 | 211 | 8.3 | .19 | 10 |
| 36248 | IP27 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 10 |
| 36253 | IP30 | 115 | 4.5 | 7.0 | .275 | 233 | 9.2 | .28 | 10 |
| 36255 | IP40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .28 | 10 |



36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------------|-----|------------|-----|------|
| 36299 | 36228 IP8 | 60 | 36243 IP25 | 100 | 1.23 |
| | 36233 IP10 | 80 | 36253 IP30 | 115 | |
| | 36238 IP15 | 80 | 36255 IP40 | 130 | |
| | 36239 IP20 | 100 | | | |



36296 Set 6 Pcs. TORXPlus®

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|----|------------|----|------|
| 36296 | 36211 IP6 | 60 | 36229 IP9 | 60 | .72 |
| | 36213 IP7 | 60 | 36233 IP10 | 80 | |
| | 36228 IP8 | 60 | 36238 IP15 | 80 | |

Wiha T-handle TORXPlus®



Not for use in standard Torx fasteners

364 TORXPlus® Screwdriver, With Wiha T-handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36461 | IP9 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .07 | 10 |
| 36463 | IP10 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .07 | 10 |
| 36466 | IP15 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .07 | 10 |
| 36469 | IP20 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .10 | 10 |
| 36472 | IP25 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .13 | 10 |
| 36474 | IP27 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .14 | 10 |
| 36476 | IP30 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .16 | 10 |
| 36478 | IP40 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .20 | 10 |




36496 Set 6 Pcs. TORXPlus® T-handles

Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------------|-----|------------|-----|------|
| 36496 | 36463 IP10 | 100 | 36472 IP25 | 150 | 1.01 |
| | 36466 IP15 | 100 | 36474 IP27 | 150 | |
| | 36469 IP20 | 100 | 36476 IP30 | 150 | |

TORXPlus®

For Improved Torque and Longer Tool Life



| 361 TORXPlus® L-key, Short Arm | | | | | | | |
|--|------|----|------|----|------|------|------|
| High alloy chrome-vanadium-molybdenum steel, hardened, black finish. | | | | | | | |
| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 36106 | IP6 | 39 | 1.5 | 16 | .6 | .01 | 10 |
| 36107 | IP7 | 42 | 1.7 | 16 | .6 | .01 | 10 |
| 36108 | IP8 | 45 | 1.8 | 16 | .6 | .01 | 10 |
| 36109 | IP9 | 48 | 1.9 | 16 | .6 | .01 | 10 |
| 36110 | IP10 | 51 | 2.0 | 17 | .7 | .01 | 10 |
| 36115 | IP15 | 55 | 2.2 | 19 | .7 | .01 | 10 |
| 36120 | IP20 | 58 | 2.3 | 19 | .7 | .01 | 10 |
| 36125 | IP25 | 63 | 2.5 | 21 | .8 | .01 | 10 |
| 36127 | IP27 | 68 | 2.7 | 22 | .9 | .02 | 10 |
| 36130 | IP30 | 73 | 2.9 | 24 | .9 | .03 | 10 |
| 36140 | IP40 | 81 | 3.2 | 26 | 1.0 | .05 | 10 |




| 366 TORXPlus® L-key, Long Arm | | | | | | | |
|--|------|-----|------|----|------|------|------|
| High alloy chrome-vanadium-molybdenum steel, hardened, black finish. | | | | | | | |
| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 36606 | IP6 | 64 | 2.5 | 14 | .6 | .01 | 10 |
| 36607 | IP7 | 68 | 2.7 | 14 | .6 | .01 | 10 |
| 36608 | IP8 | 74 | 2.9 | 15 | .6 | .01 | 10 |
| 36609 | IP9 | 78 | 3.1 | 16 | .6 | .01 | 10 |
| 36610 | IP10 | 83 | 3.3 | 18 | .7 | .01 | 10 |
| 36615 | IP15 | 88 | 3.5 | 18 | .7 | .02 | 10 |
| 36620 | IP20 | 94 | 3.7 | 18 | .7 | .02 | 10 |
| 36625 | IP25 | 98 | 3.9 | 19 | .7 | .03 | 10 |
| 36627 | IP27 | 107 | 4.2 | 23 | .9 | .05 | 10 |
| 36630 | IP30 | 114 | 4.5 | 24 | .9 | .06 | 10 |
| 36640 | IP40 | 118 | 4.6 | 27 | 1.0 | .09 | 10 |



| 36197 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder | | | |
|--|------|------|--------------------------------------|
| High alloy chrome-vanadium-molybdenum steel, hardened, black finish. | | | |
| Item No. | lbs. | pkg. | Set includes the following L-keys: |
| 36197 | .10 | 1 | IP6, IP7, IP8, IP9, IP10, IP15, IP20 |



| 36690 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder | | | |
|--|------|------|--------------------------------------|
| High alloy chrome-vanadium-molybdenum steel, hardened, black finish. | | | |
| Item No. | lbs. | pkg. | Set includes the following L-keys: |
| 36690 | .22 | 1 | IP6, IP7, IP8, IP9, IP10, IP15, IP20 |



| 36199 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder | | | |
|--|------|------|--|
| High alloy chrome-vanadium-molybdenum steel, hardened, black finish. | | | |
| Item No. | lbs. | pkg. | Set includes the following L-keys: |
| 36199 | .30 | 1 | IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40 |



| 36691 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder | | | |
|--|------|------|--|
| High alloy chrome-vanadium-molybdenum steel, hardened, black finish. | | | |
| Item No. | lbs. | pkg. | Set includes the following L-keys: |
| 36691 | .35 | 1 | IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40 |


Wiha MagicSpring TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Screw Holding TORX®



Laser Welded MagicSpring Assembly



Stainless Rotary Spring



362 MagicSpring Screw Holding TORX® Driver, With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36202 | T6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .07 | 10 |
| 36203 | T7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .07 | 10 |
| 36207 | T8 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .07 | 10 |
| 36234 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .11 | 10 |
| 36244 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36249 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36254 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .16 | 10 |
| 36256 | T25 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .17 | 10 |
| 36257 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .20 | 10 |
| 36258 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .21 | 10 |

267 MagicSpring Screw Holding TORX® Driver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|-----|------|------|------|
| 26721 | T6 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26723 | T7 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26725 | T8 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26727 | T9 | 50 | 2.0 | 150 | 5.9 | .04 | 10 |
| 26729 | T10 | 50 | 2.0 | 150 | 5.9 | .04 | 10 |
| 26731 | T15 | 60 | 2.4 | 160 | 6.3 | .04 | 10 |



36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|-----------|----|-----------|-----|------|
| 36290 | 36207 T8 | 60 | 36254 T20 | 100 | .98 |
| | 36244 T10 | 80 | 36256 T25 | 100 | |
| | 36249 T15 | 80 | 36258 T30 | 115 | |

26798 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|----------|----|-----------|----|------|
| 26798 | 26721 T6 | 40 | 26727 T9 | 50 | .45 |
| | 26723 T7 | 40 | 26729 T10 | 50 | |
| | 26725 T8 | 40 | 26731 T15 | 60 | |

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha MagicSpring TORX® Tools



371 MagicSpring Screw Holding TORX® L-key, Long Arm
High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

| Item | No. | Size | mm | Inch | lbs. | pkg. |
|-------|-----|------|-----|------|------|------|
| 37106 | T6 | 14 | .55 | .001 | 10 | |
| 37107 | T7 | 16 | .63 | .002 | 10 | |
| 37108 | T8 | 18 | .71 | .003 | 10 | |
| 37109 | T9 | 19 | .75 | .005 | 10 | |
| 37110 | T10 | 21 | .83 | .007 | 10 | |
| 37115 | T15 | 22 | .87 | .009 | 10 | |
| 37120 | T20 | 25 | .98 | .01 | 10 | |
| 37125 | T25 | 28 | 1.1 | .02 | 10 | |
| 37127 | T27 | 30 | 1.2 | .03 | 10 | |
| 37130 | T30 | 34 | 1.3 | .04 | 10 | |
| 37140 | T40 | 36 | 1.4 | .07 | 10 | |



37190 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder
Equipped with T6, T7, T8, T9, T10, T15, T20


| Item | No. | lbs. | pkg. |
|-------|-----|------|------|
| 37190 | .20 | 1 | |



37192 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder
Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

| Item | No. | lbs. | pkg. |
|-------|-----|------|------|
| 37192 | .35 | 1 | |

Wiha MagicSpring TORX® Tools



365 MagicSpring Screw Holding TORX® driver, With Wing Handle
Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

| Item | No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|-------|-----|------|-----|------|-----|------|------|--------|
| 36556 | T6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .01 10 |
| 36557 | T7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 10 |
| 36558 | T8 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 10 |
| 36559 | T9 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 10 |
| 36560 | T10 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 10 |
| 36561 | T15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 10 |
| 36562 | T20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 10 |



36598 MagicSpring Screw Holding TORX® Wing Handle Set, 7 Pc. in Metal Stand
Equipped with T6, T7, T8, T9, T10, T15, T20 .36 lbs.



Screw Holding TORX® Tools

Wiha TorqueControl Screwdrivers


Molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort

Precise repeatability!

All TorqueVario tools are tested and comply with:

- EN ISO 6798
- BS EN 26789
- ASME B107.14M

Each tool has unique serial number and certificate of calibration



TorqueVario models include torque setting adjustment tool

and Micro Bit holder

See 4mm Micro Bits on Page 28

Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Range | | | | |
|----------|----------------|-------------|-----------|------|------|
| | Inch lbs. | Increments | mm | lbs. | pkg. |
| 28501 | 15 - 80(in/oz) | 2.5 Inch oz | 122 - 127 | .22 | 1 |
| 28502 | 5 - 10 | .2 Inch lbs | 122 - 127 | .41 | 1 |
| 28504 | 7.5 - 20 | .5 Inch lbs | 126 - 131 | .50 | 1 |
| 28506 | 10 - 50 | 2 Inch lbs | 133 - 138 | .59 | 1 |
| 28508 | 20 - 70 | 2 Inch lbs | 137 - 142 | .74 | 1 |

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 28

* +/- 10% (This unit only)



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Newton Meter Scale | Increments | mm | lbs. | pkg. |
|----------|--------------------|------------|-----------|------|------|
| 28550 | 0.1 - 0.6Nm | .02 Nm | 122 - 127 | .35 | 1 |
| 28551 | 0.4 - 1.0Nm | .05 Nm | 122 - 127 | .35 | 1 |
| 28552 | 0.8 - 2.0Nm | .05 Nm | 126 - 131 | .45 | 1 |
| 28553 | 1.0 - 5.0Nm | .20 Nm | 133 - 138 | .55 | 1 |
| 28554 | 2.0 - 8.0Nm | .25 Nm | 137 - 142 | .70 | 1 |

* +/- 10% (This unit only)



285 TORX® Interchangeable Blades For TorqueFix & TorqueVario

TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28561 | T5 | 175 | 4.0 | .07 | 0.4 | 1 |
| 28562 | T6 | 175 | 4.0 | .07 | 0.6 | 1 |
| 28563 | T7 | 175 | 4.0 | .07 | 0.9 | 1 |
| 28564 | T8 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28565 | T9 | 175 | 4.0 | .07 | 2.5 | 1 |
| 28566 | T10 | 175 | 4.0 | .07 | 3.5 | 1 |
| 28567 | T15 | 175 | 4.0 | .07 | 5.5 | 1 |
| 28568 | T20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28569 | T25 | 175 | 4.0 | .07 | 8.0 | 1 |



285 TORXPlus® Blades For TorqueFix & TorqueVario

TORXPlus® tip blades on narrow 5/32 Hex shafts.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28571 | IP5 | 175 | 4.0 | .07 | 0.5 | 1 |
| 28572 | IP6 | 175 | 4.0 | .07 | 0.8 | 1 |
| 28573 | IP7 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28574 | IP8 | 175 | 4.0 | .07 | 2.0 | 1 |
| 28575 | IP9 | 175 | 4.0 | .07 | 3.0 | 1 |
| 28576 | IP10 | 175 | 4.0 | .07 | 4.5 | 1 |
| 28577 | IP15 | 175 | 4.0 | .07 | 6.6 | 1 |
| 28578 | IP20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28579 | IP25 | 175 | 4.0 | .07 | 8.0 | 1 |



285 MagicSpring TORX® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28512 | T6 | 175 | 4.0 | .07 | 0.6 | 1 |
| 28527 | T7 | 175 | 4.0 | .07 | 0.9 | 1 |
| 28528 | T8 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28529 | T9 | 175 | 4.0 | .07 | 2.5 | 1 |
| 28530 | T10 | 175 | 4.0 | .07 | 3.8 | 1 |
| 28531 | T15 | 175 | 4.0 | .07 | 5.5 | 1 |
| 28532 | T20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28533 | T25 | 175 | 4.0 | .07 | 8.0 | 1 |



Screw Holding



286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28611 | IP6 | 175 | 4.0 | .07 | 0.8 | 1 |
| 28612 | IP7 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28613 | IP8 | 175 | 4.0 | .07 | 2.0 | 1 |
| 28614 | IP9 | 175 | 4.0 | .07 | 3.0 | 1 |
| 28616 | IP10 | 175 | 4.0 | .07 | 4.5 | 1 |
| 28617 | IP15 | 175 | 4.0 | .07 | 6.6 | 1 |
| 28618 | IP20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28619 | IP25 | 175 | 4.0 | .07 | 8.0 | 1 |



Screw Holding

Wiha Easy Torque Handles



- Audible Click At Torque
- Replaceable Blades
- +/- 10% Repeatability
- Improve Productivity
- Reduces Waste
- Controls Costs
- Save Time!

292 Easy Torque Screwdriver Handle

Easy Torque value pre-set. Release accuracy +/- 10%. SoftFinish cushion grip handle for good power transfer.

| Item No. | Pre-Sets | Inch/lbs. | Nm | mm | Inch lbs. | lbs. | pkg. |
|----------|----------|-----------|-----|-----|-----------|------|------|
| 29205 | 4.4 | 0.5 | 137 | 5.4 | .20 | 1 | |
| 29206 | 5.3 | 0.6 | 137 | 5.4 | .20 | 1 | |
| 29209 | 8.0 | 0.9 | 137 | 5.4 | .20 | 1 | |
| 29211 | 9.7 | 1.1 | 137 | 5.4 | .20 | 1 | |
| 29212 | 10.6 | 1.2 | 137 | 5.4 | .20 | 1 | |
| 29214 | 12.4 | 1.4 | 137 | 5.4 | .20 | 1 | |
| 29220 | 17.7 | 2.0 | 137 | 5.4 | .20 | 1 | |
| 29225 | 22.1 | 2.5 | 137 | 5.4 | .20 | 1 | |
| 29230 | 26.6 | 3.0 | 137 | 5.4 | .20 | 1 | |
| 29238 | 33.6 | 3.8 | 137 | 5.4 | .20 | 1 | |
| 29241 | 35.4 | 4.0 | 137 | 5.4 | .20 | 1 | |
| 29245 | 39.8 | 4.5 | 137 | 5.4 | .20 | 1 | |
| 29251 | 44.2 | 5.0 | 137 | 5.4 | .20 | 1 | |

* No Calibration Certificates

ESD Safe Adjustable TorqueControl Tools

Handle sizes proportioned to optimize torque range



Includes Certificate

285 ESD Safe TorqueVario-S, With Window Scale

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.
Audible and perceptible click when torque setting has been attained.

| Item No. | Range | Inch lbs. | Increments | mm | lbs. | pkg. |
|----------|----------------|-----------|------------|-----------|------|------|
| 28522* | 15 - 80(in/oz) | 2.5 | Inch oz | 122 - 127 | .33 | 1 |
| 28524 | 5 - 10 | .2 | Inch lbs | 122 - 127 | .34 | 1 |
| 28526 | 7.5 - 20 | .5 | Inch lbs | 126 - 131 | .42 | 1 |

* +/- 10% (This unit only)



288 ESD Safe TORX® Interchangeable Blades For

TorqueVario-S TORX® tip blades on narrow 5/32" Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28825 | T5 | 175 | 4.0 | .07 | 0.4 | 1 |
| 28826 | T6 | 175 | 4.0 | .07 | 0.6 | 1 |
| 28827 | T7 | 175 | 4.0 | .07 | 0.9 | 1 |
| 28828 | T8 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28829 | T9 | 175 | 4.0 | .07 | 2.5 | 1 |
| 28830 | T10 | 175 | 4.0 | .07 | 3.8 | 1 |

Wiha Insulated TorqueControl Tools



1000V

Includes Certificate

287 Insulated TorqueVario-S, With Window Scale Insulation

up to 1000 Volt. EN ISO 6798, BS EN 26789, ASME B107.14M, VDE, ASTM F-1505-01 & NFPA70E, +/- 6% Accuracy. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. Includes SlimLine blade holder.

| Item No. | Range | Inch lbs. | Increments | mm | lbs. | pkg. |
|----------|----------|-----------|------------|-----------|------|------|
| 28724 | 7.5 - 20 | .5 | Inch lbs | 126 - 131 | .43 | 1 |
| 28726 | 10 - 50 | 2 | Inch lbs | 133 - 138 | .40 | 1 |
| 28727 | 20 - 70 | 2 | Inch lbs | 137 - 142 | .69 | 1 |

Each TorqueVario handle has unique serial number and certificate of calibration

287 Insulated TorqueVario-S Handle - In Newton Meter Scale

Includes SlimLine blade holder.

| Item No. | Range | Nm | mm | lbs. | pkg. |
|----------|-----------|-----|-----|------|------|
| 28734 | 0.6 - 2.0 | 131 | .45 | 1 | |
| 28736 | 1.0 - 5.0 | 138 | .45 | 1 | |
| 28737 | 2.0 - 8.0 | 142 | .72 | 1 | |

Each TorqueVario handle has unique serial number and certificate of calibration



283 Insulated TORX® SlimLine Blades

High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

| Item No. | Size | mm | Dia. | Length | Max Nm | Inch/ lbs. | lbs. | Pkg. |
|----------|------|----|------|--------|--------|------------|------|------|
| 28339 | T8 | 90 | 4.1 | 2.8" | 1.3 | 11.5 | .02 | 1 |
| 28340 | T10 | 90 | 4.1 | 2.8" | 3.8 | 33.7 | .02 | 1 |
| 28341 | T15 | 90 | 6.1 | 2.8" | 5.5 | 48.8 | .02 | 1 |
| 28342 | T20 | 90 | 6.1 | 2.8" | 5.5 | 48.8 | .02 | 1 |

TorqueControl Tools



With Certificate of Calibration

| | | |
|--|--|------|
| 28597 | Set 8 Pc. TorqueControl Set With TORX® Blades | |
| Certified to EN ISO 6798, BS EN 26789, ASME B107.14M | | lbs. |
| | TORX®: T7, T8, T9, T10, T15, T20 | 1.01 |
| 28597 | 28506 Handle Range 10 - 50 Inch lbs. | |



With Certificate of Calibration

| | | |
|--|--|------|
| 28598 | Set 8 Pc. TorqueControl Set With TORXPlus® Blades | |
| Certified to EN ISO 6798, BS EN 26789, ASME B107.14M | | lbs. |
| 28598 | TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20 | 1.00 |
| | 28506 Handle Range 10 - 50 Inch lbs. | |



With Certificate of Calibration

| | | |
|---|---|------|
| 28599 | 14 Pc. TorqueControl Set With TORX® & TORXPlus® Blades | |
| Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch. | | |
| Item No. | | lbs. |
| 28599 | TORX®: T7, T8, T9, T10, T15, T20 | 1.25 |
| | TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20 | |
| | 28506 - Handle Range 10 - 50 Inch lbs. | |

With Certificate of Calibration



Screw Holding



With Certificate of Calibration

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

| | | |
|--------------|--|------|
| 28690 | Set 8 Pc. TorqueControl Set With MagicSpring TORX® Screw Holding Blades | |
| 28690 | MagicSpring TORX®: T7, T8, T9, T10, T15, T20 | lbs. |
| | 28506 Handle Range 10 - 50 Inch lbs. | 1.00 |

T-handle TorqueControl Tools



Includes Calibration Certificate

Ergonomic multi-component handle, light and compact.

| | | | | | | |
|---|---|------------------|----------|------|------|--|
| 289 | TorqueFix T-handle | | | | | |
| EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy. | | | | | | |
| Item No. | Torque In-lbs. | Torque Nm | | | | |
| | | | mm x mm | lbs. | pkg. | |
| 28931 | 53.1 | 6 | 56 x 120 | .81 | 1 | |
| 28933 | 70.8 | 8 | 56 x 120 | .82 | 1 | |
| 28935 | 88.5 | 10 | 56 x 120 | .79 | 1 | |
| 28937 | 106.2 | 12 | 56 x 120 | .79 | 1 | |
| 28938 | 110.6 | 12.5 | 56 x 120 | .80 | 1 | |
| 28939 | 123.9 | 14 | 56 x 120 | .80 | 1 | |
| 28940 | Adjustable TorqueVario STplus T-handle | | | | | |
| Item No. | Torque In-lbs. | Torque Nm | | | | |
| | | | mm x mm | lbs. | pkg. | |
| 28940 | 44.3-123.9 | 5-14 | 56 x 120 | .81 | 1 | |

* (1 Nm 8.8507)



| | | | | | | |
|--|--|-----|------|-----|------|------|
| 289 | TORX® Interchangeable Blades For TorqueFix T-Handle | | | | | |
| TORX® tip blades on 6mm Hex shafts. | | | | | | |
| Item No. | | | | | | |
| | Size | mm | Inch | mm | lbs. | pkg. |
| 28903 | T15 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28904 | T20 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28905 | T25 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28906 | T27 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28907 | T30 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28908 | T40 | 130 | 5.1 | 6.0 | .07 | 1 |



| | | | | | | |
|--|--|-----|------|-----|------|------|
| 289 | TORXPlus® Interchangeable Blades For TorqueFix TORXPlus® T-Handle | | | | | |
| TORXPlus® tip blades on 6mm Hex shafts. | | | | | | |
| Item No. | | | | | | |
| | Size | mm | Inch | mm | lbs. | pkg. |
| 28910 | IP15 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28911 | IP20 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28912 | IP25 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28913 | IP27 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28914 | IP30 | 130 | 5.1 | 6.0 | .07 | 1 |
| 28915 | IP40 | 130 | 5.1 | 6.0 | .07 | 1 |

Precision ESD Safe TORX® Drivers



278 TORX® Screwdriver, With Precision ESD Safe Dissipative

Handle Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

| Item | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|-------|------|----|------|-----|------|------|------|
| 27801 | T1 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27802 | T2 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27803 | T3 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27804 | T4 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27805 | T5 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27811 | T6 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27817 | T7 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27823 | T8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27829 | T9 | 50 | 2.0 | 145 | 5.7 | .04 | 10 |
| 27835 | T10 | 50 | 2.0 | 145 | 5.7 | .04 | 10 |
| 27841 | T15 | 60 | 2.4 | 170 | 6.7 | .07 | 10 |
| 27847 | T20 | 60 | 2.4 | 170 | 6.7 | .07 | 10 |

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1



27890 Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle

Handle Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

| Item | Size | mm | Size | mm | lbs. | | |
|-------|-------|----|------|-------|------|----|-----|
| 27890 | 27804 | T4 | 40 | 27823 | T8 | 40 | .31 |
| | 27805 | T5 | 40 | 27829 | T9 | 50 | |
| | 27811 | T6 | 40 | 27835 | T10 | 50 | |
| | 27817 | T7 | 40 | | | | |



ESD standard IEC 61340-5-1



27899 Set 8 Pcs. TORX® Precision ESD Safe Dissipative

Handle Set In Pouch Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

| Item | Size | mm | Size | mm | lbs. | | |
|-------|-------|----|------|-------|-------------|----|-----|
| 27899 | 27801 | T1 | 40 | 27805 | T5 | 40 | .30 |
| | 27802 | T2 | 40 | 27806 | T6 | 40 | |
| | 27803 | T3 | 40 | 27807 | T7 | 40 | |
| | 27804 | T4 | 40 | 27920 | Chip Lifter | | |

Precision ESD Safe TORXPlus® Drivers



D



278 TORXPlus® Driver, With Precision ESD Safe Dissipative

Handle Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

| Item | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|-------|------|----|------|-----|------|------|------|
| 27850 | IP4 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27851 | IP5 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27852 | IP6 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27853 | IP7 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27854 | IP8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 27855 | IP9 | 50 | 2.0 | 145 | 5.7 | .04 | 10 |
| 27856 | IP10 | 50 | 2.0 | 145 | 5.7 | .04 | 10 |
| 27857 | IP15 | 60 | 2.4 | 170 | 6.7 | .07 | 10 |

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1



27894 Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative

Handle Blade high alloy CVM steel, hardened, hard chromed.

| Item | Size | mm | Size | mm | lbs. | | |
|-------|-------|-----|------|-------|------|----|-----|
| 27894 | 27851 | IP5 | 40 | 27855 | IP9 | 50 | .32 |
| | 27852 | IP6 | 40 | 27856 | IP10 | 50 | |
| | 27853 | IP7 | 40 | 27857 | IP15 | 60 | |
| | 27854 | IP8 | 40 | | | | |

Wiha TORX® Precision Series



26799 Set 8 Pcs. TORX® Drivers In Canvas Pouch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In storage pouch

| Item | Size | mm | Size | mm | lbs. | | |
|-------|-------|----|------|-------|------|----|-----|
| 26799 | 26703 | T3 | 40 | 26707 | T7 | 40 | .50 |
| | 26704 | T4 | 40 | 26708 | T8 | 40 | |
| | 26705 | T5 | 40 | 26709 | T9 | 50 | |
| | 26706 | T6 | 40 | 26710 | T10 | 50 | |

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|-----|------|------|------|
| 26701 | T1 | 40 | 1.6 | 120 | 4.7 | .01 | 10 |
| 26702 | T2 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26703 | T3 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26704 | T4 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26705 | T5 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26706 | T6 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26707 | T7 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| 26708 | T8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| 26709 | T9 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26710 | T10 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| 26715 | T15 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| 26720 | T20 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26790 Set 6 Pcs. TORX® Driver

Blade high alloy CVM steel.

| Item No. | Size | mm | lbs. |
|----------|-------|--------|------|
| 26790 | 26706 | T6 40 | .25 |
| | 26707 | T7 40 | |
| | 26708 | T8 40 | |
| | 26709 | T9 50 | |
| | 26710 | T10 50 | |
| | 26715 | T15 60 | |



26791 Set 8 Pcs. TORX® Screwdriver Set

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



26792 Set 7 Pcs. TORX® Driver

Blade high alloy CVM steel.

| Item No. | Size | mm | lbs. |
|----------|-------|--------|------|
| 26792 | 26705 | T5 40 | .27 |
| | 26706 | T6 40 | |
| | 26707 | T7 40 | |
| | 26708 | T8 40 | |
| | 26709 | T9 50 | |
| | 26710 | T10 50 | |
| | 26715 | T15 60 | |

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish

Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

| Item No. | Size | mm | Inch | mm | Inch | pkg. |
|----------|------|----|------|-----|------|------|
| 26732 | T1 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26733 | T2 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26735 | T3 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26736 | T4 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26737 | T5 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26739 | T6 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26741 | T7 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26743 | T8 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26745 | T9 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26747 | T10 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26749 | T15 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26751 | T20 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26793 Set 8 Pcs. TORX® Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

| Item No. | Size | mm | lbs. |
|----------|-------|-------|------|
| 26793 | 26732 | T1 40 | .50 |
| | 26733 | T2 40 | |
| | 26735 | T3 40 | |
| | 26736 | T4 40 | |
| | 26737 | T5 40 | |
| | 26739 | T6 40 | |
| | 26741 | T7 40 | |
| | 26743 | T8 40 | |



26796 Set 8 Pcs. TORX® Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

| Item No. | Size | mm | lbs. |
|----------|-------|--------|------|
| 26796 | 26737 | T5 40 | .57 |
| | 26739 | T6 40 | |
| | 26741 | T7 40 | |
| | 26743 | T8 40 | |
| | 26745 | T9 50 | |
| | 26747 | T10 50 | |
| | 26749 | T15 60 | |
| | 26751 | T20 60 | |

Wiha SYSTEM 4 Handle, Bits & Sets

**SYSTEM 4
Handles &
Micro Bits**

Tips
Exact fit,
precision
machined

Rotating Cap
for precise
turning & control

Tapered Handle
allows rapid rotation,
requires less clearance.
Static Dissipative
10⁶ - 10⁹ ohms

Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension



High alloy CVM steel,
hardened, on 4 mm stock

757 SYSTEM 4 TORX® Micro Bits

| Item No. | Size | mm | Inch | lbs. |
|----------|------|----|------|------|
| 75703 | T3 | 28 | 1.1 | .01 |
| 75704 | T4 | 28 | 1.1 | .01 |
| 75705 | T5 | 28 | 1.1 | .01 |
| 75706 | T6 | 28 | 1.1 | .01 |
| 75707 | T7 | 28 | 1.1 | .01 |
| 75708 | T8 | 28 | 1.1 | .01 |
| 75709 | T9 | 28 | 1.1 | .01 |
| 75710 | T10 | 28 | 1.1 | .01 |
| 75715 | T15 | 28 | 1.1 | .01 |
| 75720 | T20 | 28 | 1.1 | .01 |



High alloy CVM steel,
hardened, on 4 mm stock

757 SYSTEM 4 Security TORX® Micro Bits

| Item No. | Size | mm | Inch | lbs. |
|----------|------|----|------|------|
| 75727 | T7s | 28 | 1.1 | .01 |
| 75728 | T8s | 28 | 1.1 | .01 |
| 75729 | T9s | 28 | 1.1 | .01 |
| 75735 | T10s | 28 | 1.1 | .01 |
| 75739 | T15s | 28 | 1.1 | .01 |
| 75742 | T20s | 28 | 1.1 | .01 |



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle with rotating control cap. For Wiha Micro Bits.

Advantages:

- For working in ESD sensitive applications
- Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL



| Item No. | mm | Inch | mm | Inch | lbs. |
|----------|-----|-------|------|------|------|
| 75801 | 4.0 | .1574 | 14.0 | .55 | .06 |

75792 SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box

Set includes your choice of Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item No. SYSTEM 4

No. TORX® Bit Sets

75792 Set with ESD Safe Precision Handle

Set includes the following bits:

TORX® Sizes:

T3, T4, T5, T6, T7, T8, T9, T10, T15

100mm Bit Extension

lbs. .64



11 Pc. Set



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75093 Set with Standard Precision Handle

Slotted: 1.5, 2.0, 2.5, 3.0mm

Phillips: 00, 0, 1

TORX®: T6, T7, T8, T9, T10, T15, T20

100mm Bit Extension

lbs. .17



75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle






75985 TORX®: T3, T4, T5, T6, T7, T8

lbs. .08

ESD Safe Precision Handles & Blades








28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. |
| 28000 | 4.0 | .1574 | 14.0 | .55 | .04 |






28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

- Use in ESD sensitive applications. Surface resistant 10^6 - 10^9 Ohms.
 - Collet lock allows for quick & easy adjustment.
 - Holds blade securely in place. Accepts all SYSTEM 4 blades.
- 110mm/4.3" OAL

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. |
| 28001 | 4.0 | .1574 | 14.0 | .55 | .04 |




269 SYSTEM 4 TORX Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | Size | lbs. |
| 26951 | T6 + T8 | | .03 |
| 26952 | T7 + T9 | | .03 |
| 26953 | T10 + T15 | | .03 |
| 26954 | T15 + T20 | | .03 |






269 SYSTEM 4 TORX Interchangeable Blade High alloy CVM steel, hardened, Wiha chrome-Top finish on tips. 120mm/4.7" OAL

| Item |  |  |
|-------|---|---|
| No. | Size | lbs. |
| 26955 | T3 | .03 |
| 26956 | T4 | .03 |
| 26957 | T5 | .03 |



28087 TORX Precision Interchangeable Blade Set, 8 Pcs. Wiha ESD Safe precision collet lock handle & 7 Wiha blades.



- 28087** Set includes the following blades:
-  **TORX** Sizes on standard blades: T3, T4, T5
 -  **TORX** Sizes on reversible blades: T6, T7, T8, T9, T10, T15, T20
-  lbs. .31



TORX ESD Safe SYSTEM 4 Blade Sets






26995 TORX Precision Interchangeable Blade Set, 5 Pcs. Wiha ESD Safe precision collet lock handle & 4 interchangeable blades.

- 26995** Set includes the following blades:
-  **TORX** Sizes: T6, T7, T8, T9, T10, T15, T20
-  lbs. .54



26987 TORX Precision Interchangeable Blade Set, 8 Pcs. Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.






- 26987** Set includes the following blades:
-  **TORX** Sizes-standard blades: T3, T4, T5
 -  **TORX** Sizes-reversible blades: T6, T7, T8, T9, T10, T15, T20
-  lbs. .53



ESD Safe SYS 4 Drive-Loc Handle & Blades






26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 110mm/4.3" OAL

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. |
| 26961 | 4.0 | .1574 | 23 | .91 | .08 |






269 SYSTEM 4 TORX Drive-Loc Reversible Blades

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | Size | lbs. |
| 26977 | T1 + T2 | | .03 |
| 26978 | T3 + T4 | | .03 |
| 26979 | T5 + T6 | | .03 |
| 26980 | T6 + T8 | | .03 |
| 26981 | T7 + T9 | | .03 |
| 26982 | T10 + T15 | | .03 |

Wiha CushionGrip Stubby Bit Holders








38045 TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.
Set includes the following 1/4" bits: 
 **TORX®** Sizes: T8, T10, T15, T20, T25, T30 lbs. .20



38047 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.
Set includes the following 1/4" bits: 
 Security **TORX®** Sizes: lbs.
T8s, T10s, T15s, T20s, T25s, T30s .20





28103 1/4" Magnetic Bit Holder With Wiha SoftFinish® Stubby Handle Works in confined spaces. Stainless steel with strong magnet.



| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | Inch | mm | Inch | lbs. | pkg. |
| 28103 | 1/4" | 57 | 2.2 | .11 | 1 |

Wiha Topra Ratchet Handle Sets





28295 TORX® Topra Ratchet Bit Set, 12 Pcs.
Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: 
 **TORX®** Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 lbs. .65



28297 Security TORX® Topra Ratchet Bit Set, 12 Pcs.
Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: 
 Security **TORX®** Sizes: lbs.
T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Wiha BitFlip Bit Set






38028 TORX® BitFlip Standard with Wiha cushion grip handle and insulated shaft.
Set includes the following 1/4" bits: 
 **TORX®** Sizes: T8, T10, T15, T20, T25, T27, T30, T40 lbs. .44

Wiha Multi-Bit Screwdriver Sets





38003 TORX® Multi-Bit Screwdriver with Wiha Powerhandle
Set includes the following 1/4" bits: 
 **TORX®** Sizes: lbs.
T5, T6, T7, T8, T9, T10 .36



38004 TORX® Multi-Bit Screwdriver with Wiha Powerhandle
Set includes the following 1/4" bits: 
 **TORX®** Sizes: lbs.
T8, T9, T10, T15, T20, T25 .36





38008 TORX® Multi-Bit Screwdriver with Wiha Powerhandle
Set includes the following 1/4" bits: 
 **TORX®** Sizes: lbs.
T10, T15, T20, T25, T30, T40 .36










38009 Security TORX® Screwdriver With Wiha Powerhandle
Set includes the following 1/4" bits: 
 Security **TORX®** Sizes: lbs.
T7s, T8s, T9s, T10s, T15s, T20s .36



38010 Security TORX® Screwdriver With Wiha Powerhandle
Set includes the following 1/4" bits: 
 Security **TORX®** Sizes: lbs.
T10s, T15s, T20s, T25s, T30s, T40s .36



38015 1/4" Magnetic Bit Holder, Cavity holds up to 6 bits.

| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 38015 | 1/4" | 120 | 4.7 | 230 | 9.0 | .25 | 1 |

Wiha Insert Bit Selectors



79242 Bit-Selector With TORX® Bits
 Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
 TORX® Sizes: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 .32

79245 Bit-Selector With TORX® Bits
 Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
 TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 .32



79247 Bit-Selector With Security TORX® Bits
 Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
 Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s .32

70190 Bit-Selector With Security TORX® Bits
 Set includes the following 7 bits: lbs.
 Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s .21




71690 Bit-Selector With TORXPlus® Bits
 Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
 TORXPlus® Sizes: IP7, IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40 .31

71692 Bit-Selector With TORXPlus® Bits
 Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
 TORXPlus® Sizes: IP3, IP4, IP5, IP6, IP7, IP8, IP9, IP10, IP15, IP20 .31

Wiha Power Bit Belt Packs




74985 Power Bit Belt Pack With TORX® Bits
 Set includes the following 10 bits: lbs.
 TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 .28



74981 Power Bit Belt Pack With TORX® Align Bits
 Set includes the following 10 bits: lbs.
 TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 .28



74987 Power Bit Belt Pack With Security TORX® Bits
 Set includes the following 10 bits: lbs.
 Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T27s, T25s, T30s, T40s .29



74982 Power Bit Belt Pack With TORXPlus® Bits
 Set includes the following 10 bits: lbs.
 TORXPlus® Sizes: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25, IP30 .28

Wiha XSelector Bit Sets



Easy bit access with hinged cover

Includes Clicfix quick release holder

| | | |
|--------------|---|------|
| 79445 | XSelector Bit Set With TORX® Bits | ↔ |
| | Set Includes Quick Release Holder | lbs. |
| | and the following 10 bits: | .29 |
| | TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | |



XSelector Pocket Sized
3 1/8" x 2 1/8" x 1/2"

| | | |
|--------------|--|------|
| 79447 | XSelector Bit Set With Security TORX® Bits | ↔ |
| | Set Includes Quick Release Holder | lbs. |
| | and the following 10 bits: | .27 |
| | Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s | |

Wiha Insert PokitPaks



| | | |
|--------------|--|------|
| 71195 | PokitPak - TORX® Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder | ↔ |
| | TORX®: | lbs. |
| | T8, T10, T15, T20, T25, T30 | .15 |



| | | |
|--------------|---|------|
| 79283 | PokitPak TORX® Align Coated Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits | ↔ |
| | TORX® Align: | lbs. |
| | T10, T15, T20, T25, T30, T40 | .12 |


Wiha 1/4" Bit Holders



Magnetic

384 **1/4" Magnetic Bit Holding Screwdrivers, With Wiha-SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

| Item | ↔ | ↕ | ↔ | ↔ | ↔ | ↔ |
|--------------|------|-----|------|-----|-------|-----------|
| No. | Size | mm | Inch | mm | Inch | lbs. pkg. |
| 38450 | 1/4" | 125 | 5.0 | 240 | 9.46 | .23 1 |
| 38460 | 1/4" | 300 | 11.8 | 400 | 15.69 | .37 1 |



Adjustable Blade Length
Magnetic Bit Holder

| 28489 | Drive-Loc VI Bit Holder | ↔ | |
|--------------|---|------------------|-----------|
| | High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips. | | |
| Item | ↔ | ↔ | ↔ |
| No. | Inch | Extends | lbs. pkg. |
| 28489 | 1/4" | 1-3/4" to 4-7/8" | .36 1 |



| 714 | ClicFix Bit Holder, Magnetic For Insert Bits. Quick release | ↔ | |
|--------------|--|------|---------|
| Item | ↕ | ↔ | ↔ |
| No. | Size | Size | mm Inch |
| 71490 | 1/4" | 1/4" | 60 2.4 |
| 71491 | 1/4" | 1/4" | 75 2.9 |




| 71480 | CentroFix Bit Holder For Power Bits | ↔ | |
|--------------|--|------|---------|
| | Quick release | | |
| Item | ↕ | ↔ | ↔ |
| No. | Size | Size | mm Inch |
| 71480 | 1/4" | 1/4" | 60 2.3 |



| 71470 | Auto Lock Magnetic Bit Holder, Spring Loaded Bit Ejection, 1/4" For Insert & Power Bits | ↔ | | |
|--------------|--|------|----|-----------|
| Item | ↕ | ↔ | ↔ | ↔ |
| No. | Size | Size | mm | Inch lbs. |
| 71470 | 1/4" | 1/4" | 60 | 2.4 .08 |

Wiha Terminator **TORX**® Impact Bits - Insert & Power

**Up To 30X
Performance Over
Standard
Screwdriver Bits**



Dual material impact absorbing torsion zone

Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required



Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters

1/4" Drive Insert & Power Bits



768 TORX® Terminator Impact Bits, 1/4" Insert - 2 bit pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76810 | T10 | 29 | 2 |
| 76811 | T15 | 29 | 2 |
| 76812 | T20 | 29 | 2 |
| 76813 | T25 | 29 | 2 |
| 76816 | T30 | 29 | 2 |
| 76817 | T40 | 29 | 2 |

768 TORX® Terminator Impact Bits, 1/4" Power - 2 bit pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76853 | T10 | 49 | 2 |
| 76854 | T15 | 49 | 2 |
| 76855 | T20 | 49 | 2 |
| 76856 | T25 | 49 | 2 |
| 76858 | T30 | 49 | 2 |
| 76859 | T40 | 49 | 2 |



10 pc. bit pack!



10 pc. bit pack!



765 TORX® Terminator Impact Bits, 1/4" Insert - 10 Pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76510 | T10 | 29 | 10 |
| 76511 | T15 | 29 | 10 |
| 76512 | T20 | 29 | 10 |
| 76513 | T25 | 29 | 10 |
| 76516 | T30 | 29 | 10 |
| 76517 | T40 | 29 | 10 |

765 TORX® Terminator Impact Bits, 1/4" Power - 10 Pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76553 | T10 | 49 | 10 |
| 76554 | T15 | 49 | 10 |
| 76555 | T20 | 49 | 10 |
| 76556 | T25 | 49 | 10 |
| 76558 | T30 | 49 | 10 |
| 76559 | T40 | 49 | 10 |



76895 7 Pc. Bit Buddy Set
With Terminator Impact Insert Bits - 29mm

76895 Set includes the following bits:
Torx®: T10, T15, T20, T25 (2), T30, T40

76896 7 Pc. Bit Buddy Set
With Terminator Impact Power Bits - 49mm

76896 Set includes the following bits:
Torx®: T10, T15, T20, T25 (2), T30, T40

Stainless Steel 1/4" Insert & Power Bits and 1/4" Bit Holder

Dura Torsion Insert Bits




71596 PokitPak -TORX® Dura Insert Bits
In Molded Case -

Set Includes 6 - 1/4" Insert Bits

| Item | Size | mm | lbs. |
|------------------------------|------|----|----------|
| T10, T15, T20, T25, T30, T40 | | | |
| | | | lbs. .36 |

Dura Torsion Insert Bits

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

715 TORX® Dura Bits, 1/4"

| Item | Size | mm | lbs. |
|-------|------|----|------|
| 71574 | T10 | 25 | .02 |
| 71576 | T15 | 25 | .02 |
| 71578 | T20 | 25 | .02 |
| 71580 | T25 | 25 | .02 |
| 71582 | T30 | 25 | .02 |
| 71584 | T40 | 25 | .03 |

704 Stainless Steel TORX® Power Bits
1/4" Hex Drive, Length 2.0"/50mm

| Item | Size | mm | pkg. |
|-------|------|----|------|
| 70411 | T15 | 50 | 10 |
| 70413 | T20 | 50 | 10 |
| 70414 | T25 | 50 | 10 |
| 70416 | T30 | 50 | 10 |
| 70417 | T40 | 50 | 10 |

71494 Stainless Steel Bit Holder, 1/4"
For Insert Bits Internal C-ring for bit holding & magnet.

| Item | Size | Size | mm | Inch | lbs. |
|-------|------|------|----|------|------|
| 71494 | 1/4" | 1/4" | 54 | 2.1" | .05 |

Diamond Torsion Insert Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect

The ideal bit even for the most difficult of applications

715 TORX® Diamond Bits, 1/4"

| Item | Size | mm | lbs. |
|-------|------|----|------|
| 71516 | T10 | 25 | .02 |
| 71517 | T15 | 25 | .02 |
| 71518 | T20 | 25 | .02 |
| 71519 | T25 | 25 | .02 |
| 71521 | T30 | 25 | .02 |
| 71522 | T40 | 25 | .03 |

715 Stainless Steel TORX® Bits, 1/4"

| Item | Size | mm | pkg. |
|-------|------|----|------|
| 71500 | T8 | 25 | 10 |
| 71501 | T9 | 25 | 10 |
| 71502 | T10 | 25 | 10 |
| 71503 | T15 | 25 | 10 |
| 71504 | T20 | 25 | 10 |
| 71511 | T25 | 25 | 10 |
| 71512 | T30 | 25 | 10 |
| 71513 | T40 | 25 | 10 |

Stainless Steel
High-quality, non-rusting stainless steel, completely vacuum-hardened.

TiN Coated Insert Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance

715 TORX® TiN Coated Insert Bits, 1/4"

| Item | Size | mm | lbs. |
|-------|------|----|------|
| 71585 | T5 | 25 | .02 |
| 71586 | T6 | 25 | .02 |
| 71587 | T7 | 25 | .02 |
| 71588 | T8 | 25 | .02 |
| 71562 | T9 | 25 | .02 |
| 71563 | T10 | 25 | .02 |
| 71564 | T15 | 25 | .02 |
| 71565 | T20 | 25 | .02 |
| 71566 | T25 | 25 | .02 |
| 71569 | T27 | 25 | .02 |
| 71567 | T30 | 25 | .02 |
| 71568 | T40 | 25 | .02 |

TiN - Titanium Nitride

TORX® Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine
Hardness HRC 59-61



715 TORX® Bits, 1/4"

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 71523 | T3 | 25 | 10 | .12 |
| | 71524 | T4 | 25 | 10 | .12 |
| | 71505 | T5 | 25 | 10 | .12 |
| | 71506 | T6 | 25 | 10 | .12 |
| | 71507 | T7 | 25 | 10 | .12 |
| | 71508 | T8 | 25 | 10 | .12 |
| | 71509 | T9 | 25 | 10 | .12 |
| | 71510 | T10 | 25 | 10 | .12 |
| | 71515 | T15 | 25 | 10 | .12 |
| | 71520 | T20 | 25 | 10 | .12 |
| | 71525 | T25 | 25 | 10 | .12 |
| | 71527 | T27 | 25 | 10 | .13 |
| | 71530 | T30 | 25 | 10 | .14 |
| | 71540 | T40 | 25 | 10 | .15 |

725 TORX® Bits, 1/4" Bulk Packs

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 72573 | T8 | 25 | 30 | .36 |
| | 72575 | T10 | 25 | 30 | .36 |
| | 72576 | T15 | 25 | 30 | .36 |
| | 72577 | T20 | 25 | 30 | .36 |
| | 72578 | T25 | 25 | 30 | .36 |
| | 72579 | T27 | 25 | 30 | .36 |
| | 72580 | T30 | 25 | 30 | .36 |
| | 72581 | T40 | 25 | 30 | .36 |



725 TORX® Bits, 5/16"

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 72525 | T25 | 35 | 10 | .27 |
| | 72527 | T27 | 35 | 10 | .27 |
| | 72530 | T30 | 35 | 10 | .27 |
| | 72540 | T40 | 35 | 10 | .28 |
| | 72545 | T45 | 35 | 10 | .31 |
| | 72550 | T50 | 35 | 10 | .32 |
| | 72555 | T55 | 35 | 10 | .52 |



2 bit pack

725 TORX® Insert Bit Packs, 5/16"

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 72531 | T30 | 35 | .28 |
| | 72541 | T40 | 35 | .28 |
| | 72546 | T45 | 35 | .31 |
| | 72551 | T50 | 35 | .32 |
| | 72556 | T55 | 35 | .52 |



745 TORX® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 74511 | T6 | 50 | 10 | .18 |
| | 74512 | T7 | 50 | 10 | .18 |
| | 74513 | T8 | 50 | 10 | .18 |
| | 74517 | T9 | 50 | 10 | .18 |
| | 74519 | T10 | 50 | 10 | .18 |
| | 74521 | T15 | 50 | 10 | .18 |
| | 74523 | T20 | 50 | 10 | .18 |
| | 74529 | T25 | 50 | 10 | .18 |
| | 74531 | T27 | 50 | 10 | .18 |
| | 74533 | T30 | 50 | 10 | .18 |
| | 74535 | T40 | 50 | 10 | .18 |



745 TORX® Power Bits

1/4" Hex Drive, Length 2.75"/70mm

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 74536 | T6 | 70 | 1 | .02 |
| | 74538 | T7 | 70 | 1 | .02 |
| | 74542 | T8 | 70 | 1 | .02 |
| | 74544 | T9 | 70 | 1 | .02 |
| | 74546 | T10 | 70 | 1 | .02 |
| | 74548 | T15 | 70 | 1 | .02 |
| | 74551 | T20 | 70 | 1 | .03 |
| | 74553 | T25 | 70 | 1 | .03 |
| | 74556 | T27 | 70 | 1 | .04 |
| | 74558 | T30 | 70 | 1 | .04 |
| | 74561 | T40 | 70 | 1 | .04 |



745 TORX® Power Bits

1/4" Hex Drive, Length 3.5"/90mm

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 74563 | T6 | 90 | 10 | .03 |
| | 74565 | T7 | 90 | 10 | .03 |
| | 74567 | T8 | 90 | 10 | .03 |
| | 74569 | T9 | 90 | 10 | .03 |
| | 74571 | T10 | 90 | 10 | .03 |
| | 74573 | T15 | 90 | 10 | .03 |
| | 74575 | T20 | 90 | 10 | .04 |
| | 74577 | T25 | 90 | 10 | .04 |
| | 74579 | T27 | 90 | 10 | .04 |
| | 74581 | T30 | 90 | 10 | .04 |
| | 74583 | T40 | 90 | 10 | .04 |



745 TORX® Power Bits

1/4" Hex Drive, Length 6.0"/150mm

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|-----|------|------|
| | 74586 | T10 | 150 | 10 | .04 |
| | 74587 | T15 | 150 | 10 | .04 |
| | 74588 | T20 | 150 | 10 | .04 |
| | 74589 | T25 | 150 | 10 | .04 |
| | 74590 | T27 | 150 | 10 | .04 |
| | 74591 | T30 | 150 | 10 | .04 |

Wiha TORX® Bit Packs



2 bit pack

715 TORX® Insert Bit Packs

1" CVM S2 modified tool steel.

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 71548 | T3 | 25 | .03 |
| | 71549 | T4 | 25 | .03 |
| | 71550 | T5 | 25 | .03 |
| | 71551 | T6 | 25 | .03 |
| | 71552 | T7 | 25 | .03 |
| | 71553 | T8 | 25 | .03 |
| | 71554 | T9 | 25 | .03 |
| | 71555 | T10 | 25 | .03 |
| | 71556 | T15 | 25 | .03 |
| | 71557 | T20 | 25 | .03 |
| | 71558 | T25 | 25 | .03 |
| | 71559 | T27 | 25 | .04 |
| | 71560 | T30 | 25 | .04 |
| | 71561 | T40 | 25 | .04 |

Wiha TORX® Bit Packs



71571 TORX® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71571 Set includes the following bits:

TORX® Sizes:

T15, T20, T25, T27,
wt. .08 T30, T40 x 1" (25mm)

71570 TORX® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

71570 Set includes the following bits:

TORX® Sizes:

T5, T6, T7, T8, T9,
wt. .07 T10 x 1" (25mm)



2 bit pack

745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 74501 | T6 | 50 | .05 |
| 74502 | T7 | 50 | .05 |
| 74503 | T8 | 50 | .05 |
| 74504 | T9 | 50 | .05 |
| 74506 | T10 | 50 | .05 |
| 74508 | T15 | 50 | .05 |
| 74510 | T20 | 50 | .05 |
| 74514 | T25 | 50 | .06 |
| 74515 | T27 | 50 | .06 |
| 74516 | T30 | 50 | .06 |
| 74518 | T40 | 50 | .06 |

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align Tapered For Snug Fit In Screw

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Made in Germany - Production Quality

Suitable for all applications for both manual and machine
Hardness HRC 59-61



715 TORX® Align Bits, 1/4"

| Item | | | |
|-------|------|----|-----------|
| No. | Size | mm | pkg. lbs. |
| 71536 | T6 | 25 | 10 .12 |
| 71537 | T7 | 25 | 10 .12 |
| 71538 | T8 | 25 | 10 .12 |
| 71539 | T9 | 25 | 10 .12 |
| 71541 | T10 | 25 | 10 .12 |
| 71542 | T15 | 25 | 10 .12 |
| 71543 | T20 | 25 | 10 .12 |
| 71544 | T25 | 25 | 10 .13 |
| 71545 | T27 | 25 | 10 .13 |
| 71546 | T30 | 25 | 10 .14 |
| 71547 | T40 | 25 | 10 .15 |

*Also Known As Torx Wedge Fit



747 TORX® Align Bits, 1/4" Hex Drive,

Length 2.0"/50mm

| Item | | | |
|-------|------|----|-----------|
| No. | Size | mm | pkg. lbs. |
| 74711 | T6 | 50 | 10 .18 |
| 74714 | T7 | 50 | 10 .18 |
| 74717 | T8 | 50 | 10 .18 |
| 74721 | T9 | 50 | 10 .18 |
| 74724 | T10 | 50 | 10 .18 |
| 74728 | T15 | 50 | 10 .20 |
| 74732 | T20 | 50 | 10 .22 |
| 74736 | T25 | 50 | 10 .22 |
| 74739 | T27 | 50 | 10 .22 |
| 74742 | T30 | 50 | 10 .22 |

*Also Known As Torx Wedge Fit



2 bit pack

733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 73310 | T6 | 25 | .03 |
| 73311 | T7 | 25 | .03 |
| 73312 | T8 | 25 | .03 |
| 73313 | T9 | 25 | .03 |
| 73314 | T10 | 25 | .03 |
| 73315 | T15 | 25 | .03 |
| 73316 | T20 | 25 | .03 |
| 73317 | T25 | 25 | .03 |
| 73318 | T27 | 25 | .03 |
| 73319 | T30 | 25 | .03 |
| 73320 | T40 | 25 | .04 |



2 bit pack

747 TORX® Align Power Bit Packs, 2"

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 74760 | T6 | 50 | .05 |
| 74761 | T7 | 50 | .05 |
| 74762 | T8 | 50 | .05 |
| 74763 | T9 | 50 | .05 |
| 74764 | T10 | 50 | .05 |
| 74765 | T15 | 50 | .05 |
| 74766 | T20 | 50 | .06 |
| 74767 | T25 | 50 | .06 |
| 74768 | T27 | 50 | .06 |
| 74769 | T30 | 50 | .06 |

Torx® Profiles



Torx®



Security Torx®



TorxPlus®



Security TorxPlus®



Ball End Torx®

Wiha Security TORX® Insert Bits and Power Bits

Security Torx®

Made in Germany -
Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine
Hardness HRC 59-61



2 bit pack



705 Security TORX® Power Bit Packs, 2"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70556 | T7s | 50 | .07 |
| 70557 | T8s | 50 | .07 |
| 70558 | T9s | 50 | .07 |
| 70559 | T10s | 50 | .07 |
| 70560 | T15s | 50 | .07 |
| 70561 | T20s | 50 | .07 |
| 70562 | T25s | 50 | .07 |
| 70563 | T27s | 50 | .07 |
| 70564 | T30s | 50 | .07 |
| 70565 | T40s | 50 | .07 |
| 70566 | T45s | 50 | .07 |
| 70567 | T50s | 50 | .07 |
| 70568 | T55s | 50 | .07 |



701 Security TORX® Bits, 1/4"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 70127 | T7s | 25 | 10 | .12 |
| 70128 | T8s | 25 | 10 | .12 |
| 70129 | T9s | 25 | 10 | .12 |
| 70135 | T10s | 25 | 10 | .12 |
| 70139 | T15s | 25 | 10 | .12 |
| 70142 | T20s | 25 | 10 | .12 |
| 70148 | T25s | 25 | 10 | .12 |
| 70160 | T27s | 25 | 10 | .13 |
| 70163 | T30s | 25 | 10 | .13 |
| 70168 | T40s | 25 | 10 | .14 |



2 bit pack

701 Security TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70150 | T7s | 25 | .03 |
| 70151 | T8s | 25 | .03 |
| 70152 | T9s | 25 | .03 |
| 70153 | T10s | 25 | .03 |
| 70154 | T15s | 25 | .03 |
| 70155 | T20s | 25 | .03 |
| 70156 | T25s | 25 | .03 |
| 70157 | T27s | 25 | .03 |
| 70158 | T30s | 25 | .03 |
| 70159 | T40s | 25 | .03 |



705 Security TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 70507 | T7s | 50 | 10 | .18 |
| 70508 | T8s | 50 | 10 | .18 |
| 70509 | T9s | 50 | 10 | .18 |
| 70510 | T10s | 50 | 10 | .19 |
| 70515 | T15s | 50 | 10 | .19 |
| 70520 | T20s | 50 | 10 | .21 |
| 70525 | T25s | 50 | 10 | .23 |
| 70527 | T27s | 50 | 10 | .23 |
| 70530 | T30s | 50 | 10 | .23 |
| 70540 | T40s | 50 | 10 | .23 |
| 70545 | T45s | 50 | 10 | .33 |
| 70550 | T50s | 50 | 10 | .37 |
| 70555 | T55s | 50 | 10 | .37 |



725 Security TORX® Bits, 5/16"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72542 | T40s | 35 | 10 | .28 |
| 72547 | T45s | 35 | 10 | .32 |
| 72552 | T50s | 35 | 10 | .34 |
| 72557 | T55s | 35 | 10 | .52 |



2 bit pack

725 Security TORX® Bits, 5/16" 2 Bit Pack

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72562 | T40s | 35 | .28 |
| 72563 | T45s | 35 | .29 |
| 72564 | T50s | 35 | .30 |
| 72567 | T55s | 35 | .32 |



716 Security TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

| Item No. | Size | mm | pkg. | lbs. |
|----------|-------|----|------|------|
| 71648 | IPR8 | 25 | 1 | .11 |
| 71650 | IPR10 | 25 | 1 | .11 |
| 71652 | IPR15 | 25 | 1 | .11 |
| 71654 | IPR20 | 25 | 1 | .12 |
| 71656 | IPR25 | 25 | 1 | .13 |
| 71657 | IPR27 | 25 | 1 | .13 |
| 71658 | IPR30 | 25 | 1 | .14 |
| 71660 | IPR40 | 35 | 1 | .14 |



XSelector
Pocket Sized
3 1/8" x 2 1/8" x 1/2"

79450 XSelector Bit Set With Security TORXPlus® Bits

Set Includes Quick Release Holder and the following 7 bits:
.18 Security TORXPlus® Sizes:
IPR8, IPR10, IPR15, IPR20, IPR25, IPR27, IPR30

Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made in Germany -
Production Quality

Highly resistant
to wear and
tear for a
long tool
life

Impact resistant modified
chrome-vanadium-molybdenum,
tool steel, hardened

Suitable for all applications
for both manual and machine
Hardness HRC 59-61



716 TORXPlus® Insert Bits, 1/4" Hex, 1"

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | Size | mm | pkg. | lbs. | |
| 71603 | IP3 | 25 | 10 | .12 | |
| 71604 | IP4 | 25 | 10 | .12 | |
| 71605 | IP5 | 25 | 10 | .12 | |
| 71606 | IP6 | 25 | 10 | .12 | |
| 71607 | IP7 | 25 | 10 | .12 | |
| 71608 | IP8 | 25 | 10 | .12 | |
| 71609 | IP9 | 25 | 10 | .12 | |
| 71610 | IP10 | 25 | 10 | .12 | |
| 71615 | IP15 | 25 | 10 | .12 | |
| 71620 | IP20 | 25 | 10 | .12 | |
| 71625 | IP25 | 25 | 10 | .12 | |
| 71627 | IP27 | 25 | 10 | .13 | |
| 71630 | IP30 | 25 | 10 | .13 | |
| 71640 | IP40 | 25 | 10 | .15 | |



2 bit
pack



716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item | | | | | |
|-------|------|----|------|--|--|
| No. | Size | mm | lbs. | | |
| 71631 | IP3 | 25 | .03 | | |
| 71632 | IP4 | 25 | .03 | | |
| 71633 | IP5 | 25 | .03 | | |
| 71634 | IP6 | 25 | .03 | | |
| 71635 | IP7 | 25 | .03 | | |
| 71636 | IP8 | 25 | .03 | | |
| 71637 | IP9 | 25 | .03 | | |
| 71638 | IP10 | 25 | .03 | | |
| 71639 | IP15 | 25 | .03 | | |
| 71641 | IP20 | 25 | .03 | | |
| 71642 | IP25 | 25 | .03 | | |
| 71643 | IP27 | 25 | .03 | | |
| 71644 | IP30 | 25 | .03 | | |
| 71645 | IP40 | 25 | .04 | | |



746 TORXPlus® Power Bits, 1/4" Hex, 2"

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | Size | mm | pkg. | lbs. | |
| 74601 | IP5 | 50 | 10 | .18 | |
| 74602 | IP6 | 50 | 10 | .18 | |
| 74603 | IP7 | 50 | 10 | .18 | |
| 74604 | IP8 | 50 | 10 | .18 | |
| 74608 | IP9 | 50 | 10 | .18 | |
| 74612 | IP10 | 50 | 10 | .20 | |
| 74616 | IP15 | 50 | 10 | .20 | |
| 74620 | IP20 | 50 | 10 | .20 | |
| 74624 | IP25 | 50 | 10 | .20 | |
| 74628 | IP27 | 50 | 10 | .25 | |
| 74632 | IP30 | 50 | 10 | .25 | |
| 74636 | IP40 | 50 | 10 | .25 | |



2 bit
pack



746 TORXPlus® Power Bit Packs, 2"

| Item | | | | | |
|-------|------|----|------|--|--|
| No. | Size | mm | lbs. | | |
| 74659 | IP5 | 50 | .05 | | |
| 74660 | IP6 | 50 | .05 | | |
| 74661 | IP7 | 50 | .05 | | |
| 74662 | IP8 | 50 | .05 | | |
| 74663 | IP9 | 50 | .05 | | |
| 74664 | IP10 | 50 | .05 | | |
| 74665 | IP15 | 50 | .05 | | |
| 74666 | IP20 | 50 | .05 | | |
| 74667 | IP25 | 50 | .05 | | |
| 74668 | IP27 | 50 | .05 | | |
| 74669 | IP30 | 50 | .05 | | |
| 74670 | IP40 | 50 | .05 | | |

Wiha Ball End TORX® Bits



See additional Ball End TORX
Tools on Page 17

**Wiha TORX® MagicSpring
Screw Holding Power Bits**

Screw Holding
TORX Bits



Stainless
rotary spring 2 bit pack

**745 TORX® MagicSpring Screw Holding
Power Bits, 1/4" Hex Drive, 2.0"/50mm OAL**

| Item | | | | | |
|-------|------|----|------|------|--|
| No. | Size | mm | pkg. | lbs. | |
| 74552 | T10 | 50 | 2 | .05 | |
| 74554 | T15 | 50 | 2 | .05 | |
| 74555 | T20 | 50 | 2 | .05 | |
| 74557 | T25 | 50 | 2 | .05 | |
| 74562 | T30 | 50 | 2 | .05 | |
| 74564 | T40 | 50 | 2 | .05 | |

Wiha Double End TORX® Bits



744 TORX® Double End Bits
1/4" Hex Drive, Length 2.56"/65mm

| Item | | | | | |
|-------|------|------|----|------|------|
| No. | Size | Size | mm | pkg. | lbs. |
| 74411 | T6 | T6 | 65 | 10 | .32 |
| 74413 | T7 | T7 | 65 | 10 | .32 |
| 74415 | T8 | T8 | 65 | 10 | .32 |
| 74417 | T9 | T9 | 65 | 10 | .32 |
| 74419 | T10 | T10 | 65 | 10 | .32 |
| 74421 | T15 | T15 | 65 | 10 | .32 |
| 74423 | T20 | T20 | 65 | 10 | .32 |
| 74429 | T25 | T25 | 65 | 10 | .33 |
| 74431 | T27 | T27 | 65 | 10 | .34 |
| 74433 | T30 | T30 | 65 | 10 | .35 |
| 74435 | T40 | T40 | 65 | 10 | .38 |

2 bit
pack



744 TORX® Double End Bits




1/4" Hex Drive, Length 2.56"/65mm

| Item | | | | | |
|-------|------|------|----|------|--|
| No. | Size | Size | mm | lbs. | |
| 74460 | T6 | T6 | 65 | .05 | |
| 74461 | T7 | T7 | 65 | .05 | |
| 74462 | T8 | T8 | 65 | .05 | |
| 74463 | T9 | T9 | 65 | .05 | |
| 74464 | T10 | T10 | 65 | .05 | |
| 74465 | T15 | T15 | 65 | .05 | |
| 74466 | T20 | T20 | 65 | .05 | |
| 74467 | T25 | T25 | 65 | .05 | |
| 74468 | T27 | T27 | 65 | .05 | |
| 74469 | T30 | T30 | 65 | .05 | |
| 74470 | T40 | T40 | 65 | .05 | |




Wiha Sockets






Set Screw Replaceable Bit

| 761 TORX® Sockets 1/4" Square Drive | | | | |
|-------------------------------------|---|---|---|--|
| Item |  |  |  | |
| No. | Size | mm | lbs. | |
| 76106 | T6 | 38 | .04 | |
| 76107 | T7 | 38 | .04 | |
| 76109 | T8 | 38 | .04 | |
| 76111 | T9 | 38 | .04 | |
| 76113 | T10 | 38 | .04 | |
| 76117 | T15 | 38 | .04 | |
| 76119 | T20 | 38 | .04 | |
| 76121 | T25 | 38 | .04 | |
| 76123 | T27 | 38 | .04 | |
| 76129 | T30 | 38 | .05 | |
| 76131 | T40 | 38 | .05 | |






| 763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits | | | | |
|---|---|---|---|--|
| Item |  |  |  | |
| No. | Size | mm | lbs. | |
| 76312 | T9 | 42 | .09 | |
| 76314 | T10 | 42 | .09 | |
| 76316 | T15 | 42 | .09 | |
| 76318 | T20 | 42 | .09 | |
| 76322 | T25 | 42 | .09 | |
| 76324 | T27 | 42 | .09 | |
| 76326 | T30 | 42 | .09 | |
| 76328 | T40 | 42 | .09 | |






| 763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 5/16" Bit. 2" OAL | | | | |
|---|---|---|---|--|
| Item |  |  |  | |
| No. | Size | mm | lbs. | |
| 76346 | T40 | 51 | .11 | |
| 76348 | T45 | 51 | .11 | |
| 76352 | T50 | 51 | .11 | |
| 76354 | T55 | 51 | .13 | |





| 716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits | | | | |
|---|---|---|---|--|
| Item |  |  |  | |
| No. | Size | mm | lbs. | |
| 71661 | IP6 | 38 | .04 | |
| 71662 | IP7 | 38 | .04 | |
| 71663 | IP8 | 38 | .04 | |
| 71664 | IP9 | 38 | .04 | |
| 71665 | IP10 | 38 | .04 | |
| 71666 | IP15 | 38 | .04 | |
| 71667 | IP20 | 38 | .04 | |
| 71668 | IP25 | 38 | .04 | |
| 71669 | IP27 | 38 | .04 | |
| 71670 | IP30 | 38 | .04 | |
| 71671 | IP40 | 38 | .04 | |



| 716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits | | | | |
|---|---|---|---|--|
| Item |  |  |  | |
| No. | Size | mm | lbs. | |
| 71673 | IP9 | 42 | .09 | |
| 71674 | IP10 | 42 | .09 | |
| 71675 | IP15 | 42 | .09 | |
| 71676 | IP20 | 42 | .09 | |
| 71677 | IP25 | 42 | .09 | |
| 71678 | IP27 | 42 | .09 | |
| 71680 | IP30 | 42 | .09 | |
| 71681 | IP40 | 42 | .09 | |






Set Screw Replaceable Bit

| 763 Security TORX® Sockets 1/4" Square drive, 1/4" bits | | | | |
|---|---|---|--|--|
| Item |  |  | | |
| No. | Size | mm | | |
| 76329 | T7s | 38 | | |
| 76330 | T8s | 38 | | |
| 76331 | T9s | 38 | | |
| 76332 | T10s | 38 | | |
| 76333 | T15s | 38 | | |
| 76334 | T20s | 38 | | |
| 76335 | T25s | 38 | | |
| 76335 | T27s | 38 | | |
| 76337 | T30s | 38 | | |
| 76338 | T40s | 38 | | |





Set Screw Replaceable Bit

| 701 Security TORX® Sockets 3/8" Square drive, 1/4" bits. 2" OAL | | | | |
|---|---|---|---|--|
| Item |  |  |  | |
| No. | Size | mm | lbs. | |
| 70107 | T7s | 42 | .09 | |
| 70108 | T8s | 42 | .09 | |
| 70109 | T9s | 42 | .09 | |
| 70110 | T10s | 42 | .09 | |
| 70113 | T15s | 42 | .09 | |
| 70115 | T20s | 42 | .09 | |
| 70117 | T25s | 42 | .09 | |
| 70119 | T27s | 42 | .09 | |
| 70121 | T30s | 42 | .09 | |
| 70123 | T40s | 42 | .09 | |






Set Screw Replaceable Bit

| 763 Security TORX® Sockets 3/8" Square drive, 5/16" bits | | | | |
|--|--|--|--|--|
| Item |  |  | | |
| No. | Size | mm | | |
| 76339 | T40s | 51 | | |
| 76340 | T45s | 51 | | |
| 76341 | T50s | 51 | | |
| 76342 | T55s | 51 | | |

1/2" Square Drive Sockets






Set Screw Replaceable Bit

| 764 TORX® Sockets 1/2" Square Drive | | | | | |
|-------------------------------------|---|---|---|------|--|
| Item |  |  |  | | |
| No. | Size | mm | lbs. | pkg. | |
| 76403 | T30 | 59 | .10 | 1 | |
| 76404 | T40 | 59 | .10 | 1 | |
| 76405 | T45 | 59 | .10 | 1 | |
| 76406 | T50 | 59 | .10 | 1 | |
| 76407 | T55 | 59 | .11 | 1 | |






Set Screw Replaceable Bit

| 764 Security TORX® Sockets 1/2" Square Drive | | | | | |
|--|---|---|---|------|--|
| Item |  |  |  | | |
| No. | Size | mm | lbs. | pkg. | |
| 76411 | T40s | 59 | .11 | 1 | |
| 76412 | T45s | 59 | .11 | 1 | |
| 76413 | T50s | 59 | .11 | 1 | |
| 76414 | T55s | 59 | .12 | 1 | |



Wiha Long Blade Sockets



771 TORX® Sockets 1/4" Drive 6" Long Bit Socket.




| Item |  |  |  |
|-------|---|---|---|
| No. | Size | Inch | lbs. |
| 77151 | T8 | 6 | .12 |
| 77153 | T9 | 6 | .12 |
| 77152 | T10 | 6 | .12 |
| 77154 | T15 | 6 | .12 |
| 77156 | T20 | 6 | .12 |
| 77158 | T25 | 6 | .12 |
| 77160 | T27 | 6 | .12 |
| 77162 | T30 | 6 | .12 |
| 77164 | T40 | 6 | .12 |

77193 7 Pc. TORX® Socket Blade Set



TORX®: T10, T15, T20, T25, T27, T30, T40   wt. .69



771 TORX® Sockets 3/8" Drive 6" Long Bit Socket.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | Inch | lbs. |
| 77101 | T8 | 6 | .12 |
| 77103 | T9 | 6 | .12 |
| 77105 | T10 | 6 | .12 |
| 77107 | T15 | 6 | .12 |
| 77109 | T20 | 6 | .12 |
| 77111 | T25 | 6 | .12 |
| 77113 | T27 | 6 | .12 |
| 77115 | T30 | 6 | .12 |
| 77117 | T40 | 6 | .12 |




77195 9 Pc. TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40   wt. 93




Wiha External Sockets



773 TORX® External Sockets 1/4" Square drive socket.




| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 77304 | E4 | 25 | .03 |
| 77305 | E5 | 25 | .03 |
| 77306 | E6 | 25 | .03 |
| 77307 | E7 | 25 | .04 |
| 77308 | E8 | 25 | .04 |
| 77310 | E10 | 25 | .04 |

773 TORX® External Sockets 3/8" Square drive socket.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 77331 | E8 | 28 | .07 |
| 77333 | E10 | 28 | .07 |
| 77335 | E12 | 28 | .07 |
| 77337 | E14 | 28 | .08 |





773 TORX® External Sockets 1/2" Square drive socket.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 77341 | E12 | 37 | .12 |
| 77343 | E14 | 37 | .12 |
| 77345 | E16 | 37 | .14 |
| 77347 | E18 | 37 | .14 |
| 77349 | E20 | 37 | .15 |
| 77353 | E24 | 40 | .26 |



77390 22 pc. TORX® Set 1/4" Drive Socket



Ratchet 5.5", extension 2" & 4", swivel and hand driver in steel box. Hard chromed and polished.

| Item No. |  |  |
|----------|---|---|
| 77390 | lbs. | Set includes the following: |
| 2.14 | E4, E5, E6, E7, E8, E10, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | |


Wiha E-TORX® Socket Set On Molded Rails




77391 8 pc. E-TORX® Socket Set


| Item No. |  |  |
|----------|---|---|
| 77391 | lbs. | Set includes the following: |
| .62 | 1/4" drive: E6, E7, E8, E10 | |
| | 3/8" drive: E12, E14 | |
| | 1/2" drive: E16, E18 | |

Wiha Socket Sets On Molded Rails




76191 10 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"
Item No. 
76191 lbs. Set includes the following:
.48 T7, T8, T9, T10, T15,
T20, T25, T27, T30, T40




76194 6 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.
Item No. 
76194 lbs. Set includes the following:
.20 T10, T15, T20, T25, T27, T30





76395 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"
Item No. 
76395 lbs. Set includes the following:
.75 T9, T10, T15, T20, T25,
T27, T30, T40





76396 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"
Item No. 
76396 lbs. Set includes the following:
.84 1/4": T20, T25, T27, T30, T40
5/16": T45, T50, T55




70195 10 pc. Security TORX® Socket Set
1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.
Item No. 
70195 lbs. Set includes the following:
.48 T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s




76397 9 pc. Security TORX® Socket Set
3/8" Sq. Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.
Item No. 
76397 lbs. Set includes the following:
.85 1/4": T10s, T15s, T20s, T27s, T30s
3/8": T40s (1/4" bit)
3/8": T45s, T50s (5/16" bit)



76399 12 pc. Security TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.
Item No. 
76399 lbs. Set includes the following:
.77 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
5/16": T45s, T50s, T55s



71698 8 pc. TORXPlus® Socket Set On Rail
In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.
Item No. 
71698 lbs. Set includes the following:
.60 1/4": IP9, IP10, IP15, IP20
3/8": IP25, IP27, IP30, IP40

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | | |
|----------|------|----------|-------|----------|------|----------|------|----------|------|----------|------|-------|----|
| 10893 | 7 | 27856 | 26 | 28616 | 23 | 36202 | 21 | 36294 | 5 | 36497 | 12 | 37044 | 18 |
| 20756 | 15 | 27857 | 26 | 28617 | 23 | 36203 | 21 | 36296 | 19 | 36510 | 16 | 37046 | 18 |
| 20757 | 15 | 27890 | 26 | 28618 | 23 | 36204 | 6 | 36298 | 6 | 36512 | 16 | 37048 | 18 |
| 20758 | 15 | 27894 | 26 | 28619 | 23 | 36205 | 7 | 36299 | 19 | 36515 | 16 | 37050 | 18 |
| 20759 | 15 | 27899 | 26 | 28690 | 25 | 36206 | 6 | 36305 | 13 | 36520 | 16 | 37052 | 18 |
| 20760 | 15 | 28000 | 29 | 28724 | 24 | 36207 | 21 | 36306 | 13 | 36525 | 16 | 37054 | 18 |
| 20799 | 15 | 28001 | 29 | 28726 | 24 | 36208 | 6 | 36307 | 13 | 36530 | 16 | 37090 | 16 |
| 26701 | 27 | 28087 | 29 | 28727 | 24 | 36209 | 6 | 36308 | 13 | 36535 | 16 | 37091 | 16 |
| 26702 | 27 | 28103 | 33 | 28734 | 24 | 36210 | 7 | 36309 | 13 | 36540 | 18 | 37092 | 18 |
| 26703 | 27 | 28126 | 11 | 28736 | 24 | 36211 | 19 | 36310 | 13 | 36542 | 18 | 37106 | 22 |
| 26704 | 27 | 28127 | 11 | 28737 | 24 | 36212 | 7 | 36315 | 13 | 36544 | 18 | 37107 | 22 |
| 26705 | 27 | 28128 | 11 | 28825 | 24 | 36215 | 7 | 36320 | 13 | 36546 | 18 | 37108 | 22 |
| 26706 | 27 | 28129 | 11 | 28826 | 24 | 36216 | 17 | 36321 | 14 | 36548 | 18 | 37109 | 22 |
| 26707 | 27 | 28130 | 11 | 28827 | 24 | 36217 | 17 | 36323 | 14 | 36550 | 18 | 37110 | 22 |
| 26708 | 27 | 28132 | 11 | 28828 | 24 | 36218 | 6 | 36325 | 13 | 36552 | 18 | 37115 | 22 |
| 26709 | 27 | 28133 | 11 | 28829 | 24 | 36219 | 6 | 36326 | 14 | 36554 | 18 | 37120 | 22 |
| 26710 | 27 | 28134 | 11 | 28830 | 24 | 36220 | 7 | 36327 | 13 | 36556 | 22 | 37125 | 22 |
| 26715 | 27 | 28135 | 11 | 28903 | 25 | 36221 | 17 | 36328 | 14 | 36557 | 22 | 37127 | 22 |
| 26720 | 27 | 28136 | 11 | 28904 | 25 | 36222 | 17 | 36329 | 14 | 36558 | 22 | 37130 | 22 |
| 26721 | 21 | 28195 | 11 | 28905 | 25 | 36223 | 19 | 36330 | 13 | 36559 | 22 | 37140 | 22 |
| 26723 | 21 | 28197 | 11 | 28906 | 25 | 36224 | 6 | 36332 | 14 | 36560 | 22 | 37190 | 22 |
| 26725 | 21 | 28295 | 30 | 28907 | 25 | 36225 | 7 | 36335 | 14 | 36561 | 22 | 37192 | 22 |
| 26727 | 21 | 28297 | 32 | 28908 | 25 | 36226 | 17 | 36337 | 14 | 36562 | 22 | 37608 | 6 |
| 26729 | 21 | 28301 | 12 | 28910 | 25 | 36227 | 17 | 36339 | 14 | 36590 | 16 | 37609 | 6 |
| 26731 | 21 | 28339 | 12,24 | 28911 | 25 | 36228 | 19 | 36340 | 13 | 36591 | 16 | 37610 | 6 |
| 26732 | 27 | 28340 | 12,24 | 28912 | 25 | 36229 | 19 | 36342 | 14 | 36592 | 18 | 37615 | 6 |
| 26733 | 27 | 28341 | 12,24 | 28913 | 25 | 36230 | 7 | 36345 | 13 | 36598 | 22 | 37620 | 6 |
| 26735 | 27 | 28342 | 12,24 | 28914 | 25 | 36233 | 19 | 36346 | 14 | 36606 | 20 | 37625 | 6 |
| 26736 | 27 | 28486 | 11 | 28915 | 25 | 36234 | 21 | 36350 | 13 | 36607 | 20 | 37627 | 6 |
| 26737 | 27 | 28487 | 11 | 28931 | 25 | 36235 | 7 | 36352 | 14 | 36608 | 20 | 37630 | 6 |
| 26739 | 27 | 28488 | 11 | 28933 | 25 | 36236 | 17 | 36355 | 13 | 36609 | 20 | 37640 | 6 |
| 26741 | 27 | 28489 | 33 | 28935 | 25 | 36237 | 17 | 36357 | 14 | 36610 | 20 | 37690 | 6 |
| 26743 | 27 | 28501 | 23 | 28937 | 25 | 36238 | 19 | 36360 | 13 | 36615 | 20 | 38003 | 30 |
| 26745 | 27 | 28502 | 23 | 28938 | 25 | 36239 | 19 | 36390 | 13 | 36620 | 20 | 38004 | 30 |
| 26747 | 27 | 28504 | 23 | 28939 | 25 | 36240 | 7 | 36392 | 13 | 36625 | 20 | 38008 | 30 |
| 26749 | 27 | 28506 | 23 | 28940 | 25 | 36243 | 19 | 36393 | 14 | 36627 | 20 | 38009 | 32 |
| 26751 | 27 | 28508 | 23 | 29205 | 24 | 36244 | 21 | 36394 | 13 | 36630 | 20 | 38010 | 32 |
| 26790 | 27 | 28512 | 23 | 29206 | 24 | 36245 | 7 | 36395 | 15 | 36631 | 17 | 38015 | 33 |
| 26791 | 27 | 28522 | 24 | 29209 | 24 | 36248 | 19 | 36396 | 15 | 36632 | 17 | 38028 | 30 |
| 26792 | 27 | 28524 | 24 | 29211 | 24 | 36249 | 21 | 36397 | 15 | 36633 | 17 | 38045 | 30 |
| 26793 | 27 | 28526 | 24 | 29212 | 24 | 36250 | 7 | 36398 | 15 | 36634 | 17 | 38047 | 32 |
| 26796 | 27 | 28527 | 23 | 29214 | 24 | 36253 | 19 | 36399 | 13 | 36635 | 17 | 38450 | 33 |
| 26798 | 21 | 28528 | 23 | 29220 | 24 | 36254 | 21 | 36409 | 13 | 36636 | 17 | 38460 | 33 |
| 26799 | 26 | 28529 | 23 | 29225 | 24 | 36255 | 19 | 36410 | 13 | 36637 | 17 | 45504 | 10 |
| 26951 | 29 | 28530 | 23 | 29230 | 24 | 36256 | 21 | 36415 | 13 | 36638 | 17 | 45505 | 9 |
| 26952 | 29 | 28531 | 23 | 29238 | 24 | 36257 | 21 | 36417 | 13 | 36640 | 20 | 45506 | 9 |
| 26953 | 29 | 28532 | 23 | 29241 | 24 | 36258 | 21 | 36420 | 13 | 36645 | 14 | 45507 | 10 |
| 26954 | 29 | 28533 | 23 | 29245 | 24 | 36259 | 6 | 36422 | 13 | 36646 | 14 | 45508 | 10 |
| 26955 | 29 | 28550 | 23 | 29251 | 24 | 36260 | 6 | 36425 | 13 | 36647 | 14 | 45509 | 10 |
| 26956 | 29 | 28551 | 23 | 32505 | 7 | 36264 | 5 | 36427 | 13 | 36648 | 14 | 45510 | 10 |
| 26957 | 29 | 28552 | 23 | 32511 | 7 | 36266 | 5 | 36430 | 13 | 36649 | 14 | 45511 | 9 |
| 26961 | 29 | 28553 | 23 | 32516 | 7 | 36267 | 5 | 36432 | 13 | 36650 | 14 | 45515 | 10 |
| 26977 | 29 | 28554 | 23 | 32521 | 7 | 36268 | 5 | 36435 | 13 | 36651 | 14 | 45516 | 9 |
| 26978 | 29 | 28561 | 23 | 32526 | 7 | 36269 | 6 | 36437 | 13 | 36652 | 14 | 45520 | 10 |
| 26979 | 29 | 28562 | 23 | 32531 | 7 | 36270 | 5 | 36440 | 13 | 36653 | 14 | 45521 | 9 |
| 26980 | 29 | 28563 | 23 | 32536 | 7 | 36271 | 6 | 36442 | 13 | 36654 | 14 | 45522 | 9 |
| 26981 | 29 | 28564 | 23 | 32541 | 7 | 36272 | 5 | 36445 | 13 | 36655 | 14 | 45525 | 10 |
| 26982 | 29 | 28565 | 23 | 32546 | 7 | 36273 | 6 | 36450 | 13 | 36659 | 14 | 45526 | 9 |
| 26987 | 29 | 28566 | 23 | 32551 | 7 | 36274 | 5 | 36452 | 13 | 36660 | 14 | 45527 | 10 |
| 26995 | 29 | 28567 | 23 | 32556 | 7 | 36275 | 6 | 36461 | 19 | 36661 | 14 | 45530 | 10 |
| 27801 | 26 | 28568 | 23 | 32561 | 7 | 36276 | 5 | 36463 | 19 | 36689 | 14 | 45531 | 9 |
| 27802 | 26 | 28569 | 23 | 32590 | 7 | 36277 | 6 | 36466 | 19 | 36690 | 20 | 45536 | 9 |
| 27803 | 26 | 28571 | 23 | 32592 | 7 | 36278 | 5 | 36469 | 19 | 36691 | 20 | 45540 | 10 |
| 27804 | 26 | 28572 | 23 | 36106 | 20 | 36279 | 6 | 36472 | 19 | 36692 | 17 | 45541 | 9 |
| 27805 | 26 | 28573 | 23 | 36107 | 20 | 36280 | 5 | 36474 | 19 | 36694 | 14 | 45545 | 10 |
| 27811 | 26 | 28574 | 23 | 36108 | 20 | 36281 | 6 | 36476 | 19 | 36697 | 18 | 45546 | 9 |
| 27817 | 26 | 28575 | 23 | 36109 | 20 | 36282 | 5 | 36478 | 19 | 36698 | 14 | 45550 | 10 |
| 27823 | 26 | 28576 | 23 | 36110 | 20 | 36283 | 6 | 36480 | 12 | 36699 | 14 | 45551 | 9 |
| 27829 | 26 | 28577 | 23 | 36115 | 20 | 36284 | 5 | 36481 | 12 | 37013 | 16 | 45556 | 9 |
| 27835 | 26 | 28578 | 23 | 36120 | 20 | 36285 | 6 | 36482 | 12 | 37016 | 16 | 45561 | 9 |
| 27841 | 26 | 28579 | 23 | 36125 | 20 | 36286 | 5 | 36483 | 12 | 37019 | 16 | 45589 | 9 |
| 27847 | 26 | 28597 | 25 | 36127 | 20 | 36287 | 6 | 36484 | 12 | 37022 | 16 | 45591 | 9 |
| 27850 | 26 | 28598 | 25 | 36130 | 20 | 36288 | 5 | 36486 | 12 | 37026 | 16 | 45592 | 9 |
| 27851 | 26 | 28599 | 25 | 36140 | 20 | 36289 | 6 | 36487 | 12 | 37029 | 16 | 45593 | 10 |
| 27852 | 26 | 28611 | 23 | 36197 | 20 | 36290 | 21 | 36490 | 13 | 37032 | 16 | 45595 | 10 |
| 27853 | 26 | 28612 | 23 | 36199 | 20 | 36291 | 5 | 36492 | 13 | 37036 | 16 | 45597 | 10 |
| 27854 | 26 | 28613 | 23 | 36200 | 6 | 36292 | 7 | 36494 | 13 | 37040 | 18 | 45598 | 10 |
| 27855 | 26 | 28614 | 23 | 36201 | 5 | 36293 | 7 | 36496 | 19 | 37042 | 18 | 48400 | 9 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | | |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|-------|----|
| 52711 | 8 | 71475 | 33 | 71582 | 34 | 72555 | 35 | 74536 | 35 | 74762 | 36 | 76405 | 39 |
| 52713 | 8 | 71476 | 33 | 71584 | 34 | 72556 | 35 | 74537 | 17 | 74763 | 36 | 76406 | 39 |
| 52716 | 8 | 71477 | 33 | 71585 | 34 | 72557 | 37 | 74538 | 35 | 74764 | 36 | 76407 | 39 |
| 52719 | 8 | 71478 | 33 | 71586 | 34 | 72562 | 37 | 74539 | 17 | 74765 | 36 | 76411 | 39 |
| 52722 | 8 | 71479 | 33 | 71587 | 34 | 72563 | 37 | 74541 | 17 | 74766 | 36 | 76412 | 39 |
| 52726 | 8 | 71480 | 33 | 71588 | 34 | 72564 | 37 | 74542 | 35 | 74767 | 36 | 76413 | 39 |
| 52729 | 8 | 71490 | 33 | 71596 | 34 | 72567 | 37 | 74543 | 17 | 74768 | 36 | 76414 | 39 |
| 52732 | 8 | 71491 | 33 | 71603 | 38 | 72573 | 35 | 74544 | 35 | 74769 | 36 | 76510 | 33 |
| 52790 | 8 | 71492 | 33 | 71604 | 38 | 72575 | 35 | 74545 | 17 | 74950 | 37 | 76511 | 33 |
| 52791 | 8 | 71493 | 33 | 71605 | 38 | 72576 | 35 | 74546 | 35 | 74981 | 31 | 76512 | 33 |
| 70107 | 39 | 71494 | 34 | 71606 | 38 | 72577 | 35 | 74547 | 17 | 74982 | 31 | 76513 | 33 |
| 70108 | 39 | 71500 | 34 | 71607 | 38 | 72578 | 35 | 74548 | 35 | 74985 | 31 | 76516 | 33 |
| 70109 | 39 | 71501 | 34 | 71608 | 38 | 72579 | 35 | 74549 | 17 | 74987 | 32 | 76517 | 33 |
| 70110 | 39 | 71502 | 34 | 71609 | 38 | 72580 | 35 | 74550 | 17 | 75093 | 28 | 76553 | 33 |
| 70113 | 39 | 71503 | 34 | 71610 | 38 | 72581 | 35 | 74551 | 35 | 75703 | 28 | 76554 | 33 |
| 70115 | 39 | 71504 | 34 | 71615 | 38 | 73310 | 36 | 74552 | 38 | 75704 | 28 | 76555 | 33 |
| 70117 | 39 | 71505 | 35 | 71620 | 38 | 73311 | 36 | 74553 | 35 | 75705 | 28 | 76556 | 33 |
| 70119 | 39 | 71506 | 35 | 71625 | 38 | 73312 | 36 | 74554 | 38 | 75706 | 28 | 76558 | 33 |
| 70121 | 39 | 71507 | 35 | 71627 | 38 | 73313 | 36 | 74555 | 38 | 75707 | 28 | 76559 | 33 |
| 70123 | 39 | 71508 | 35 | 71630 | 38 | 73314 | 36 | 74556 | 35 | 75708 | 28 | 76810 | 33 |
| 70127 | 37 | 71509 | 35 | 71631 | 38 | 73315 | 36 | 74557 | 38 | 75709 | 28 | 76811 | 33 |
| 70128 | 37 | 71510 | 35 | 71632 | 38 | 73316 | 36 | 74558 | 35 | 75710 | 28 | 76812 | 33 |
| 70129 | 37 | 71511 | 34 | 71633 | 38 | 73317 | 36 | 74561 | 35 | 75715 | 28 | 76813 | 33 |
| 70135 | 37 | 71512 | 34 | 71634 | 38 | 73318 | 36 | 74562 | 38 | 75720 | 28 | 76816 | 33 |
| 70139 | 37 | 71513 | 34 | 71635 | 38 | 73319 | 36 | 74564 | 38 | 75727 | 28 | 76817 | 33 |
| 70142 | 37 | 71515 | 35 | 71636 | 38 | 73320 | 36 | 74563 | 35 | 75728 | 28 | 76853 | 33 |
| 70148 | 37 | 71516 | 34 | 71637 | 38 | 74411 | 38 | 74565 | 35 | 75729 | 28 | 76854 | 33 |
| 70150 | 37 | 71517 | 34 | 71638 | 38 | 74413 | 38 | 74567 | 35 | 75735 | 28 | 76855 | 33 |
| 70151 | 37 | 71518 | 34 | 71639 | 38 | 74415 | 38 | 74569 | 35 | 75739 | 28 | 76856 | 33 |
| 70152 | 37 | 71519 | 34 | 71640 | 38 | 74417 | 38 | 74571 | 35 | 75742 | 28 | 76858 | 33 |
| 70153 | 37 | 71520 | 35 | 71641 | 38 | 74419 | 38 | 74573 | 35 | 75792 | 28 | 76859 | 33 |
| 70154 | 37 | 71521 | 34 | 71642 | 38 | 74421 | 38 | 74575 | 35 | 75801 | 28 | 76895 | 33 |
| 70155 | 37 | 71522 | 34 | 71643 | 38 | 74423 | 38 | 74577 | 35 | 75985 | 28 | 76896 | 33 |
| 70156 | 37 | 71523 | 35 | 71644 | 38 | 74429 | 38 | 74579 | 35 | 76106 | 39 | 77101 | 40 |
| 70157 | 37 | 71524 | 35 | 71645 | 38 | 74431 | 38 | 74581 | 35 | 76107 | 39 | 77103 | 40 |
| 70158 | 37 | 71525 | 35 | 71648 | 37 | 74433 | 38 | 74583 | 35 | 76109 | 39 | 77105 | 40 |
| 70159 | 37 | 71527 | 35 | 71650 | 37 | 74435 | 38 | 74586 | 35 | 76111 | 39 | 77107 | 40 |
| 70160 | 37 | 71530 | 35 | 71652 | 37 | 74460 | 38 | 74587 | 35 | 76113 | 39 | 77109 | 40 |
| 70163 | 37 | 71536 | 36 | 71654 | 37 | 74461 | 38 | 74588 | 35 | 76117 | 39 | 77111 | 40 |
| 70168 | 37 | 71537 | 36 | 71656 | 37 | 74462 | 38 | 74589 | 35 | 76119 | 39 | 77113 | 40 |
| 70190 | 32 | 71538 | 36 | 71657 | 37 | 74463 | 38 | 74590 | 35 | 76121 | 39 | 77115 | 40 |
| 70195 | 41 | 71539 | 36 | 71658 | 37 | 74464 | 38 | 74591 | 35 | 76123 | 39 | 77117 | 40 |
| 70411 | 34 | 71540 | 35 | 71660 | 37 | 74465 | 38 | 74601 | 38 | 76129 | 39 | 77151 | 40 |
| 70413 | 34 | 71541 | 36 | 71661 | 39 | 74466 | 38 | 74602 | 38 | 76131 | 39 | 77152 | 40 |
| 70414 | 34 | 71542 | 36 | 71662 | 39 | 74467 | 38 | 74603 | 38 | 76191 | 41 | 77153 | 40 |
| 70416 | 34 | 71543 | 36 | 71663 | 39 | 74468 | 38 | 74604 | 38 | 76194 | 41 | 77154 | 40 |
| 70417 | 34 | 71544 | 36 | 71664 | 39 | 74469 | 38 | 74608 | 38 | 76312 | 39 | 77156 | 40 |
| 70507 | 37 | 71545 | 36 | 71665 | 39 | 74470 | 38 | 74612 | 38 | 76314 | 39 | 77158 | 40 |
| 70508 | 37 | 71546 | 36 | 71666 | 39 | 74501 | 36 | 74616 | 38 | 76316 | 39 | 77160 | 40 |
| 70509 | 37 | 71547 | 36 | 71667 | 39 | 74502 | 36 | 74620 | 38 | 76318 | 39 | 77162 | 40 |
| 70510 | 37 | 71548 | 35 | 71668 | 39 | 74503 | 36 | 74624 | 38 | 76322 | 39 | 77164 | 40 |
| 70515 | 37 | 71549 | 35 | 71669 | 39 | 74504 | 36 | 74628 | 38 | 76324 | 39 | 77193 | 40 |
| 70520 | 37 | 71550 | 35 | 71670 | 39 | 74505 | 17 | 74632 | 38 | 76326 | 39 | 77195 | 40 |
| 70525 | 37 | 71551 | 35 | 71671 | 39 | 74506 | 36 | 74636 | 38 | 76328 | 39 | 77304 | 40 |
| 70527 | 37 | 71552 | 35 | 71673 | 39 | 74508 | 36 | 74659 | 38 | 76329 | 39 | 77305 | 40 |
| 70530 | 37 | 71553 | 35 | 71674 | 39 | 74510 | 36 | 74660 | 38 | 76330 | 39 | 77306 | 40 |
| 70540 | 37 | 71554 | 35 | 71675 | 39 | 74511 | 35 | 74661 | 38 | 76331 | 39 | 77307 | 40 |
| 70545 | 37 | 71555 | 35 | 71676 | 39 | 74512 | 35 | 74662 | 38 | 76332 | 39 | 77308 | 40 |
| 70550 | 37 | 71556 | 35 | 71677 | 39 | 74513 | 35 | 74663 | 38 | 76333 | 39 | 77310 | 40 |
| 70555 | 37 | 71557 | 35 | 71678 | 39 | 74514 | 36 | 74664 | 38 | 76334 | 39 | 77331 | 40 |
| 70556 | 37 | 71558 | 35 | 71680 | 39 | 74515 | 36 | 74665 | 38 | 76335 | 39 | 77333 | 40 |
| 70557 | 37 | 71559 | 35 | 71681 | 39 | 74516 | 36 | 74666 | 38 | 76336 | 39 | 77335 | 40 |
| 70558 | 37 | 71560 | 35 | 71690 | 31 | 74517 | 35 | 74667 | 38 | 76337 | 39 | 77337 | 40 |
| 70559 | 37 | 71561 | 35 | 71692 | 31 | 74518 | 36 | 74668 | 38 | 76338 | 39 | 77341 | 40 |
| 70560 | 37 | 71562 | 34 | 71698 | 41 | 74519 | 35 | 74669 | 38 | 76339 | 39 | 77343 | 40 |
| 70561 | 37 | 71563 | 34 | 72525 | 35 | 74520 | 17 | 74670 | 38 | 76340 | 39 | 77345 | 40 |
| 70562 | 37 | 71564 | 34 | 72527 | 35 | 74521 | 35 | 74711 | 36 | 76341 | 39 | 77347 | 40 |
| 70563 | 37 | 71565 | 34 | 72530 | 35 | 74522 | 17 | 74714 | 36 | 76342 | 39 | 77349 | 40 |
| 70564 | 37 | 71566 | 34 | 72531 | 35 | 74523 | 35 | 74717 | 36 | 76346 | 39 | 77353 | 40 |
| 70565 | 37 | 71567 | 34 | 72540 | 35 | 74524 | 17 | 74721 | 36 | 76348 | 39 | 77390 | 40 |
| 70566 | 37 | 71568 | 34 | 72541 | 35 | 74526 | 17 | 74724 | 36 | 76352 | 39 | 77391 | 40 |
| 70567 | 37 | 71569 | 34 | 72542 | 37 | 74528 | 17 | 74728 | 36 | 76354 | 39 | 79242 | 31 |
| 70568 | 37 | 71570 | 36 | 72545 | 35 | 74529 | 35 | 74732 | 36 | 76395 | 41 | 79245 | 31 |
| 71130 | 33 | 71571 | 36 | 72546 | 35 | 74531 | 35 | 74736 | 36 | 76396 | 41 | 79247 | 32 |
| 71131 | 33 | 71574 | 34 | 72547 | 37 | 74532 | 17 | 74739 | 36 | 76397 | 41 | 79283 | 31 |
| 71195 | 30 | 71576 | 34 | 72550 | 35 | 74533 | 35 | 74742 | 36 | 76399 | 41 | 79445 | 31 |
| 71470 | 33 | 71578 | 34 | 72551 | 35 | 74534 | 17 | 74760 | 36 | 76403 | 39 | 79447 | 32 |
| 71474 | 33 | 71580 | 34 | 72552 | 37 | 74535 | 35 | 74761 | 36 | 76404 | 39 | 79450 | 37 |

(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com
 www.wihatools.com



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 866.494.0096 or 763.295.6591
 fax: 763.295.6598

To:

Catalog Item No. 99914 .wo
 version - 6/1/13

Subject to change
 without notice

©2013 Willi Hahn Corporation

®Torx is a registered trademark of
 Acument Intellectual Properties LLC.




99060.wo - Product Guide




99004.wo - Shop Tools Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog



99951.wo - Bits Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog