



Front View



Rear View



Features

- Intel® Pentium® N4200/ Celeron® N3350 Processor SoC/Atom® E3950
- Onboard LPDDR4 Memory, eMMC Storage
- Gigabit LAN x 2
- HDMI x 1, DP x 1
- USB 3.0 x 3, USB 3.0 OTG x 1
- 3G/ WiFi/ BT(Optional)




Specifications

System	
CPU	Intel® Pentium® N4200/ Celeron® N3350 Processor SoC/Atom® E3950
Memory	Onboard Single/ Dual Channel LPDDR4 memory, Max. 8GB
Graphics	Intel® Graphics, GEN 9
Storage	eMMC ver 5.0 x 1, Max. 128G
Ethernet	Realtek® 8111G x 2
WiFi/BT	—
Audio	HDMI x 1, DP x 1
USB	USB3.0 x 3
Expansion Slot	Minicard (MINI card with SIM) socket x 1
I/O Placements	
Power	DC-in Jack x 1, Power Button x 1
USB	USB3.0 x 2, USB3.0 OTG x 1/ USB3.0 x 1
Display Port	HDMI x 1, DP x 1
Ethernet	Realtek® 8111G x 2
COM	—
Environment	
Power	5V DC Only
Form Factor	3.74" x 3.74" x 1.97" (95mm x 95mm x 50mm)
Gross Weight	—
Operating Temperature	32°F ~ 113°F (0°C ~ 45°C)
Operating Humidity	0% ~ 90% relative humidity non-condensing
Certification	CE, FCC Class A, UL
OS Support	Windows® 10, Linux, Android 7.0, Windows® 10 IoT core

Dimension

Unit: mm



Ordering Information

Product SKU	Description
UPS-GWS01C2F-A20-0232	UPS-GWS01, CPU N3350(F1), w/2G memory, 32G eMMC board w/o VESA plate
UPS-GWS01C2F-A20-1232	UPS-GWS01, CPU N3350(F1), w/2G memory, 32G eMMC board w/ VESA plate
UPS-GWS01C2F-A20-0432	UPS-GWS01, CPU N3350(F1), w/4G memory, 32G eMMC board w/o VESA plate
UPS-GWS01C2F-A20-1432	UPS-GWS01, CPU N3350(F1), w/4G memory, 32G eMMC board w/ VESA plate
UPS-GWS01P4F-A20-0432	UPS-GWS01, CPU N4200(F1), w/4G memory, 32G eMMC board w/o VESA plate
UPS-GWS01P4F-A20-1432	UPS-GWS01, CPU N4200(F1), w/4G memory, 32G eMMC board w/ VESA plate
UPS-GWS01P4F-A20-0864	UPS-GWS01, CPU N4200(F1), w/8G memory, 64G eMMC board w/o VESA plate
UPS-GWS01P4F-A20-1864	UPS-GWS01, CPU N4200(F1), w/8G memory, 64G eMMC board w/ VESA plate
UPS-GWS01X7F-A20-0432	UPS-GWS01, CPU E3950(F1), w/4G memory, 32G eMMC board w/o VESA plate
UPS-GWS01X7F-A20-0864	UPS-GWS01, CPU E3950(F1), w/8G memory, 64G eMMC board w/o VESA plate
UPS-GWS01X7F-0464-AI	UPS-GWS01, CPU E3950(F1), 4GB memory, 64GB eMMC, AI core X w/o OS

Packing List

- UPS-GWS01

Optional Accessories

- **1702020910**
Power cord for EU
- **1702020911**
Power cord for US
- **1255300362**
30W, 5VDC/6A power adapter
- **PER-TAICX-A10-003**
AI Core X mPCIe card with single Myriad X . w/o heat sink

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Gateways category](#):

Click to view products by [Aaeon manufacturer](#):

Other Similar products are found below :

[BB-SG30000324-51](#) [MTCDTIP-LEU1-275L-868](#) [MTCDT-LEU1-246A-868-EU-GB](#) [WOP-2000G-N2AE](#) [ESRP-PCS-ECU1251](#) [BB-SG30300525-42](#) [BB-SG30500520-42](#) [SGX5150202US](#) [SGX5150102US](#) [RG191](#) [UPS-EDGE-X70864-U01](#) [UPS-EDIOT-X70864-UW01](#) [ADAM-4572-CE](#) [ADAM-6717-A](#) [ECU-1152-R11ABE](#) [EKI-1222-CE](#) [EKI-1224CI-CE](#) [ICR-3201](#) [ICR-3201-W](#) [ICR-3211B](#) [UNO-220-P4N1AE](#) [UNO-2271G-W1032GE](#) [WISE-3310-D100L1E](#) [WISE-3610ILS-51A1N](#) [WISE-6610-E100-A](#) [WISE-6610-N100-A](#) [AKX00016](#) [MESR901](#) [MESR902T](#) [X2-HMU-EM-B](#) [X4-Z1U-B101-A](#) [SGX5150020US](#) [SGX51501M2ES](#) [SGX51502N5ES](#) [XPC240200B-02](#) [XPC240400B-02](#) [XPC240100S-02](#) [XPC240200S-02](#) [XPC240300S-02](#) [XPC240400S-02](#) [XPC250100S-02](#) [XPE200100S](#) [WSDA-2000](#) [WSDA-200-USB](#) [1120780001](#) [1120780002](#) [MTCDT-246A-868-EU-GB](#) [MTCDT-247A-868-EU-GB](#) [MTCDT-L4N1-247A-915-US](#) [1031235](#)