



|  | Part Number | Thermal Resistance °C/W at 96in length | Width in | Height in | Surface Area in ² in | Weight lb/ft | Part Class |
|--|-------------|--|----------|-----------|---------------------------------|--------------|------------|
| | 60520 | 0.16 | 9.88 | 1.31 | 77.7 | 6.10 | A |




Thermal Curves
 based on 96.000 in length


New Length in mm

Natural Convection

Heat Sink Temperature Rise Above Ambient




Heat Sink Thermal Resistance




Forced Convection

Heat Sink Temperature Rise Above Ambient (250W Dissipated)



Heat Sink Thermal Resistance



Building a Part Number

Full Bar Length = 8.00ft

| Base Part # | Bar Length | Finish | Length (use zeros for full or half bars) |
|-------------|------------|--|--|
| 60520 | 1 Full | F Unfinished | 0 0 0 0 |
| | 2 Half | F Unfinished | 0 0 0 0 |
| | 3 Custom | B Black Anodized C Gold Chromate U Unfinished* V AavSHIELD ³ | <i>indicate length in inches to three decimal places; 1 5 2 5 0 = 15.250 "</i> |

60520 _ _ _ _ _ _ _

*For unfinished extrusions with cut lengths other than half bar, the finish designation is a U.

Standard Aavid Thermalloy parts require all 12 positions to be complete.

Non-Standard Extrusions

Aavid Thermalloy has over 10,000 extrusion profile designs on file, most with the extrusion die already available. These parts have minimum order requirements and longer lead times, but may be cost effective compared to a new design.

Customizing & Advanced Capabilities

We offer several options for those applications which require a more unique solution. Challenge us with your thermal requirements - we can design custom solutions.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heat Sinks](#) category:

Click to view products by [Aavid](#) manufacturer:

Other Similar products are found below :

[581102B00000G](#) [656-15ABPE](#) [657-20ABPNE](#) [7020B-TC12-MTG](#) [73452PPBA](#) [7G0011A](#) [PF720G](#) [A22-4026](#) [HAH10L](#) [1542616-1](#) [HS-2506-F1](#) [HS-87M0-F2](#) [218-40CTE3](#) [231-69PAB-15V](#) [25-7520](#) [SW50-4G](#) [231-75PAB-13V](#) [231-75PAB-15V](#) [253-122ABE-22](#) [PSC22CB](#) [CLP212SG](#) [CLP-7701G](#) [HAA083](#) [HAF10L](#) [HAQ10T](#) [D10100-28](#) [TO5-002D](#) [BDN183CBA01](#) [3-21053-4](#) [32438](#) [TX0506-1B](#) [TX1806B](#) [LAE66A3CB](#) [WA-DT2-101E](#) [511-3U](#) [73381PPBA](#) [73403PPBA](#) [7G0047C](#) [COMX-440-HSP](#) [510-12M](#) [D10650-40T5](#) [V8511 Y](#) [APF40-40-13CB/A01](#) [780653U04500G](#) [ATS-54310K-C2-R0](#) [FK 216 CB SA](#) [FK 231 SA 220](#) [648-51AB](#) [657-20ABPESC](#) [2341BG](#)