


ONE COOL IDEA AFTER ANOTHER

	Part Number	Thermal Resistance °C/W at 72in length		Height in	Surface Area in?in		Part Class
	63340	0.10	17.00	1.31	142.0	11.30	Α
7.70						,	


Thermal Curves based on 72.000 in length

New Length 72.000
in mm
Change Length

Natural Convection



Forced Convection



Building a Part Number

Base Part #	Bar Length	Finish	Length (use zeros for full or half bars)
63340	<u>1</u> Full	<u>F</u> Unfinished	0000
	<u>2</u> Half	<u>F</u> Unfinished	00000
	3 Custom	<u>B</u> Black Anodized <u>C</u> Gold Chromate <u>U</u> Unfinished* <u>V</u> AavSHIELD ³	indicate length in inches to three decimal places; 1 5 2 5 0 = 15.250 "

63340

*For unfinished extrusions with cut lengths other than half bar, the finish designation is a U.

Standard Aavid Thermalloy parts require all 12 positions to be complete.

Non-Standard Extrusions

Aavid Thermalloy has over 10,000 extrusion profile designs on file, most with the extrusion die already available. These parts have minimum order requirements and longer lead times, but may be cost effective compared to a new design.

Customizing & Advanced Capabilities

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Heat Sinks category:

Click to view products by Aavid manufacturer:

Other Similar products are found below :

581102B00000G 656-15ABPE 657-20ABPNE 7020B-TC12-MTG 73452PPBA 7G0011A PF720G A22-4026 HAH10L 1542616-1 HS-2506-F1 HS-87M0-F2 218-40CTE3 231-69PAB-15V 25-7520 SW50-4G 231-75PAB-13V 231-75PAB-15V 253-122ABE-22 PSC22CB CLP212SG CLP-7701G HAA083 HAF10L HAQ10T D10100-28 TO5-002D BDN183CBA01 3-21053-4 32438 TX0506-1B TX1806B LAE66A3CB WA-DT2-101E 511-3U 73381PPBA 73403PPBA 7G0047C COMX-440-HSP 510-12M D10650-40T5 V8511 Y APF40-40-13CB/A01 780653U04500G ATS-54310K-C2-R0 FK 216 CB SA FK 231 SA 220 648-51AB 657-20ABPESC 2341BG