

















Rail Mounted Clips

Please note that these clips are intended solely for use with Aavid Thermalloy Max Clip Extrusion Profiles.


| | |
|--|--|
| <p>Part Number: MAX01NG Low force clip</p> <p>RoHS  </p> |  |
| <p>Force: 22 N [4.9 lbs]</p> | |
| <p>Width: 10 mm [0.39 in]</p> | |
| <p>Thickness: 0.5 mm [0.02 in]</p> | |
| <p>Part Number: MAX01-HNG High force clip</p> <p>RoHS  </p> |  |
| <p>Force: 80 N [18.0 lbs]</p> | |
| <p>Width: 10 mm [0.39 in]</p> | |
| <p>Thickness: 0.7 mm [0.03 in]</p> | |
| <p>Part Number: MAX02NG Standard force clip</p> <p>RoHS  </p> |  |
| <p>Force: 35 N [7.9 lbs]</p> | |
| <p>Width: 12 mm [0.47 in]</p> | |
| <p>Thickness: 0.5 mm [0.02 in]</p> | |
| <p>Part Number: MAX02-HNG High force clip</p> <p>RoHS  </p> |  |
| <p>Force: 60 N [13.5 lbs]</p> | |
| <p>Width: 13 mm [0.51 in]</p> | |
| <p>Thickness: 0.6 mm [0.02 in]</p> | |
| <p>Part Number: MAX03NG Standard force clip</p> <p>RoHS  </p> |  |
| <p>Force: 45 N [10.1 lbs]</p> | |
| <p>Width: 15 mm [0.59 in]</p> | |
| <p>Thickness: 0.5 mm [0.02 in]</p> | |

Part Number: MAX03-HNG


High force clip

RoHS  **Compliant** Product Change Notice**Force:** 80 N [18.0 lbs]**Width:** 18 mm [0.71 in]**Thickness:** 0.6 mm [0.02 in]**Part Number: MAX04NG**


Standard force clip

RoHS  **Compliant** Product Change Notice**Force:** 60 N [13.5 lbs]**Width:** 20 mm [0.79 in]**Thickness:** 0.5 mm [0.02 in]**Part Number: MAX09NG**


Short standard force clip

RoHS  **Compliant****Force:** 45 N [10.1 lbs]**Width:** 10 mm [0.39 in]**Thickness:** 0.5 mm [0.02 in]**Part Number: MAX10NG**


Long standard force clip







RoHS  **Compliant** Product Change Notice**Force:** 40 N [9.0 lbs]**Width:** 12 mm [0.47 in]**Thickness:** 0.6 mm [0.02 in]**Part Number: MAX12NG**

Low force clip

RoHS  **Compliant** Product Change Notice**Force:** 25 N [5.6 lbs]**Width:** 6 mm [0.24 in]**Thickness:** 0.6 mm [0.02 in]**Part Number: MAX11NG**

Extra long standard force clip

RoHS  **Compliant** Product Change Notice**Force:** 40 N [9.0 lbs]**Width:** 12 mm [0.47 in]**Thickness:** 0.6 mm [0.02 in]

| | |
|---|--|
| <p>Part Number: MAX23NG High force clip for use with thick insulator</p> <p style="text-align: right;">RoHS ✓ Compliant</p> |  |
| <p>Force: 100 N [22.5 lbs]</p> | |
| <p>Width: 18 mm [0.71 in]</p> | |
| <p>Thickness: 0.6 mm [0.02 in]</p> | |
| <p>Part Number: MAX20NG Standard force clip for use with thick insulator</p> <p style="text-align: right;">RoHS ✓ Compliant</p> |  |
| <p>Force: 47 N [10.6 lbs]</p> | |
| <p>Width: 12 mm [0.47 in]</p> | |
| <p>Thickness: 0.6 mm [0.02 in]</p> | |
| <p>Part Number: MAX13NG Standard force clip with locating features</p> <p style="text-align: right;">RoHS ✓ Compliant</p> |  |
| <p>Force: 45 N [10.1 lbs]</p> | |
| <p>Width: 17 mm [0.67 in]</p> | |
| <p>Thickness: 0.5 mm [0.02 in]</p> | |
| <p>Part Number: MAX14NG Low force clip with locating features</p> <p style="text-align: right;">RoHS ✓ Compliant</p> |  |
| <p>Force: 20 N [4.5 lbs]</p> | |
| <p>Width: 13 mm [0.51 in]</p> | |
| <p>Thickness: 0.5 mm [0.02 in]</p> | |
| <p>Part Number: MAX15NG Standard force clip with locating features</p> <p style="text-align: right;">RoHS ✓ Compliant</p> |  |
| <p>Force: 60 N [13.5 lbs]</p> | |
| <p>Width: 18 mm [0.71 in]</p> | |
| <p>Thickness: 0.6 mm [0.02 in]</p> | |
| <p>Part Number: MAX16NG Standard force clip with locating features</p> <p style="text-align: right;">RoHS ✓ Compliant</p> |  |
| <p>Force: 45 N [10.1 lbs]</p> | |
| <p>Width: 17 mm [0.67 in]</p> | |
| <p>Thickness: 0.5 mm [0.02 in]</p> | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heat Sinks](#) category:

Click to view products by [Aavid](#) manufacturer:

Other Similar products are found below :

[581102B00000G](#) [656-15ABPE](#) [657-20ABPNE](#) [7020B-TC12-MTG](#) [73452PPBA](#) [7G0011A](#) [PF720G](#) [A22-4026](#) [HAH10L](#) [1542616-1](#) [HS-2506-F1](#) [HS-87M0-F2](#) [218-40CTE3](#) [231-69PAB-15V](#) [25-7520](#) [SW50-4G](#) [231-75PAB-13V](#) [231-75PAB-15V](#) [253-122ABE-22](#) [PSC22CB](#) [CLP212SG](#) [CLP-7701G](#) [HAA083](#) [HAF10L](#) [HAQ10T](#) [D10100-28](#) [TO5-002D](#) [BDN183CBA01](#) [3-21053-4](#) [32438](#) [TX0506-1B](#) [TX1806B](#) [LAE66A3CB](#) [WA-DT2-101E](#) [511-3U](#) [73381PPBA](#) [73403PPBA](#) [7G0047C](#) [COMX-440-HSP](#) [510-12M](#) [D10650-40T5](#) [V8511 Y](#) [APF40-40-13CB/A01](#) [780653U04500G](#) [ATS-54310K-C2-R0](#) [FK 216 CB SA](#) [FK 231 SA 220](#) [648-51AB](#) [657-20ABPESC](#) [2341BG](#)