

# ABB SEMICONDUCTORS

# Reliability evaluation of IGCT based on demanding long-term application





In the last 20 years, IGCTs (Integrated Gate Commutated Thyristors) have been designed-in high power applications like motor drives, rail-interties, STATCOM, breakers and other demanding applications requiring the highest reliability. Over 250,000 IGCTs are in heavy duty field operation with excellent reliability.

#### IGCT design

The IGCT is an integration of a high-power semiconductor switch and a powerful gate unit (see Figure 1). The main components of the gate path are indicated in Figure 2. Its high reliability benefitted significantly from the experiences of GTO drives. Control of the IGCT is managed optically by the command signal and allows for control of the successful switching events by the status feedback signal (see Figure 1). Only a single voltage supply to the gate-unit is needed.

The power semiconductor is packaged in a hermetically sealed ceramic housing, using the free-floating press pack packaging technology. This packaging technology ensures the highest reliability.






02 IGCT (5 kA turn-off capability, 4.5 kV max. blocking voltage.

# Quality monitoring testing

The IGCT turn-off capability has improved significantly over the past 20 years. ABB's Quality Monitoring Program, shown in Figure 3, highlights progress of the turn-off capability.

01 Block diagram of an IGCT. The turn-off channel is indicated in red [5].




03 The specified turn-off capability (5SHY 55L4520 orange line). Last pass turn-off at V  $_{\rm pc}$ =2.8 kV, 125 °C.

#### Reliability assessment and failure analysis

ABB works closely with end customers to collect and access field reliability. Figure 4 shows collected data. The field failure rate in FIT was calculated according to Eq. (1).


Field failure rate =  $(r \cdot 10^{\circ}) / (N \cdot T)$  (1)



04 Field failure rate for a 91mm diameter IGCT with 4.5 kV blocking voltage in FIT.

As shown in Figure 4, the FIT rate has significantly reduced, especially since 2010.

The IGCT failure patterns are analyzed and categorized into different types, see Figure 5.



05 Pareto charts of the failure cause of returned field failed IGCTs. Upper chart shows gate unit failures, while bottom chart shows power semiconductor failures.

#### Lifetime estimation


Detailed analyzes have been conducted on devices returned after 15 years in operation as below.

For the construction of the Gotthard railway tunnel in Switzerland, a lift was installed to pull up the excavated gravel for 850 m (see Figure 6). The junction temperature  $T_{vj}$  during accelerating of the lift is shown in Figure 7.


ABB Switzerland Ltd Fabrikstrasse 3 5600 Lenzburg, Switzerland

abb.com/semiconductors

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB Ltd. Copyright© 2019 ABB All rights reserved



06 Sketch of the 57 km long Gotthard railway tunnel with the lift in Sedrun, Switzerland.



 $07\,Calculated\,virtual\,junction\,temperature\,of\,the\,IGCTs\,during\,the\,acceleration\,phase\,of\,the\,lift\,cage\,in\,upwards\,direction.$ 

After finishing the tunnel construction, the MV drive was dismantled and the IGCTs were sent back to the semiconductor fab for analysis of wear out.

The device from the Gotthard application does not show any degradation of the cathode metallization (see Figure 8). As a comparison, it was shown in the qualification, during the load cycling tests, that even devices with a degradation of the cathode segment metal height to 75 percent are still passing the device test specifications.

Boxplot of rel cath segment metall height 1.2 1.1 1.0 height 0.9 0.8 cath segment metall 0.75 0.6 0.4 le 0.2 0.0 Gotthard device Load cycling device Reference device device

08 Histogram of the cathode segment metallization height of a load cycling tested device (140 kcycles d $T_u$ = 80 K), The typical production variation is indicated in light red.

#### Summary

The high current capability with low losses and excellent reliability make IGCT particularly suited for MV drives. Furthermore, IGCT, with its high surge current capability and long term SCFM capability, offers high potential for T&D applications.

# Authors

Evgeny Tsyplakov, Makan Chen, Thomas Stiasny, Christian Winter, Olivier Quittard, Florian Weber, Jörg Berner, ABB Switzerland Ltd.

ABB Switzerland Ltd Fabrikstrasse 3 5600 Lenzburg, Switzerland

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB Ltd. Copyright© 2019 ABB All rights reserved

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for SCRs category:

Click to view products by ABB manufacturer:

Other Similar products are found below :

 NTE5428
 T1500N16TOF VT
 T660N22TOF
 T720N18TOF
 T880N14TOF
 T880N16TOF
 TT162N16KOF-A
 TT162N16KOF-K

 TT330N16AOF
 VS-22RIA20
 VS-2N685
 057219R
 T1190N16TOF VT
 T1220N22TOF VT
 T201N70TOH
 T700N22TOF
 TT250N12KOF-K

 VS-110RKI40
 NTE5427
 NTE5442
 T2160N28TOF VT
 TT251N16KOF-K
 VS-22RIA100
 VS-16RIA40
 TD250N16KOF-A
 VS-ST110S16P0

 T930N36TOF VT
 T2160N24TOF VT
 T1190N18TOF VT
 T1590N28TOF VT
 2N1776A
 T590N14TOF
 NTE5375
 NTE5460
 NTE5481

 NTE5504
 NTE5512
 NTE5518
 NTE5519
 NTE5529
 NTE5553
 NTE5557
 NTE5567
 NTE5570
 NTE5572
 NTE5574

 NTE5576
 NTE5579
 NTE5579
 NTE5579
 NTE5574
 NTE5579
 NTE5579