


STOCK LIST

Fastening solutions




Suggested stock list and cross reference

Ty-Rap | **Catamount** | **Ty-Duct**






Suggested stock list and cross reference

Ty-Rap® high-performance cable ties

	ABB catalog no.	ABB UPC no.	Length	Color	Pack qty.	Panduit* cross ref.
Nylon 6.6 cable ties — Miniature 18 lb.						
	TY523M	78621080507	4"	Natural	100	BT1M-C/PLT1MC
	TY523MX	78621080508	4"	UV black	100	BT1M-CO
	TY23M	78621082436	4"	Natural	1000	BT1M-M/PLT1M-M
	TY23MX	78621082446	4"	UV black	1000	BT1M-M0
	TY52315M	78621087544	7"	Natural	100	BT1.5M-C
	TY52315MX	78621087545	7"	UV black	100	BT1.5M-CO
	TYB2315M	78621088355	7"	Natural	1000	BT1.5M-M
	TYB2315MX	78621088506	7"	UV black	1000	BT1.5M-M0
	TY5232M	78621083077	8"	Natural	100	BT2M-C/BT2LH-L0
	TY5232MX	78621083937	8"	UV black	100	BT2M-C
	TY232M	78621083069	8"	Natural	1000	BT2M-M
	TY232MX	78621088417	8"	UV black	1000	BT2M-M0
	Nylon 6.6 cable ties — Intermediate 30–40 lb.					
	TY524M	78621080605	5.5"	Natural	100	BT1.5I-C
	TY524MX	78621080699	5.5"	UV black	100	BT1.5I-CO
	TY24M	78621082447	5.5"	Natural	1000	BT1.5IM
	TY24MX	78621082644	5.5"	UV black	1000	BT1.5IM0
	TY5242M	78621083079	8"	Natural	100	BT2I-C
	TY5242MX	78621086988	8"	UV black	100	BT2I-CO/PLT2I-CO
	TY242M	78621083071	8"	Natural	1000	BT2S-M10
	TY242MX	78621087103	8"	UV black	1000	BT2I-M0
	TY526M	78621082549	11"	Natural	100	BT3I-C
	TY526MX	78621083936	11"	UV black	100	BT3I-CO
	TY26M	78621082468	11"	Natural	1000	BT3I-M
	TY26MX	78621083987	11"	UV black	1000	BT3I-M0
	Nylon 6.6 cable ties — Standard 50 lb.					
	TY525M	78621080509	7"	Natural	100	BT2S-C
	TY525MX	78621080510	7"	UV black	100	BT2S-CO
	TY25M	78621082457	7"	Natural	1000	BT2S-M
	TY25MX	78621082467	7"	UV black	1000	BT2S-M0
	TY5253M	78621086989	11"	Natural	100	BT3I-C
	TY5253MX	78621088513	11"	UV black	100	BT3I-CO/BT3S-C-O
	TY253M	78621083990	11"	Natural	1000	BT3I-M/BT3S-M
	TY253MX	78621071504	11"	UV black	1000	BT3I-M0
	TY528M	78621080513	14"	Natural	100	BT4S-C
	TY528MX	78621080514	14"	UV black	100	BT4S-CO
	TY28M	78621082479	14"	Natural	1000	BT4S-M
	TY28MX	78621082484	14"	UV black	1000	BT4S-M0

Suggested stock list and cross reference




Ty-Rap® high-performance cable ties

	ABB catalog no.	ABB UPC no.	Length	Color	Pack qty.	Panduit* cross ref.
Nylon 6.6 cable ties — Heavy duty 120 lb.						
	TY527M	78621080511	13"	Natural	50	BT4LH-L
	TY527MX	78621080512	13"	UV black	50	BT4LH-L0
	TY27M	78621082469	13"	Natural	500	BT4LH-TL
	TY27MX	78621082478	13"	UV black	500	BT4LH-TL0
	TY5275M	78621087081	18"	Natural	50	BT5LH-L
	TY5275MX	78621087085	18"	UV black	50	BT5LH-L0
	TY529M	78621083073	30"	Natural	50	BT9LH-C
	TY529MX	78621083890	30"	UV black	50	BT9LH-C0
Nylon 6.6. adhesive mounting bases						
	TC344A	78621080495	¾" x ¾"	Natural	1000	ABMH-A
	TC344AX	78621006876	¾" x ¾"	UV black	1000	ABMM-AT-CO
	TC345A	78621086804	1" x 1"	Natural	1000	ABM112-A-C
	TC345AX	78621006683	1" x 1"	UV black	1000	ABM100ATCO
Cable tie installation tools — polymer						
	ERG50	78620986729	For 18–50 lb. ties	Orange	1	GS2B-E/GS2B
	ERG120	78620986730	For 50–120 lb. ties	Orange	1	GTH/STH2/GS2B

* Panduit is a trademark of Panduit Corporation.





Suggested stock list and cross reference

Catamount® general application cable ties

	ABB catalog no.	ABB UPC no.	Length	Color	Pack qty.	Panduit* cross ref.	3M* cross ref.	NSI* cross ref.
Nylon 6.6 cable tie — Miniature 18 lb.								
	L-4-18-9-C	728494914602	4"	Natural	100	PLT1M-C	CT4NT18-C	GRP-418
	L-4-18-0-C	728494914404	4"	UV black	100	PLT1M-C0	CT4BK18-C	GRP-4180
	L-4-18-9-M	728494914701	4"	Natural	1000	PLT1M-M	CT4NT18-M	GRP-418X
	L-4-18-0-M	728494914503	4"	UV black	1000	PLT1M-M0	CT4BK18-M	GRP-4180X
	L-8-18-9-C	728494917801	8"	Natural	100	PLT2M-C	CT8NT18-C	GRP-818
	L-8-18-0-C	728494917603	8"	UV black	100	PLT2M-C0	CT8BK18-C	GRP-8180
	L-8-18-9-M	728494917900	8"	Natural	1000	PLT2M-M	CT8NT18-M	–
	L-8-18-0-M	728494917702	8"	UV black	1000	PLT2M-M0	CT8BK18-M	–
Nylon 6.6 cable tie — Intermediate 30–40 lb.								
	L-5-30-9-C	728494915609	5"	Natural	100	PLT1.5I-C	CT6NT40-C	–
	L-5-30-0-C	728494915401	5"	UV black	100	PLT1.5I-C0	CT6BK40-C	–
	L-5-30-9-M	728494915708	5"	Natural	1000	PLT1.5I-M	CT6NT40-M	–
	L-5-30-0-M	728494915500	5"	UV black	1000	PLT1.5I-M0	CT6BK40-M	–
	L-8-40-9-C	728494918402	8"	Natural	100	PLT2I-C	CT8NT40-C	GRP-840
	L-8-40-0-C	728494918204	8"	UV black	100	PLT2I-C0	CT8BK40-C	GRP-8400
	L-8-40-9-M	728494918501	8"	Natural	1000	PLT2I-M	CT8NT40-M	–
	L-8-40-0-M	728494918303	8"	UV black	1000	PLT2I-M0	CT8BK40-M	–
	L-11-40-9-C	728494933030	11"	Natural	100	PLT3I-C	–	GRP-1140
	L-11-40-0-C	728494933016	11"	UV black	100	PLT3I-C0	–	GRP-11400
	L-11-40-9-D	728494933047	11"	Natural	500	PLT3I-M	–	–
	L-11-40-0-D	728494933023	11"	UV black	500	PLT3I-M0	–	–
	L-14-40-9-C	728494933153	14"	Natural	100	PLT4I-C	–	–
	L-14-40-0-C	728494933139	14"	UV black	100	PLT4I-C0	–	GRP-14500X
	L-14-40-9-D	728494933160	14"	Natural	500	PLT4I-M	–	–
	L-14-40-0-D	728494933146	14"	UV black	500	PLT4I-M0	–	–
Nylon 6.6 cable tie — Standard 50 lb.								
	L-7-50-9-C	728494917207	7"	Natural	100	PLT2S-C	CT8NT50-C	GRP-750
	L-7-50-0-C	728494917009	7"	UV black	100	PLT2S-C0	CT8BK50-C	GRP-7500
	L-7-50-9-M	728494917306	7"	Natural	1000	PLT2S-M	CT8NT50-M	GRP-750X
	L-7-50-0-M	728494917108	7"	UV black	1000	PLT2S-C0	CT8BK50-M	GRP-7500X
	L-11-50-9-C	728494911205	11"	Natural	100	PLT3I-C	CT11NT50-C	GRP-1150
	L-11-50-0-C	728494911007	11"	UV black	100	PLT3I-C0	CT11BK50-C	GRP-11500
	L-11-50-9-D	728494911304	11"	Natural	500	PLT3I-M	CT11NT50-D	–
	L-11-50-0-D	728494911106	11"	UV black	500	PLT3I-M0	CT11BK50-D	–
	L-14-50-9-C	728494912608	14"	Natural	100	PLT4I-C	CT15NT50-C	GRP-14500X
	L-14-50-0-C	728494912400	14"	UV black	100	PLT4I-C0	CT15BK50-C	GRP-14500X
	L-14-50-9-D	728494912707	14"	Natural	500	PLT4I-M	CT15NT50-D	GRP-1450X
	L-14-50-0-D	728494912509	14"	UV black	500	PLT4I-M0	CT15BK50-D	–

Suggested stock list and cross reference


Catamount® general application cable ties

	ABB catalog no.	ABB UPC no.	Length	Color	Pack qty.	Panduit* cross ref.	3M* cross ref.	NSI* cross ref.	
Nylon 6.6 cable tie — Heavy duty 120 lb.									
	L-14-120-9-L	786210080284	14"	Natural	50	–	CT15NT120-C	–	
	L-14-120-0-L	786210080307	14"	UV black	50	–	CT15BK120-C	–	
	L-14-120-9-C	728494911700	14"	Natural	100	–	CT15NT120-D	GRP-14120	
	L-14-120-0-C	728494911601	14"	UV black	100	–	CT15NT120-C	GRP-141200	
	L-18-120-9-L	728494912714	18"	Natural	50	–	–	–	
	L-18-120-0-L	728494912738	18"	UV black	50	–	–	–	
	L-24-120-9-L	728494912745	24"	Natural	50	PLT7LH-L	–	–	
	L-24-120-0-L	728494912769	24"	UV black	50	PLT7LH-LO	–	–	
	L-28-120-9-L	728494125855	28"	Natural	50	PLT8LH-L	–	–	
	L-28-120-0-L	728494125763	28"	UV black	50	PLT8LH-LO	–	–	
	Nylon 6.6 cable tie — Super heavy duty 175 lb.								
		L-24-175-9-L	728494912905	24"	Natural	50	–	CT24NT175-L	GRP-24175
L-24-175-0-L		728494912806	24"	UV black	50	–	CT24BK175-L	GRP-241750	
L-36-175-9-L		728494071558	36"	Natural	50	–	CT36NT175-L	GRP-36175	
L-36-175-0-L		728494105581	36"	UV black	50	–	CT36BK175-L	GRP-361750	
L-48-175-9-L		728494913902	48"	Natural	50	–	CT48BK175-L	GRP-48175	
L-48-175-0-L		728494913605	48"	UV black	50	–	CT48NT175-L	GRP-481750	
L-28-250-0-L		728494138015	28"	UV black	50	–	–	GRP-282500	
Nylon 6.6. adhesive mounting base									
	MPNY-750-9-C	728494081526	¾" x ¾"	Natural	100	GS2B-E/GS2B	054007-06294	–	
	MPNY-750-0-C	728494095356	¾" x ¾"	UV black	100	GTH/STH2/GS2B	054007-06295	–	
	MPNY-1000-9-C	728494110400	1 x 1	Natural	100	–	054007-06296	–	
	MPNY-1000-0-C	728494100999	1 x 1	UV black	100	–	054007-06297	–	
Cable tie installation tools — polymer									
	ERG50	78620986729	For 18–50 lb. ties	Orange	1	GTS-E	–	–	
	ERG120	78620986730	For 50–120 lb. ties	Orange	1	GTH-E	–	–	
	L-400-C	72849406807	For 18–50 lb. ties	Blue	1	GTH-E	–	–	
	WT1-TB	78621088011	For 18–50 lb. ties	Orange	1	–	–	–	
	WT2-TB	78621088451	For 50–120 lb. ties	Black	1	–	–	–	

* Panduit is a trademark of Panduit Corporation. 3M is a trademark of 3M Company. NSI is a trademark of NSI Industries LLC.

Suggested stock list and cross reference

Ty-Duct® wiring duct and covers



Width (in.)	Height (in.)	Narrow slot		Wide slot		Solid wall		Round hole		Covers
		ABB catalog no.	Panduit* cross ref.	ABB catalog no.	Panduit* cross ref.	ABB catalog no.	Panduit* cross ref.	ABB catalog no.	Panduit* cross ref.	ABB catalog no.
0.5	0.5	-	F.5X.5LG6	-	G.5X.5LG6	-	FS.5X.5LFS6	-	-	-
0.5	1	-	F.5X1LG6	-	G.5X1LG6	-	FS.5X1LFS6	-	-	-
0.75	0.75	-	F.75X.75LG6	-	G.75X.75LG6	-	FS.75X.75LFS6	-	-	TYD75CPG6
0.75	1	-	-	TYD75X1WPG6	-	TYD75X1SPG6	-	-	-	-
0.75	1.5	TYD75X15NPG6	F.75X1.5LG6	TYD75X15WPG6	G.75X1.5LG6	TYD75X15SPG6	FS.75X1.5LFS6	-	-	-
0.75	2	-	-	TYD75X2WPG6	-	TYD75X2SPG6	-	-	-	-
1	1	TYD1X1NPG6	F1X1LG6	TYD1X1WPG6	G1X1LG6	TYD1X1SPG6	FS1X1LFS6	-	-	TYD1CPG6
1	1.5	TYD1X15NPG6	F1X1.5LG6	TYD1X15WPG6	G1X1.5LG6	TYD1X15SPG6	FS1X1.5LFS6	TYD1X15RPG6	-	-
1	2	TYD1X2NPG6	F1X2LG6	TYD1X2WPG6	G1X2LG6	TYD1X2SPG6	FS1X2LFS6	TYD1X2RPG6	D1X2LD6	-
1	3	TYD1X3NPG6	F1X3LG6	TYD1X3WPG6	G1X3LG6	TYD1X3SPG6	FS1X3LFS6	TYD1X3RPG6	D1X3LD6	-
1	4	TYD1X4NPG6	F1X4LG6	TYD1X4WPG6	G1X4LG6	TYD1X4SPG6	FS1X4LFS6	TYD1X4RPG6	D1X4LD6	-
1.5	1	TYD15X1NPG6	F1.5X1LG6	TYD15X1WPG6	G1.5X1LG6	TYD15X1SPG6	FS1.5X1LFS6	-	-	TYD15CPG6
1.5	1.5	TYD15X15NPG6	F1.5X1.5LG6	TYD15X15WPG6	G1.5X1.5LG6	TYD15X15SPG6	FS1.5X1.5LFS6	TYD15X15RPG6	-	-
1.5	2	TYD15X2NPG6	F1.5X2LG6	TYD15X2WPG6	G1.5X2LG6	TYD15X2SPG6	FS1.5X2LFS6	TYD15X2RPG6	D1.5X2LD6	-
1.5	3	TYD15X3NPG6	F1.5X3LG6	TYD15X3WPG6	G1.5X3LG6	TYD15X3SPG6	FS1.5X3LFS6	TYD15X3RPG6	D1.5X3LD6	-
1.5	4	TYD15X4NPG6	F1.5X4LG6	TYD15X4WPG6	G1.5X4LG6	TYD15X4SPG6	FS1.5X4LFS6	TYD15X4RPG6	D1.5X4LD6	-
2	1	TYD2X1NPG6	F2X1LG6	TYD2X1WPG6	G2X1LG6	TYD2X1SPG6	FS2X1LFS6	-	-	TYD2CPG6
2	1.5	TYD2X15NPG6	F2X1.5LG6	TYD2X15WPG6	G2X1.5LG6	TYD2X15SPG6	FS2X1.5LFS6	TYD2X15RPG6	-	-
2	2	TYD2X2NPG6	F2X2LG6	TYD2X2WPG6	G2X2LG6	TYD2X2SPG6	FS2X2LFS6	TYD2X2RPG6	D2X2LD6	-
2	3	TYD2X3NPG6	F2X3LG6	TYD2X3WPG6	G2X3LG6	TYD2X3SPG6	FS2X3LFS6	TYD2X3RPG6	D2X3LD6	-
2	4	TYD2X4NPG6	F2X4LG6	TYD2X4WPG6	G2X4LG6	TYD2X4SPG6	FS2X4LFS6	TYD2X4RPG6	D2X4LD6	-
2	5	TYD2X5NPG6	F2X5LG6	TYD2X5WPG6	G2X5LG6	TYD2X5SPG6	FS2X5LFS6	-	-	-
2.5	2	TYD25X2NPG6	-	TYD25X2WPG6	-	TYD25X2SPG6	-	-	-	TYD25CPG6
2.5	3	TYD25X3NPG6	F2.5X3LG6	TYD25X3WPG6	G2.5X3LG6	TYD25X3SPG6	FS2.5X3LFS6	-	D2.5X3LD6	-
2.5	4	TYD25X4NPG6	-	TYD25X4WPG6	-	TYD25X4SPG6	-	-	-	-
3	1	TYD3X1NPG6	F3X1LG6	TYD3X1WPG6	G3X1LG6	TYD3X1SPG6	FS3X1LFS6	TYD3X1RPG6	-	TYD3CPG6
3	2	TYD3X2NPG6	F3X2LG6	TYD3X2WPG6	G3X2LG6	TYD3X2SPG6	FS3X2LFS6	TYD3X2RPG6	D3X2LD6	-
3	3	TYD3X3NPG6	F3X3LG6	TYD3X3WPG6	G3X3LG6	TYD3X3SPG6	FS3X3LFS6	TYD3X3RPG6	D3X3LD6	-
3	4	TYD3X4NPG6	F3X4LG6	TYD3X4WPG6	G3X4LG6	TYD3X4SPG6	FS3X4LFS6	TYD3X4RPG6	D3X4LD6	-
3	5	TYD3X5NPG6	F3X5LG6	TYD3X5WPG6	G3X5LG6	TYD3X5SPG6	FS3X5LFS6	-	-	-
4	1.5	-	-	TYD4X15WPG6	-	TYD4X15SPG6	-	TYD4X15RPG6	-	TYD4CPG6
4	2	TYD4X2NPG6	F4X2LG6	TYD4X2WPG6	G4X2LG6	TYD4X2SPG6	FS4X2LFS6	TYD4X2RPG6	D4X2LD6	-
4	3	TYD4X3NPG6	F4X3LG6	TYD4X3WPG6	G4X3LG6	TYD4X3SPG6	FS4X3LFS6	TYD4X3RPG6	D4X3LD6	-
4	4	TYD4X4NPG6	F4X4LG6	TYD4X4WPG6	G4X4LG6	TYD4X4SPG6	FS4X4LFS6	TYD4X4RPG6	D4X4LD6	-
4	5	TYD4X5NPG6	F4X5LG6	TYD4X5WPG6	G4X5LG6	TYD4X5SPG6	FS4X5LFS6	-	-	-
6	4	-	F6X4LG6	-	G6X4LG6	-	FS6X4LFS6	-	-	TYD6CPG6

Notes:

PVC duct is UL® Recognized, CSA Certified and CE Compliant.




Ty-Duct color code: G = gray, W = white, B = black, I = intrinsic blue

Panduit color code: LG = light gray, WH = white, BL = black, IB = intrinsic blue, IG = international gray (only 20 SKUs)

* Panduit is a trademark of Panduit Corporation.

Suggested stock list and cross reference

Ty-Duct® tools

	Tools	Material	Coating	ABB catalog no.	Panduit* cross ref.
	Handheld duct cutter	Stainless steel	Orange	SX25-TB	DCT
	Wiring duct finger cutter	Stainless steel	Orange	DK-65TB	DNT-100
	Wiring duct bench-mount cutting tool	Stainless steel	Metallic	DC-125TB	PBDCT

* Panduit is a trademark of Panduit Corporation.



ABB Installation Products Inc.

Electrification Business
860 Ridge Lake Blvd.
Memphis, TN 38120

electrification.us.abb.com

ABB has made every attempt to ensure the accuracy and reliability of the contents of this document. However, all content is provided for general informational purposes only, and ABB makes no guaranty or warranty, express or implied, as to the accuracy of any technical content, or that the information contained in this publication will be error free and all such guarantees or warranties are expressly disclaimed. ABB may change or modify

the contents at any time, without prior notice. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction or utilization of its contents — in whole or in parts — is forbidden without prior written consent of ABB.
© 2023 ABB Installation Products Inc.
and/or its affiliated companies.
All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Crimpers / Crimping Tools](#) category:

Click to view products by [ABB](#) manufacturer:

Other Similar products are found below :

[010-0096](#) [CT150-2-D02](#) [CT150-6-RH07](#) [622-6441LF](#) [63484-3701](#) [63800-8355](#) [63819-1875](#) [63819-2875](#) [63819-4475](#) [63827-5375](#) [662903-2](#)
[690602-6](#) [7-23471-1](#) [734611-1](#) [762637-1](#) [811242-5](#) [91362-1](#) [1-21002-3](#) [1-21002-7](#) [12118040](#) [12085270](#) [12387119-6](#) [1-22548-4](#) [125442-1](#)
[DCE.91.073.BVC](#) [DCE.91.090.3MVM](#) [DCE.91.130.5MVU](#) [DCE.91.162.BVCM](#) [DCE.91.202.BVCM](#) [1310G2](#) [1333249-1](#) [1-354003-0](#)
[1338301-1](#) [DF62/RE-MD](#) [AP105-DF11-2428S\(64\)](#) [1456088-1](#) [1-45804-6](#) [15397700](#) [AX100749](#) [1-59619-7](#) [1596970-1](#) [1-59619-8](#) [1901238-](#)
[2](#) [2119581-1](#) [K761](#) [KTH-1079](#) [KTH-2022](#) [KTH-2260](#) [904139-1](#) [307130-2](#)