

General Information

| | |
|------------------------|--|
| Extended Product Type: | F202 AC-63/0,03 |
| Product ID: | 2CSF202001R1630 |
| EAN: | 8012542780205 |
| Catalog Description: | F202 AC-63/0,03 Residual Current Dev. |
| Long Description: | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. |

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

Ordering

| | |
|-------------------------|---------------|
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85363030 |
| EAN: | 8012542780205 |

Dimensions

| | |
|---------------------|----------|
| Product Net Height: | 0.085 m |
| Product Net Depth: | 0.069 m |
| Product Net Weight: | 0.200 kg |
| Product Net Width: | 0.035 m |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Width: | 0.041 m |
| Package Level 1 Height: | 0.078 m |
| Package Level 1 Length: | 0.096 m |
| Package Level 1 Gross Weight: | 0.225 kg |
| Package Level 1 EAN: | 8012542780205 |
| Package Level 1 Units: | 1 piece |

Technical

| | |
|---------------------------|--|
| Operating Characteristic: | Instantaneous |
| Type of Residual Current: | AC type |
| Rated Residual Current: | 30 mA |
| Rated Current (I_n): | 63 A |
| Number of Poles: | 2 |
| Power Loss: | at Rated Operating Conditions per Pole 3.2 W |
| Rated Voltage (U_r): | 230/400 V |
| Standards: | EN 61008 UL 1053 |

Environmental

| | |
|--------------|--|
| RoHS Status: | Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-07-01 |
|--------------|--|

Certificates and Declarations (Document Number)

| | |
|------------------------------------|-----------------|
| Instructions and Manuals: | 2CSF423001D6402 |
| Data Sheet, Technical Information: | 2CSC400002D0209 |
| Declaration of Conformity - CE: | 2CSC423001D2701 |
| RoHS Information: | 2CSC423001K0201 |

Classifications

| | |
|-----------------------------|--|
| ETIM 4: | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5: | EC000003 - Residual current circuit breaker (RCCB) |
| Object Classification Code: | Q |



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:

Click to view products by [ABB](#) manufacturer:

Other Similar products are found below :

[1406504-2](#) [272012M](#) [271001M](#) [HMM-HH](#) [WUVT-1-120AC-P](#) [9918560000](#) [32024](#) [TL10416](#) [XW4Z-00B](#) [49-22-4073](#) [92270](#) [72820](#) [72905](#)
[72741](#) [32061](#) [30751](#) [KLEIN TOOLS SCREWDRIVER 4-IN-1](#) [612020B](#) [35-045](#) [6951](#) [83](#) [9977](#) [EMF](#) [PTE6](#) [PTM6](#) [PTX6](#) [99833](#) [S3166V](#)
[X103V](#) [XTD10TP](#) [SF-BIT-SL 0 45X2 4-70](#) [HS7N](#) [HS618N](#) [LN25MMN](#) [XST1010N](#) [P4N](#) [P12SN](#) [R5324N](#) [99764N](#) [P8N](#) [99312N](#) [R3163N](#)
[SX101N](#) [LN22N](#) [XTD10N](#) [9955MMN](#) [995MMN](#) [996MMN](#) [LN25N](#) [THS9N](#)