

PRODUCT-DETAILS

# S202M-C6DC

## S202M-C6DC Miniature Circuit Breaker - 2P - C - 6 A



### General Information

Extended Product Type	S202M-C6DC
Product ID	2TAZ112200R0064
Catalog Description	S202M-C6DC Miniature Circuit Breaker - 2P - C - 6 A
Long Description	Miniature Circuit Breaker - S200MDC - 2P - C - 6 A

### Technical

Standards	IEC/EN 60898-2 GB 10963 IEC/EN 60947-2 GB 14048
Tripping Characteristic	C
Rated Voltage ( $U_r$ )	440 V
Rated Operational Voltage	440 V DC
Rated Insulation Voltage ( $U_i$ )	440 V
Rated Impulse Withstand Voltage ( $U_{imp}$ )	4 kV
Input Voltage Type	DC
Rated Current ( $I_n$ )	6 A
Rated Short-Circuit Capacity	(400 V) 10 kA
Rated Ultimate Short-Circuit Breaking Capacity ( $I_{cu}$ )	(440 V DC) 10 kA
Rated Conditional Short-	(400 V) 10 kA

Circuit Current ( $I_{nc}$ )	
Frequency (f)	0...0 Hz
Rated Frequency (f)	0-0 Hz
Power Loss	4 W
Energy Limiting Class	3
Number of Poles	2
Number of Protected Poles	2
Overvoltage Category	III
Release Type	C
Options Provided	DC application
Accessories Available	Yes
Connecting Capacity	Flexible 0 ... 25 mm <sup>2</sup> Rigid 0 ... 35 mm <sup>2</sup>

## Environmental

Ambient Temperature	-25...55 °C
Ambient Air Temperature	Operation -25...55 °C
Degree of Protection	IP20
Pollution Degree	3
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Width in Number of Modular Spacings	2
Product Net Width	0.035 m
Product Net Height	0.088 m
Product Net Depth / Length	0.044 m
Product Net Weight	0.250 kg
Built-In Depth ( $t_2$ )	69 mm

## Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	carton 6 piece
Package Level 1 Gross Weight	1.381 kg

## Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

## Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

---

## Classifications

---

ETIM 8	EC000042 - Miniature circuit breaker (MCB)
ETIM 9	EC000042 - Miniature circuit breaker (MCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85362010
eClass	V11.0 : 27141901
Object Classification Code	F

---

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Circuit Breakers](#) category:*

*Click to view products by [ABB](#) manufacturer:*

Other Similar products are found below :

[LUGZX66-1-61-20.0-44](#) [M39019/01-201](#) [M39019/01-221](#) [M39019/04-249S](#) [M39019/04-313S](#) [M55629/1-016](#) [M55629/1-018](#) [M55629/1-021](#)  
[M55629/1-033](#) [M55629/1-046](#) [M55629/1-048](#) [M55629/1-058](#) [M55629/1-067](#) [M55629/1-070](#) [M55629/1-079](#) [M55629/1-084](#) [M55629/1-085](#)  
[M55629/1-109](#) [M55629/11-102](#) [M55629/12-045](#) [M55629/12-046](#) [M55629/1-330](#) [M55629/1-366](#) [M55629/1-387](#) [M55629/1-401](#) [M55629/2-](#)  
[022](#) [M55629/2-030](#) [M55629/2-072](#) [M55629/2-082](#) [M55629/2-099](#) [M55629/2-101](#) [M55629/2-102](#) [M55629/21-BM-BM](#) [M55629/21-HM-HM](#)  
[M55629/21-NS-NS](#) [M55629/22-NR-NR-NR](#) [M55629/22-RS-RS-RS](#) [M55629/2-347](#) [M55629/2-401](#) [M55629/2-413](#) [M55629/3-030](#)  
[M55629/3-050](#) [M55629/3-102](#) [M55629/3-103](#) [M55629/3-128](#) [M55629/3-130](#) [M55629/3-238](#) [M55629/3-386](#) [M55629/3-LBZB](#) [M55629/4-](#)  
[115](#)