

Catalog Number: SF200-18-100
Product ID: 7TAG009700R0022
UPC Number: 78621019175
EAN Number: 05414363160878
Status: L
Replacement Catalog: TY5232M



Low Profile In-Line Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length of 205.74mm (8.1 Inches), Width of 2.41mm (0.095 Inches), Thickness of 1.09mm (0.043 inches), Tensile Strength Rating of 80 Newtons (18 pounds), 100 Pack

Actual

- Low-Profile, contoured head reduces clearance required for the bundle and enhances the appearance of your harness.
- The safeguard wall eliminates exposure to sharp edges.
- The saddleback fits snug against the contour of the wiring harness.

North American Specifications (UNSPSC)

UNSPSC	39121703 Cable ties
IGCC	5041 Inline Ties
Type	Low Profile
Special Features	Low-Profile, contoured head reduces clearance required for the bundle and enhances the appearance of your harness.
Width	0.095 in ; 2.41 mm
Length	8.1 in ; 205.74 mm
Thickness	0.043 in ; 1.09 mm
Bundle Diameter	0.126 to 2 in ; 3.2 to 50.8 mm
Material	Nylon/Polyamide 6.6
Color	Natural
Lock Mechanism	Plastic Pawl
Tensile Strength	18 pounds ; 80 newtons

European Specifications (ETIM)

ETIM	EC000046 Cable tie
Band width	2.41mm
Length belt/tape/tie	205.74mm
Tie thickness	1.09mm
Min. holding force	80N
Model	Internal toothing
Band closure	Plastic lip/-cam
Material	Plastic
Material quality	Polyamide PA
Surface protection	Untreated
Halogen free	Y
Colour	Natural colour
Transparent	N
Reflective (fluorescent)	N
Text strip	None
Solvable fastener	N
MIL approval	N

Packaging

Inner Quantity	100
Inner Dimensions (inches)	12x5x.25
Outer Quantity	1000
Outer Dimensions (inches)	9x9x4.75

Weight Uom

0.63 lbs. per 1000

For further technical assistance, please contact us...

ABB Installation Products - USA
860 Ridge Lake Blvd.
Memphis, TN 38120
www.tnb.com

ABB Installation Products Technical Support
MS 3B-50
860 Ridge Lake Blvd.
Memphis, TN 38120

Hours: 7AM - 6PM CDT
Monday-Friday
Phone: (888) 862-3289
Fax: (901) 252-1321
Email: techsupport@tnb.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Identification category](#):

Click to view products by [ABB manufacturer](#):

Other Similar products are found below :

[CU6337-000](#) [CU6342-000](#) [FCA-410-12](#) [11631010](#) [1-1768037-1](#) [1-1768037-2](#) [1-1768050-0](#) [PXLK-VI](#) [Q62184-1](#) [A64304-000](#) [QMT221](#)
[HK032WE1NF038B](#) [1330-0519-10](#) [1395199-1](#) [1395200-1](#) [1395202-1](#) [DMVF050WE-300S6](#) [D-SCE-1K-2.4-50-4-CS7834](#) [1538738-1](#)
[E90935-000](#) [EC1238-000](#) [EC1465-000](#) [EC1855-000](#) [EC1859-000](#) [EC1863-000](#) [EC5415-000](#) [EC7277-000](#) [EC7352-000](#) [EC7603-000](#)
[EC7707-000](#) [EC7735-000](#) [EC7768-000](#) [EC7828-000](#) [EC7854-000](#) [EC7952-000](#) [EC8128-000](#) [1768037-8](#) [1768041-7](#) [NC-127191-10-9](#)
[HS048WE2NF038B](#) [C03232-000](#) [HTCM-SCE-14-4H-9](#) [HTMS-3/16-9](#) [HT-SCE-1/4-2.0-4](#) [HT-SCE-3/16-2.0-4](#) [HTTMS-1/2-1.50-9](#) [HTTMS-](#)
[CM-1/2-4H-9](#) [HX-SCE-19.0-50-9](#) [HX-SCE-6.4-50-4](#) [C25254-000](#)