



Automotive Power Common Mode Chokes

ACMP-Q2012

Request Samples



Check Inventory



2.0 x 1.2 x 1.2 mm
RoHS/RoHS II Compliant
MSL Level = 1

Features

- AEC-Q200 compliant, Grade 1
- PPAP ready and supported
- Manufactured in TS/IATF 16949 production lines
- Excellent impedance characteristics
- Rated current up to 0.4A

Applications

- DC power line common mode noise suppression.
- Multimedia devices
- Automotive power train
- Automotive infotainment

Electrical Specifications

Part Number	Impedance (Ω) $\pm 25\%$ @100MHz	DCR (m Ω)	Rated Current (A)	Rated Voltage (Vdc)	Insulation Resistance (M Ω)
		Max	Max	Max	Min
ACMP-Q2012-670	67	250	0.4	50	10
ACMP-Q2012-900	90	300	0.4	50	10
ACMP-Q2012-121	120	300	0.4	50	10
ACMP-Q2012-161	160	350	0.35	50	10
ACMP-Q2012-181	180	350	0.35	50	10
ACMP-Q2012-201	200	400	0.3	50	10
ACMP-Q2012-221	220	400	0.3	50	10
ACMP-Q2012-261	260	400	0.3	50	10
ACMP-Q2012-361	360	500	0.3	50	10

Rated Current is based on an Irms temperature rise of 40°C

ACMP-Q2012 is AEC-Q200 Automotive certified

ACMP-Q2012 Series is RoHS Compliant and Pb free

Operating Temperature: -55°C to +125°C (Including self-heating)

Storage Temperature (on PCB): -55°C to +125°C

Storage (in original packaging): <40°C, <60% RH



5101 Hidden Creek Ln, Spicewood TX 78669
Phone: 512-371-6159 Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISION Initial Release
3/31/2022

ABRACON IS
ISO9001-2015
CERTIFIED



Automotive Power Common Mode Chokes

ACMP-Q2012

Request Samples




Check Inventory




2.0 x 1.2 x 1.2 mm
RoHS/RoHS II Compliant
MSL Level = 1

Electrical Specifications


ACMP-Q2012-670-T




ACMP-Q2012-900-T




ACMP-Q2012-121-T




ACMP-Q2012-161-T



ACMP-Q2012-181-T



ACMP-Q2012-201-T



5101 Hidden Creek Ln, Spicewood TX 78669
Phone: 512-371-6159 Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISION Initial Release
3/31/2022

ABRACON IS
ISO9001-2015
CERTIFIED



Automotive Power Common Mode Chokes

ACMP-Q2012

Request Samples




Check Inventory




2.0 x 1.2 x 1.2 mm
RoHS/RoHS II Compliant
MSL Level = 1

Electrical Specifications


ACMP-Q2012-221-T



ACMP-Q2012-261-T



ACMP-Q2012-361-T



5101 Hidden Creek Ln, Spicewood TX 78669
Phone: 512-371-6159 Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISION Initial Release
3/31/2022

ABRACON IS
ISO9001-2015
CERTIFIED



Automotive Power Common Mode Chokes



ACMP-Q2012

Request Samples


Check Inventory

2.0 x 1.2 x 1.2 mm
RoHS/RoHS II Compliant
 MSL Level = 1

Mechanical Specifications



A	B	C	D	E
2.0 ±0.2	1.2 ±0.2	1.2 ±0.2	0.50 ±0.1	0.51 ±0.1



Recommended Layout

Dimensions: mm



5101 Hidden Creek Ln, Spicewood TX 78669
 Phone: 512-371-6159 Fax: 512-351-8858
 For terms and conditions of sales, please visit:
www.abracon.com

REVISION Initial Release
 3/31/2022

ABRACON IS
 ISO9001-2015
 CERTIFIED



Automotive Power Common Mode Chokes

ACMP-Q2012

Request Samples




Check Inventory




2.0 x 1.2 x 1.2 mm
RoHS/RoHS II Compliant
MSL Level = 1

Schematic




Materials



No.	Description	Specification
a	Upper Plate	Ferrite
b	Core	Ferrite Core
c	Electrode	Ag/Ni/Sn
d	Wire	Enameled Copper Wire

Part Identification





Automotive Power Common Mode Chokes

ACMP-Q2012

Request Samples




Check Inventory



2.0 x 1.2 x 1.2 mm
 RoHS/RoHS II Compliant
 MSL Level = 1

Reflow Profile



Zone	Description	Temperature	Times
1	Preheat	$T_{SMIN} \sim T_{SMAX}$ 150°C ~ 200°C	60 ~ 180 sec.
2	Reflow	T_L 217°C	60 ~ 150 sec.
3	Peak heat	T_p 260°C MAX	10 sec. MAX



Automotive Power Common Mode Chokes

ACMP-Q2012

Request Samples




Check Inventory




2.0 x 1.2 x 1.2 mm
RoHS/RoHS II Compliant
MSL Level = 1

Packaging

Tape & Reel: 2000pcs/reel



Series	A	B	C	D
ACMP-Q2012	9.0 ±0.5	60.0 ±2.0	13.5 ±0.5	178.0 ±2.0



W	P	E	F	P0	P2	B0	A0	K0	D	D1	t
8.0 ±0.10	4 ±0.10	1.75 ±0.10	3.5 ±0.10	4.0 ±0.10	2.0 ±0.10	2.35 ±0.10	1.5 ±0.10	1.45 ±0.10	1.5 +0.10/-0	1.0 ±0.10	0.28 ±0.05

Dimensions: mm

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln, Spicewood TX 78669
 Phone: 512-371-6159 Fax: 512-351-8858
 For terms and conditions of sales, please visit:
www.abracon.com

REVISION Initial Release
3/31/2022

ABRACON IS
 ISO9001-2015
 CERTIFIED

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Common Mode Chokes / Filters](#) category:

Click to view products by [Abracon](#) manufacturer:

Other Similar products are found below :

[PE-64683](#) [RD5122-6-9M6](#) [ST6118T-R](#) [FE3X025-10-7NL](#) [T8114NLT](#) [TCM0806G-350-2P-T](#) [TCM0806G-650-2P-T](#) [IND-0110](#)
[UAL21VR0802000](#) [UALSC023000000](#) [UALSC1020JH000](#) [UALSU10VD20010](#) [UALSU9VD070100](#) [36-00037](#) [CM7060M132R-10](#)
[UALW21HS072450](#) [UALSU9H0208000](#) [UAL24VK06450CH](#) [PE-67531](#) [TLH10UB](#) [113 OR5](#) [2752045447](#) [CM8663Z161B-10](#) [7351V](#)
[CMF16-153131](#) [T8116NLT](#) [CMS2-10-R](#) [FE2X10-4-2NL](#) [T8003NLT](#) [CTX01-13663](#) [CTX66-19521-R](#) [RC212-0.5-10M](#) [RC112-0.4-15M](#)
[RC212-0.6-6M8](#) [RC212-0.4-15M](#) [RC112-0.3-30M](#) [4534-3](#) [WTCF2012Z0M751PB](#) [PH9408.814NLT](#) [B82498B3221J000](#) [PAC6006.364NLT](#)
[PAC6006.444NLT](#) [PAC6006.204NLT](#) [PH9407.204NLT](#) [PAC6006.264NLT](#) [PH9408.105NLT](#) [PH9408.494NLT](#) [PAC6006.104NLT](#)
[CM6350R-683-REEL](#) [CUW43T-513T-AU](#) [CUW43T-104T-AU](#)