

Evaluation Board - 6.24 ~ 8.50 GHz UWB - Chip Antenna

ACR0301U-EVB

Request Samples



Check Inventory




42.6 x 22.6 x 0.8 mm
RoHS/RoHS II Compliant
 MSL Level = 1

Description

ACR0301U-EVB Evaluation boards are designed to provide a means to facilitate engineering evaluation of the chip antenna: ACR0301U. With a typical operating frequency range of 6.24 ~ 8.5 GHz, the chip can be used for UWB applications.

To evaluate the performance of antenna, calibrate the Vector Network analyzer (VNA) for the testing frequency band and connect the evaluation board to the calibrated port using the given SMA connector on the board.

Evaluation Board and Dimensions



Note: Evaluation Board dimension: 42.6 x 22.6 x 0.8mm

Unit: mm



5101 Hidden Creek Ln Spicewood TX 78669
 Phone: 512-371-6159 | Fax: 512-351-8858
 For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 09-15-21

ABRACON IS
 ISO9001-2015
 CERTIFIED

Evaluation Board - 6.24 ~ 8.50 GHz UWB - Chip Antenna

ACR0301U-EVB

Request Samples




Check Inventory



42.6 x 22.6 x 0.8 mm
RoHS/RoHS II Compliant
MSL Level = 1

Chip Antenna Dimensions



Unit: mm

Evaluation Board - 6.24 ~ 8.50 GHz UWB - Chip Antenna

ACR0301U-EVB

Request Samples





Check Inventory



42.6 x 22.6 x 0.8 mm
RoHS/RoHS II Compliant
MSL Level = 1

Matching Network on EVB



Note:

1. Desired metal/ground clearance area: 8 x 7.8 mm
2. Width of the 50 Ω line is designed in accordance with the PCB thickness and material considered
3. Matching network (Pi - network) provided is in accordance with the EVB layout and matching will differ in the actual customer PCB depending on the layout

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 09-15-21

ABRACON IS
ISO9001-2015
CERTIFIED

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antenna Development Tools](#) category:

Click to view products by [Abracon](#) manufacturer:

Other Similar products are found below :

[PCSD.06.A](#) [1002427-02](#) [1004796-01](#) [YC0010AAEVB](#) [1001013-02](#) [1005454-01](#) [1004795-01](#) [1002436-01](#) [ACR1004A-EVB](#) [RAC00024-EVB](#) [RAC00245-EVB](#) [ACR1004GC-EVB](#) [W3012-K](#) [W3006-K](#) [SPD.25A](#) [74889100TB](#) [A10192-U1](#) [DTAD.01.A.50](#) [SR4C033-EVB-1](#) [AEK-LTE-CER](#) [IOT-K](#) [SR4W035-EVB-1](#) [W3010-K](#) [LORA-K](#) [ISM-K](#) [REFLECTOR-EVB-1](#) [ACAG0201-2450-EVB](#) [ACAG0301-15752450-EVB](#) [ACAG0301-1575-EVB](#) [ACAG0301-24505500-EVB](#) [ACAG0301-5500-EVB](#) [ACAG0801-2450-EVB](#) [ACAG1204-433-EVB](#) [ACAG1204-868-EVB](#) [ACAG1204-915-EVB](#) [ACAR0301-SW2-EVB](#) [ACAR3005-C2WB-EVB](#) [ACAR3005-S824-EVB](#) [ACAR3705-S698-EVB](#) [ACAR4008-S698-EVB](#) [ACR0301U-EVB](#) [ACR1504I3-EVB-A](#) [ACR1504I3-EVB-S](#) [ACR2005I4-EVB](#) [ACR4006X-EVB](#) [PRO-EB-450](#) [PRO-EB-453](#) [PRO-EB-472](#) [PRO-EB-476](#) [PRO-EB-550](#)