


# GPS/GSM/WiFi Combinational Antenna



AEACBD059015-C3GSW

52 x 59 x 15 mm  
RoHS/RoHS II Compliant  
MSL - 1

## FEATURES

- Active GPS with integrated LNA
- 2G/3G band support
- 2.4 GHz WiFi
- Circular polarization
- Magnetic mounting

## APPLICATIONS

- Telematics
- Smart meter
- Transportation
- Remote monitoring
- IoT
- M2M

## Electrical Characteristics

Parameters	Min.	Typ.	Max	Units	Note
<b>GPS Antenna</b>					
Center Frequency		1575.42±1		MHz	
Band Width		CF±5		MHz	
VSWR			1.5		
Polarization Model	RHCP				
Impedance		50		Ω	
Gain		2.0		dBic	Zenith
Axial Ratio			3	dB	
LNA Gain		28±2		dB	
LNA Noise Figure			1.5		
LNA Ex-band Attenuation		12 16		dB	@ CF+50MHz @ CF-50MHz
LNA VSWR			2.0		
LNA Supply Voltage		2.2~5		V	DC
LAN Current Consumption		5~15		mA	
<b>GSM Antenna</b>					
Frequency Range		824~960MHz/1710~2170		MHz	
VSWR			2.0		
Polarization		Linear			
Gain		2.0		dB	
Impedance		50		Ω	




5101 Hidden Creek Ln Spicewood TX 78669  
Phone: 512-371-6159 | Fax: 512-351-8858  
For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 08.16.2018

ABRACON IS  
ISO9001-2015  
CERTIFIED

# GPS/GSM/WiFi Combinational Antenna



AEACBD059015-C3GSW

52 x 59 x 15 mm  
RoHS/RoHS II Compliant  
MSL - 1

## Electrical Characteristics

Parameters	Min.	Typ.	Max	Units	Note
<b>WiFi Antenna</b>					
Frequency Range		2400~2483.5		MHz	
Band Width		83.5		MHz	
VSWR			2.0		
Polarization		Linear			
Gain		3		dBi	
Impedance		50		$\Omega$	


## Mechanical Characteristics

Parameters	Note
Connector	SMA Male
Cable Type	RG174
Mounting	Adhesive
Dimensions	52 x 59 x 15 mm
Material	ABS

## Mechanical Characteristics

Parameters	Note
Operating Temperature	-40°C to +85°C
Relative Humidity	Up to 95%
Ingress Protection	IP65 to IP67 (exclude cable outlet)
Vibration	10 to 55Hz with 1.5mm amplitude 2 hours
Environmental Friendly	ROHS Compliant
MSL Level	1


# GPS/GSM/WiFi Combinational Antenna



AEACBD059015-C3GSW

52 x 59 x 15 mm  
RoHS/RoHS II Compliant  
MSL - 1

## Dimensions



## Product Image








AEACBD059015-C3GSW

52 x 59 x 15 mm  
RoHS/RoHS II Compliant  
MSL - 1

## Radiation Patterns

### GPS Antenna








AEACBD059015-C3GSW

52 x 59 x 15 mm  
RoHS/RoHS II Compliant  
MSL - 1

## Radiation Patterns

### GSM Antenna








AEACBD059015-C3GSW

52 x 59 x 15 mm  
RoHS/RoHS II Compliant  
MSL - 1

## Radiation Patterns

### WiFi Antenna



## Packaging

Each 70 x 32 x 15cm size carton includes 50 pcs antenna, weighs 12 kg

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Antennas](#) category:*

*Click to view products by [Abracon](#) manufacturer:*

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-](#)  
[30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-](#)  
[915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-](#)  
[28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [EXB144SM](#) [C37](#) [MAF94051](#) [GD35-17P-NF](#) [P1744](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#)  
[QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#)