

AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Features

- Multiband GPS/GLONASS/BEIDOU/Galileo coverage
- Low profile
- Flexible structure
- Omni-directional pattern
- Linear polarization
- RF coax cable, IPEX connector

Applications

- GPS/GLONASS/Galileo/Beidou applications
- IoT
- M2M
- Remote technology monitoring
- Geofencing
- Surveying and mapping systems
- Logistics

Electrical Specifications

| Parameters | Specifications | | | | |
|-----------------------|------------------|--|--|--|--|
| Operating Frequency | 1550-1620MHz | | | | |
| VSWR | ≤ 2.5 | | | | |
| Impedance | 50Ω | | | | |
| Peak Gain | 6.3 dBi | | | | |
| Average Gain | 1~ 2 dBi (typ.) | | | | |
| Azimuth | Omni-directional | | | | |
| Polarization | Vertical | | | | |
| Installation mode | Surface-pasting | | | | |
| Operating temperature | -40°C to 85°C | | | | |
| Power Capacity | 3W | | | | |

Note: Don't paste on the surface of metal.

Frequency change with different material and thickness of the shell.






AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Return Loss Characteristics








AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Product Dimensions



Unit: mm

| Description | Specification | | | |
|---------------|----------------------|--|--|--|
| Antenna Size | 43 x 30 mm | | | |
| Material | FPC | | | |
| RF Cable | Ф1.13mm (L=240±5 mm) | | | |
| RF Connector | I-PEX | | | |
| Adhesive Tape | 3M 467MP | | | |






AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Radiation Efficiency



| Frequency (MHz) | 1561 | 1575 | 1602 |
|-------------------------|--------|--------|--------|
| Maximum gain (dB) | 5.52 | 5.78 | 6.10 |
| Radiation Efficiency(%) | 79.18% | 82.77% | 85.59% |






AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Radiation Pattern

XY - Plane








AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Radiation Pattern

XZ - Plane








AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

Radiation Pattern

YZ - Plane







AFAG4330-SG3



43.0 x 30.0 mm RoHS/RoHS II Compliant MSL = Not Applicable

| n | | | | | | ٠ | | |
|---|----|---|---|---|---|---|---|---|
| P | Я | c | k | Я | σ | 1 | n | σ |
| • | •• | • | - | | - | • | | _ |

Each box is equipped with 2,000 antennas, 40 antennas are placed in a grid, the size of carton is 630 x 460 x 105 mm.

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by Abracon manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF EXB144SM C37 MAF94051 GD35-17P-NF P1744 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393