

2G/3G/GSM Flexible Printed Circuit Antenna



AFAG7020-S824



70.0 x 20.0mm
RoHS/RoHS II Compliant
 MSL - N/A

FEATURES

- GSM 850, GSM 900, DCS 1800, PCS 1900
- Low profile
- Omni-directional pattern
- Cable and connector for easy installation
- High gain of 3.5 dBi

APPLICATIONS

- Cellular connectivity
- M2M
- IoT
- IoT gateways
- Wearables
- Video
- Surveillance
- Digital signage

Electrical Specifications

Parameters	Min.	Typ.	Max.	Units	Note
Frequency		824-894 MHz 880-960 MHz 1710-1880 MHz 1850-1990 MHz 1710-2690 MHz		MHz	GSM 850 GSM 900 GSM 1800 PCS 1900 UMTS+LTE
VSWR			3.0:1		
Polarization	Linear				
Azimuth	Omnidirectional				
Impedance		50		Ω	
Gain		2.0		dBic	GSM 850 GSM 900 GSM 1800
		3.5		dBic	PCS 1900 UMTS+LTE
Efficiency		50		%	GSM 850 GSM 900 GSM 1800
		65		%	PCS 1900 UMTS+LTE
Operating Temperature	-40		+85	°C	
Storage Temperature	-40		+85	°C	
Input Power			10	W	
Installation Method		Surface-pasting			

NOTE:

Don't paste on the surface of metal.

Frequency change with different material and thickness of the shell.



5101 Hidden Creek Ln Spicewood TX 78669
 Phone: 512-371-6159 | Fax: 512-351-8858
 For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 08.10.2018

ABRACON IS
 ISO9001-2015
 CERTIFIED



AFAG7020-S824




70.0 x 20.0mm
RoHS/RoHS II Compliant
 MSL - N/A

Environmental Characteristics

Parameters	Note
ROHS	ROHS Compliant
MSL	Not Applicable
Static Sensitivity	NON ESD sensitive
Handling	No special handling conditions

VSWR Characteristics






AFAG7020-S824



70.0 x 20.0mm
RoHS/RoHS II Compliant
MSL - N/A


Efficiency




Radiation Patterns

Antenna 3D Patterns

824 MHz



960 MHz






AFAG7020-S824




70.0 x 20.0mm
RoHS/RoHS II Compliant
MSL - N/A

Radiation Patterns

1710 MHz



2690 MHz



2G/3G/GSM Flexible Printed Circuit Antenna




AFAG7020-S824



70.0 x 20.0mm
RoHS/RoHS II Compliant
MSL - N/A



Dimensions



Description	Spec
Antenna Dimension	70 x 20 mm
Cable Length	120.0 mm
Material	FPC
RF Cable	$\Phi 1.13$ mm, L=120 \pm 10mm
RF Connector	IPEX
Mounting Type	Adhesive Tape (3M-467MP)

Unit: mm

Product Image



Packaging

Each carton contains 500 pieces of antenna; the size of each carton is 500*260*250 mm



5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 08.10.2018

ABRACON IS
ISO9001-2015
CERTIFIED

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Abracon](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [EXB144SM](#) [C37](#) [MAF94051](#) [GD35-17P-NF](#) [P1744](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#)