


# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G



ESD Sensitive



27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## FEATURES

- Right hand circular polarization
- High gain of 4.5 dBic
- Low VSWR
- Integrated high gain LNA
- U.FL connector and cable

## APPLICATIONS

- Geotracking/Geolocation
- IoT
- Navigation
- Industrial monitors
- Smart agriculture
- Transportation
- Satellite synchronization

## Electrical Specifications

### Antenna

Parameters	Typ.	Units	Note
Frequency Range	1575.42 ± 1.023	MHz	(For GPS)
	1601.02 ± 1.15	MHz	(For GLONASS)
Bandwidth	>10	MHz	
VSWR at Center Frequency	≤ 2		
Polarization Model	RHCP		(Right Hand Circular Polarization)
Impedance	50	Ω	
Gain	4.5	dBic	(Based on 70×70mm ground plane)
Operating Temperature	-40 to +80	°C	
Storage Temperature	-45 to +85	°C	

### Low Noise Amplifier (LNA)

Parameters	Typ.	Units	Note
Frequency Range	1575.42 ± 1.023	MHz	
	1601.02 ± 1.15	MHz	
DC Voltage	3.0 – 5.0	V	
Gain	28 ± 3	dB	
Output VSWR	≤2.0		
Noise Figure	≤1.5	dB	(+25°C ±10°C)
DC current	8.5 ± 3	mA	(At 3.0V)
Out-Band Rejection	≥ 30	dB	(fo+100MHz)
	≥ 30	dB	(fo-100MHz)




5101 Hidden Creek Ln Spicewood TX 78669  
Phone: 512-371-6159 | Fax: 512-351-8858  
For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 01.07.2019

ABRACON IS  
ISO9001-2015  
CERTIFIED

# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G



ESD Sensitive




27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Electrical Specifications


### Overall (Complete Module including RF Connector)

Parameters	Typ.	Units	Note
Frequency Range	1575.42 ± 1.023 1601.02 ± 1.15	MHz	
Output VSWR	≤2.0		
Impedance	50	Ω	

## Returns-Loss Characteristics



# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G




ESD Sensitive




27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Smith Chart



## VSWR



## Summary

Frequency	Return Loss	Impedance	VSWR
1575MHz	-37.9dB	50.2-j0.3Ω	1.02
1602MHz	-35.1dB	50.1+j1.0Ω	1.03




5101 Hidden Creek Ln Spicewood TX 78669  
Phone: 512-371-6159 | Fax: 512-351-8858  
For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 01.07.2019

ABRACON IS  
ISO9001-2015  
CERTIFIED

# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G




ESD Sensitive




27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Radiation Patterns



## Gain Patterns (1575MHz, 1602MHz)



XZ Plane (PHI=0°)




5101 Hidden Creek Ln Spicewood TX 78669  
Phone: 512-371-6159 | Fax: 512-351-8858  
For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 01.07.2019

ABRACON IS  
ISO9001-2015  
CERTIFIED

# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G




ESD Sensitive



27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Gain Patterns


YZ Plane (PHI=90°)



Frequency	Direction	Peak Gain (dBic)	Zenith Gain (dBic)
1575MHz	XZ	0.73	0.73
	YZ	1.08	0.73
1602MHz	XZ	1.55	1.19
	YZ	1.19	1.19

## Axial Ratio Patterns (1575 MHz, 1602 MHz)

Legend  
— 1575.00(MHz)  
— 1602.00(MHz)




5101 Hidden Creek Ln Spicewood TX 78669  
 Phone: 512-371-6159 | Fax: 512-351-8858  
 For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 01.07.2019

ABRACON IS  
 ISO9001-2015  
 CERTIFIED



# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G



ESD Sensitive




27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Axial Ratio Patterns (1575 MHz, 1602 MHz)


Frequency	Direction	Axial Ratio (dB)
1575MHz	XZ	18.7
1602MHz	XZ	10.9

## Efficiency (1575 MHz, 1602 MHz)



Frequency	Direction	Efficiency
1575MHz	XZ	80.8%
1602MHz	XZ	83.0%

## LNA Test Curve



Test condition: DC 3.0V




5101 Hidden Creek Ln Spicewood TX 78669  
Phone: 512-371-6159 | Fax: 512-351-8858  
For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 01.07.2019

ABRACON IS  
ISO9001-2015  
CERTIFIED

# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G




ESD Sensitive



27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Outline Dimensions



Unit: mm

L=30±2mm, L1=23±2mm

Parameters	Description
Antenna	Dielectric Ceramics
PCB	FR4
Shielding	Tinplate
RF Cable	Φ 1.13 ±0.1 mm
RF Connector	U.FL -1




5101 Hidden Creek Ln Spicewood TX 78669  
Phone: 512-371-6159 | Fax: 512-351-8858  
For terms and conditions of sales, please visit:  
[www.abracon.com](http://www.abracon.com)

REVISED: 01.07.2019

ABRACON IS  
ISO9001-2015  
CERTIFIED

# GNSS/GPS/GLONASS Active Patch Antenna



APAGM2704A-C2G



ESD Sensitive



27.0 x 27.0 x 9.6mm  
RoHS/RoHS II Compliant  
MSL - N/A

## Packaging

Description	Quantity
Per tray	30 Pcs
Per vacuum bag	5 Trays
Per carton	4 Vacuum bag
Total No of piece/carton	600 Pcs
Carton dimensions	345 x 210 x 275 mm

Note: 3M tape will be added to the antenna during production





## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Antennas](#) category:*

*Click to view products by [Abracon](#) manufacturer:*

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [EXB144SM](#) [C37](#) [MAF94051](#) [GD35-17P-NF](#) [P1744](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#)