

GPS/Galileo + GLONASS Ceramic Patch Antenna



APAKN1304-C2G-T

13.0 x 13.0 x 4.0mm
RoHS/RoHS II Compliant
MSL = 1

FEATURES

- Gain of 2.6 dBi
- 1575.42 MHz frequency
- RHCP Polarization
- 13.0 x 13.0 x 4.0mm form factor
- GPS/Galileo and Glonass

APPLICATIONS


- GPS/GNSS
- Galileo
- GLONASS
- IoT
- Remote technology/monitoring
- M2M

ELECTRICAL SPECIFICATIONS

Parameters	min	Typ.	Max.	Units	Note
Application Band: GPS / Galileo		1575.42±1.023		MHz	(On a 70*70mm Ground Plane)
Return Loss: GPS / Galileo			-10	dB	
Gain (Peak): GPS / Galileo		2.6		dBi	
Application Band: GLONASS		1602±5.0		MHz	(On a 70*70mm Ground Plane)
Return Loss: GLONASS			-10	dB	
Gain (Peak): GLONASS		2.4		dBi	
Polarization Model	RHCP				
Impedance	50			Ω	
Frequency Temperature Coefficient			20	ppm/°C	

(*) Application environment, including size of the ground plane, proximity to adjacent components, etc., will affect stated performance. Fine tuning might be required when installed on end-customer's PCB. Abracon offers Antenna Optimization Service, please contact Abracon.

RETURN LOSS CHARACTERISTIC



Return Loss characteristic shows a dual band response for GPS/Galileo & GLONASS R.H.).



5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

REVISED: 02.13.2020

ABRACON IS
ISO9001-2015
CERTIFIED


GPS/Galileo + GLONASS Ceramic Patch Antenna




APAKN1304-C2G-T

13.0 x 13.0 x 4.0mm
RoHS/RoHS II Compliant
MSL = 1

RADIATION PATTERN (X-Y PLANE)



LANDING PATTERN




GPS/Galileo + GLONASS Ceramic Patch Antenna



APAKN1304-C2G-T


13.0 x 13.0 x 4.0mm
RoHS/RoHS II Compliant
MSL = 1

OUTLINE DIMENSIONS



RECOMMENDED REFLOW SOLDERING PROFILE

Solder Paste: Sn/Ag/Cu: 96.5/3.0/0.5
Recommended reflow condition:



PACKAGING

Package is made of corrugated paper with thickness of 0.8cm. Carton has 8 inner boxes; each inner box has 1 vacuum bag.

Quantity:

Per package base : 50 elements
Per vacuum bag : 5 package bases / trays
Per inner box : 1 vacuum bag
Per package : 8 inner boxes
Total No of pieces/ package : 2000
Gross Weight : 9 Kg
Carton Dimensions : 52*29*16cm

REVISED: 02.13.2020



5101 Hidden Creek Ln Spicewood TX 78669
Phone: 512-371-6159 | Fax: 512-351-8858
For terms and conditions of sales, please visit:
www.abracon.com

ABRACON IS
ISO9001-2015
CERTIFIED

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [ABRACON](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [EXB144SM](#) [C37](#) [MAF94051](#) [GD35-17P-NF](#) [P1744](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#)