






APA102 2020 SMD Rigid Bar



Product Description

- The bar's biggest feature is lamp beads are very dense, brightness, no shadow.
- Pixel pitch approx 3mm for this rigid bar.
- Input DC5V, The power of the bar is about 17W.



- The actual length approx 400mm, the leftover space (16mm)can be used for attaching cables.
- 10mm pcb wide would be great to dissipate heat.
- Ip20, non-waterproof



Product Datasheet

Product Number	B128APA2020V5		
Light Source	APA102-2020		
Beam Angle	120°		
LED Quantity	128leds/pcs		
Size (mm)	L 384* W 10* H 1.5 mm		
Emitting Color	Full color		
Operating Voltage	DC5V		
Power (W)	17w±0.5W/pcs		
Control (IC)	APA102		
Waterproof Rating	IP20		
Luminance(MCD/LED)	R:300-500mcd	G:500-850mcd	B:120-200mcd
Wavelength	R:619-626nm	G:520-535nm	B:465-475nm


Application



- Hotels, restaurants, nights clubs.
- Back lighting, edge lighting.
- Advertising signs, brightening.
- Dancefloor background.

Outline Dimension

Overlook View :



Horizontal Perspective :



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Adafruit Accessories](#) category:

Click to view products by [Adafruit](#) manufacturer:

Other Similar products are found below :

[3209](#) [3561](#) [3560](#) [3562](#) [2503](#) [3011](#) [3048](#) [2973](#) [2868](#) [2958](#) [2836](#) [2968](#) [3610](#) [3568](#) [3551](#) [2858](#) [3353](#) [3584](#) [3484](#) [2865](#) [3556](#) [3559](#) [3262](#)
[3348](#) [2499](#) [2878](#) [2963](#) [3219](#) [3005](#) [2882](#) [PGM1202](#) [02-LDR1](#) [02-LDR12](#) [02-LDR13](#) [02-LDR14](#) [02-LDR15](#) [02-LDR2](#) [02-LDR3](#) [02-LDR4](#)
[2194](#) [862](#) [460](#) [905](#) [02-LDR20](#) [02-LDR21](#) [02-LDR22](#) [02-LDR23](#) [1008](#) [1020](#) [1031](#)