

Main Products

Thermal Resistant Textiles for Glass

Ultra High Temperature Resistant Textiles

Smart Textiles

Ultra Heating Element/Fabric/Pad


Wearable Heating

Industrial Heating


Stainless Steel Fiber/Twisted Filament/Spun Yarn

Conductive Plastic/Rubber


Products [Ultra Heating Element/Fabric/Pad](#) > [Wearable Heating](#) > Ultra Heating Pad



Ultra Heating Pad



Product Info



Item No.	HF0510	HF0512	HF0515
Items	Specification		
Dimension	W: 5 cm×L: 10 cm Thickness:0.74 mm	W: 5 cm×L: 12 cm Thickness:0.74 mm	W: 5 cm×L: 15 cm Thickness:0.74 mm
Insulation	Polyimide (PI) film		
Material of Heating Fabric	Polyestrer filament and Micro Metal Conductive Fiber		
Length of the USB Cable	1.5 m		
Input	DC 5 V, 1 A		
Heat Output	About 3.8 W	About 3.2W	About 2.5W
Power Sources	1.Computer USB Slot 2. Power Bank 3. AC to DC Adopter		
Certification	CE、Rohs		



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Adafruit Accessories](#) category:*

*Click to view products by [Adafruit](#) manufacturer:*

Other Similar products are found below :

[3209](#) [3561](#) [3560](#) [3562](#) [2503](#) [3011](#) [3048](#) [2973](#) [2868](#) [2958](#) [2836](#) [2968](#) [3610](#) [3568](#) [3551](#) [2858](#) [3353](#) [3584](#) [3484](#) [2865](#) [3556](#) [3559](#) [3262](#)  
[3348](#) [2499](#) [2878](#) [2963](#) [3219](#) [3005](#) [2882](#) [PGM1202](#) [02-LDR1](#) [02-LDR12](#) [02-LDR13](#) [02-LDR14](#) [02-LDR15](#) [02-LDR2](#) [02-LDR3](#) [02-LDR4](#)  
[2194](#) [862](#) [460](#) [905](#) [02-LDR20](#) [02-LDR21](#) [02-LDR22](#) [02-LDR23](#) [1008](#) [1020](#) [1031](#)