




## 3W RGB Digital LED Module



### Product Description

This is a super bright RGB LED mounted on a Aluminum board backside without a 3M stick ,suggested to install on any plate for heat dissipation,2 pcs M3 mounting hole on each corner WS2811 control ,it's working with any SPI controller or a DMX decoder



constant voltage working, there are 3 pads on each side of board do not confuse the Data in and Data out each module contains a pair of JST connector and packed by An-ti static bag



## Product Datasheet

Product Number	P032001MA3SF
Light Source	Imitation lumen lamp beads
Beam Angle	140°
Emitting Color	RGB
Lumens/M	R: 10lm G: 33lm B: 5lm
Control	WS 2811
PCB color	Black
Operating Voltage	DC5V
Power (W)	3W/pcs
Size (mm)	32*25
IP	IP 20
Operation Temperature	- 40 ~ 50 °C

## Application



Hotels ,restaurants, nights clubs, edge light

Recreational machines, playstation




Living rooms, coffee / wine bars, back lighting

TV, dancefloor background, shopping malls,



## Outline Dimension (unit:mm)



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Adafruit Accessories](#) category:*

*Click to view products by [Adafruit](#) manufacturer:*

Other Similar products are found below :

[3209](#) [3561](#) [3560](#) [3562](#) [2503](#) [3011](#) [3048](#) [2973](#) [2868](#) [2958](#) [2836](#) [2968](#) [3610](#) [3568](#) [3551](#) [2858](#) [3353](#) [3584](#) [3484](#) [2865](#) [3556](#) [3559](#) [3262](#)  
[3348](#) [2499](#) [2878](#) [2963](#) [3219](#) [3005](#) [2882](#) [PGM1202](#) [02-LDR1](#) [02-LDR12](#) [02-LDR13](#) [02-LDR14](#) [02-LDR15](#) [02-LDR2](#) [02-LDR3](#) [02-LDR4](#)  
[2194](#) [862](#) [460](#) [905](#) [02-LDR20](#) [02-LDR21](#) [02-LDR22](#) [02-LDR23](#) [1008](#) [1020](#) [1031](#)