## Microsoft<sup>®</sup> Wired Desktop 600





Name Information	
Product Name	Microsoft® Wired Desktop 600
Keyboard Name	Microsoft Wired Keyboard 600
Mouse Name	Microsoft Basic Optical Mouse v2.0
Product Dimensions	
Keyboard Length	17.9 inches (456 millimeters)
Keyboard Width	6.28 inches (160 millimeters)
Keyboard Depth/Height	1.68 inches (42.7 millimeters) with tilt legs extended
Keyboard Weight	20.1 ounces (595 grams)
Keyboard Cable Length	78.7 inches (2000 millimeters)
Mouse Length	4.47 inches (113 millimeters)
Mouse Width	2.28 inches (57.9 millimeters)
Mouse Depth/Height	1.54 inches (39.2 millimeters)
Mouse Weight	3.27 ounces (92.8 grams)
Mouse Cable Length	72 +6/-0 inches (1830 +150/-0 millimeters)
Compatibility and Localization	
Interface	Keyboard: USB compatible
	Mouse: USB compatible
Operating Systems	Microsoft Windows® 10 / 8.1 / 8 / RT¹ 8.1 / RT 8, and Windows 7
3 -,	Macintosh Mac OS X v10.7x- 10.10
	• Android 3.2 – 5.0
	<sup>1</sup> Advanced functionality not available with all devices. See compatibility information at: microsoft.com/hardware/compatibility
Top-line System Requirements	For a Microsoft Windows-based PC:
	Requires a PC that meets the requirements for and has installed one of these operating systems:
	Windows 10 / 8.1 / 8 / RT 8.1 / RT 8, and Windows 7
	• 150 MB
	•USB
	For a Macintosh PC:
	Macintosh Mac OS X v10.7x-10.10
	• Washington Mac SS AVIO.7A-10.10
Compatibility Logos	Compatible with Microsoft Windows 10 / 8 / Windows RT / 7
Compatibility Logos	Mac logo
	Universal Mac logo
Software Localization	No software required
Keyboard Localization	Available language sets will vary by product and sales channel.
Reyboard Localization	Available language sets will vary by product and sales challed.  104 key configuration: Arabic, Chinese (Simplified), Chinese (Traditional), English (Canada), English (North America), Greek, International English (EU
	International English (ROW), Polish/Romanian, Russian, and Thai
	105 key configuration: English (LWK), French (Canada), French (France), German (Germany), Hungarian, Spanish (Latin America), and Turkish
Fracking Technology	106 key configuration: Korean
	107 key configuration: Brazilian (Portuguese)
	109 key configuration: Japanese
Tracking Technology	
Mouse Tracking System	Optical tracking system
Imaging Rate	Up to 3000 frames per second
X-Y Resolution	800 points per inch (31.5 points per millimeter)
Tracking Speed	Up to 20 inches (508 millimeters) per second
Product Feature Performance	
QWERTY Key Life	20,000,000 actuations per key
Hot Key Features	Windows 8 Charms keys, Windows Start key, and Calculator
Hot Key Life	500,000 actuations per key
Multimedia Key Features	Play/Pause, Volume +, Volume -, and Mute
Multimedia Key Life	30,000 actuations per key
Typing Speed	1000 characters per minute
Mouse Button Features	3 buttons including scroll wheel button
Right & Left Button Life	3,000,000 actuations
Wheel Button Life	3,000,000 actuations 250,000 actuations
Mouse Scrolling Features	· ·
Mouse Scrolling Features Wheel Vertical Scrolling Life	Standard vertical scroll wheel
Mouse Scrolling Features Wheel Vertical Scrolling Life	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute
Wheel Vertical Scrolling Life	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute
Wheel Vertical Scrolling Life Storage Temperature & Humidity	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity  Operating Temperature & Humidity	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute
Wheel Vertical Scrolling Life  Storage Temperature & Humidity  Operating Temperature & Humidity  Sertification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity  Operating Temperature & Humidity  Certification Information  Country of Manufacture  ISO 9001 Qualified Manufacturer	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes
Wheel Vertical Scrolling Life  Storage Temperature & Humidity  Operating Temperature & Humidity  Certification Information  Country of Manufacture  ISO 9001 Qualified Manufacturer	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute • 300,000 revolutions (toward user) at no more than 60 rotations per minute • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device in the subject to the following two conditions: (1) This device is the subject to the following two conditions: (1) This device is the subject to the following two conditions: (1) This device is t
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute • 300,000 revolutions (toward user) at no more than 60 rotations per minute • 300,000 revolutions (toward user) at no more than 60 rotations per minute • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  • ACA/MED Declaration of Conformity (Australia and New Zealand)  • ICES-003 report on file (Canada)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  • ACA/MED Declaration of Conformity (Australia and New Zealand)  • ICES-003 report on file (Canada)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  • ACA/MED Declaration of Conformity (Australia and New Zealand)  • ICES-003 report on file (Canada)  • EIP Pollution Control Mark, EPUP (China)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  • ACA/MED Declaration of Conformity (Australia and New Zealand) • ICES-003 report on file (Canada) • EIP Pollution Control Mark, EPUP (China) • CE Declaration of Conformity (European Union)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID Certification Information	Standard vertical scroll wheel  • 100,000 revolutions (away from user) at no more than 60 rotations per minute  • 300,000 revolutions (toward user) at no more than 60 rotations per minute  • 40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  • ACA/MED Declaration of Conformity (Australia and New Zealand)  • ICES-003 report on file (Canada)  • EIP Pollution Control Mark, EPUP (China)  • CE Declaration of Conformity (European Union)  • WEEE (European Union)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID Certification Information	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute 300,000 revolutions (toward user) at no more than 60 rotations per minute -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC) Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  *ACA/MED Declaration of Conformity (Australia and New Zealand) ICES-003 report on file (Canada) EIP Pollution Control Mark, EPUP (China) CE Declaration of Conformity (European Union) WEEE (European Union) VCCI Certificate (Japan)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute  300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  • ACA/MED Declaration of Conformity (Australia and New Zealand) • ICES-003 report on file (Canada) • EIP Pollution Control Mark, EPUP (China) • CE Declaration of Conformity (European Union) • WEEE (European Union) • VCCI Certificate (Iapan) • KCC Certificate (Iapan)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID Certification Information	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute  300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  *ACA/MED Declaration of Conformity (Australia and New Zealand)  *ICES-003 report on file (Canada)  EIP Pollution Control Mark, EPUP (China)  *CE Declaration of Conformity (European Union)  *WEEE (European Union)  *WCCI Certificate (Japan)  *KCC Certificate (Korea)  *EAC Certificate (Rosa)  *EAC Certificate (Rosa)  *EAC Certificate (Russia, Kazakhstan)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID Certification Information	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute  300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  *ACA/MED Declaration of Conformity (Australia and New Zealand)  •ICES-003 report on file (Canada)  •ICES-003 report on file (Canada)  •ICES-001 report on file (Canada)  •ICES-001 report on file (Canada)  •ICES-001 report on file (Canada)  •ICES-002 report on file (Canada)  •ICES-003 report on file (Canada)  •ICES-004 report on file (Canada)  •ICES-005 report on file (Canada)  •ICES-006 report on file (Canada)  •ICES-007 report on file (Canada)  •ICES-008 report on file (Canada)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID Certification Information	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute  300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  *ACA/MED Declaration of Conformity (Australia and New Zealand)  *ICES-003 report on file (Canada)  *EIP Pollution Control Mark, EPUP (China)  *CE Declaration of Conformity (European Union)  *WEEE (European Union)  *VCCI Certificate (Koraa)  *EAC Certificate (Russia, Kazakhstan)  BSMI DoC (Taiwan)  *FCC Declaration of Conformity (USA)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Pertification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information Agency and Regulatory Marks	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute  300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  *ACA/MED Declaration of Conformity (Australia and New Zealand)  *ICES-003 report on file (Canada)  EIP Pollution Control Mark, EPUP (China)  *CE Declaration of Conformity (European Union)  *WEEE (European Union)  *WCCI Certificate (Korea)  *EAC Certificate (Russia, Kazakhstan)  *BSMI DoC (Taiwan)  *FCC Declaration of Conformity (USA)  *CB Scheme Certificate (International)
Wheel Vertical Scrolling Life  Storage Temperature & Humidity Operating Temperature & Humidity Certification Information Country of Manufacture ISO 9001 Qualified Manufacturer ISO 14001 Qualified Manufacturer Restriction on Hazardous Substances  FCC ID  Certification Information	Standard vertical scroll wheel  100,000 revolutions (away from user) at no more than 60 rotations per minute  300,000 revolutions (toward user) at no more than 60 rotations per minute  -40°F (-40°C) to 140°F (60°C) at 5% to 65% relative humidity (non-condensing)  32°F (0°C) to 104°F (40°C) at 5% to 80% relative humidity (non-condensing)  People's Republic of China (PRC)  Yes  Yes  This device complies with all applicable worldwide regulations and restrictions including, but not limited to: EU directive 2002/95/EC on the Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment and EU Registration Evaluation and Authorization of Chemicals (REACH) regulation regarding Substances of Very High Concern.  This device complies with part 15 of the FCC Rules and Industry Canada ICES-003. Operation is subject to the following two conditions: (1) This device not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Te to comply with FCC standards. For home and office use. Model numbers: 1576, Wired Keyboard 600 and 1113, Basic Optical Mouse v2.0.  *ACA/MED Declaration of Conformity (Australia and New Zealand)  *ICES-003 report on file (Canada)  *EIP Pollution Control Mark, EPUP (China)  *CE Declaration of Conformity (European Union)  *WEEE (European Union)  *VCCI Certificate (Koraa)  *EAC Certificate (Russia, Kazakhstan)  BSMI DoC (Taiwan)  *FCC Declaration of Conformity (USA)

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Input Devices category:

Click to view products by Advantech manufacturer:

Other Similar products are found below:

80260-00 81485-28 81521-08 89758-05 89886-26 89941-00 80262-00 81601-26 UL21KMZQ G8011900LPMUS0 81485-26 84105-13 FTRB4GA45ZB05 DT2257X20V00GRY 84Z2029-78 84Z2029-79 84Z2029-80 LP1007EXXH00R DT2253X20V00BLK 100133BX EZ08-230013 81248-04 HB110C3NWBNA 80260-08 HG2621 3K020-4RN3AG 3K020-4RC3AG 3K206-2RC3AG 3K015-3RN3AG TMR-304 STABILNY KS01-AV-BK KS01-AV-R KS01-BV-BL KS01-BV-G KS01-BLV-2 KS01-BLV-4 KS01-BV-Y D6C10 F1 LFS 1611 1738 NP0004 NP0027 NP0031 OM200A-M2 OM200B-M1 OM203A-M2 OM300A-M2 OM300B-M2 OM300B-M4 OM400A-M4