

MOS-2230-Z1201E

CANBus iDoor Module

NEW



RoHS COMPLIANT
CE FCC

Features

- USB to 2x CANBus port module with isolated
- Full size Mini PCIe & Module type combo
- Combo USB (Internal/ External) Interface
- Compliant with CAN 2.0A and CAN 2.0B identifiers, According to ISO 11898-1 and ISO 11898-2
- Bit rates up to 1 Mbit/s

Specifications

Technology	CANBus type
Host site Interface	Combo USB (Internal/ External) Interface
Communication Baud Rate	10, 20, 50, 125, 250, 500, 800 and 1000 Kbps
Host site Connector	Internal USB port: Mini PCIe thru USB External USB port: 2.0 mm, 2x5-pin, male header
CANBus Connector	1.25 mm, 3-pin, Male type Wafer Box
Support Voltage and Current	+ 5.0 V, 100 mA
LED Status	Power on/off LED: Green LED CAN-1, CAN-2 Tx LED: Red LED
OS Supported	Windows 2000/ XP/ Vista/ 7 (32 and 64-bits)
Temperature Ranges	Operation: -40 to +85° C Storage: -40 to +85° C
Dimensions (L x W x H)	50.59 x 30 x 10 mm

Ordering Information

Part No.	Product Description
MOS-2230-Z1201E	CANBus module, 2-Ch, USB I/F (-40 to +85° C) with cable and iDoor bracket

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) category:

Click to view products by [Advantech](#) manufacturer:

Other Similar products are found below :

[IFD8520](#) [cPCI-3544](#) [422CON](#) [ATX6022/14GP7](#) [ATX6022/8](#) [AX93221-24/48](#) [FC6A-EXM2](#) [OPT8AP-AE](#) [96RMKVM-19V1C-A](#) [60016-011](#) [60016-014](#) [60006-008](#) [60011-075](#) [HPCI-14S12U](#) [cBP-3208](#) [cBP-3062A](#) [FAB205-6P5](#) [ATX6022/6](#) [60016-012](#) [96RMKVM-17V1C-A](#) [PCE-DP10-00A1E](#) [MOS-1120Y-0201E](#) [96RMLCD-17V1-A](#) [96RMKVM-17V8C-A](#) [60004-005](#) [60016-017](#) [60006-009](#) [60016-035](#) [60016-034](#) [60016-031](#) [60016-030](#) [60016-026](#) [60016-024](#) [60016-018](#) [60016-007](#) [60016-005](#) [60007-002](#) [60006-010](#) [AXX10GBTWLHW3](#) [382-BBEH](#) [555-BDCL](#) [K6CMISZBI52](#) [426451401-3](#) [60011-093](#) [MIC-3620/3-BE](#) [MPCIE-UART-KIT02-R20](#) [RSM232](#) [PCIE-1680-AE](#) [BB-FOSTCDRI](#) [73-544-002](#)