

Product Data Sheet

Thermal grease HPX

Super conducting thermal grease HPX, thermal conductivity > 2.8 W/mk, longterm stability. It is necessary for correct operation of any type of temperature sensors. Low thermal Impedance can keep stable performance between -30 - 300°C.



Properties of Thermal grease

- ◆ Color grey
- ◆ Thermal conductivity 2.8 W/mk
- ◆ Thermal impedance 0.095°C in2/W
- ◆ Specific gravity 2.1 g/cm3
- ◆ Evaporation 0.001
- ◆ Bleed 0.05
- ◆ Dielectric Constant 5.1
- ◆ Viscosity non-flowing
- ◆ Thixotropic Index 380+/-10
- ◆ Moment Beared Temperature -50~340°C
- ◆ Operation Temperature -30~300°C

Package

Capacity	Package	Symbol
60g	5	AGT-126
10 g	6	AGT-128
1000 g	1	AGT-114



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Thermal Interface Products](#) category:

Click to view products by [AG Termopasty](#) manufacturer:

Other Similar products are found below :

[63072-2-4013](#) [64442-1-7612](#) [FGN80-2](#) [PFM-172-60](#) [95778-1-5171](#) [A-40](#) [ACDIN4001-01-S](#) [APA502-80-001](#) [188761F00000G](#) [95779-1-5171](#) [9601-7](#) [9614-2-4013](#) [189790F00000](#) [189951F00000G](#) [2103-4-7320](#) [CN9565-000](#) [31570-2-4013](#) [LZ24-1](#) [4103G](#) [450-20-0025](#) [5300AC](#) [1.500G](#) [53-77-13ACG](#) [450-20-0017](#) [4949G](#) [08121](#) [08133](#) [08151](#) [08188](#) [08196](#) [10637-4-1040](#) [54476-2-4013](#) [71883-2-4053](#) [188651F00000G](#) [64445-1-7612](#) [66786-4-7320](#) [TP0001](#) [4952G](#) [4860](#) [450-20-0148](#) [88601-2-2929](#) [SC80-W2](#) [09450-M45](#) [09362-M45](#) [V6516C](#) [A17713-05](#) [A17690-06](#) [A17690-10](#) [A17690-05](#) [A17690-03](#) [A17775-05](#)