




Chipset Cooler

Low-noise, compact chipset cooler. Thermally conductive tape is pre-applied.

Product Code: AK-210-BK

[Where to Buy](#) 

[OVERVIEW](#)

[SPECIFICATION](#)

[REVIEWS](#)

[SUPPORT](#)

[RELATED PRODUCTS](#)



Application	Chipset cooler
Cooler dimension	38 x 38 x 13 (H) mm
Heatsink material	Aluminium
Weight	37.6g
Installation	Thermally conductive adhesive tape (pre-applied)
Fan dimension	40 x 40 x 10.5 mm
Fan speed	5400 RPM
Fan airflow	5.52 CFM (9.2 m ³ /h)
Fan air pressure	2.41 mm H ₂ O
Noise level	28.5 dB(A)
Current rating	0.10 A
Voltage rating	12V DC
Bearing type	EBR Bearing
Fan life expectancy	40,000 hours


Fan connector

3pin

Product code

AK-210-BK

AKASA (@akasa_tech)



DISCOVER

[About Akasa](#)
[Where to Buy](#)
[Press Room](#)



SUPPORT

[Legacy Products](#)
[Contact Us](#)
[Terms and Privacy](#)

STAY UP TO DATE!

Subscribe now for free alerts on newly added products, exclusive deals and more.



 ENGLISH 

© AKASA ALL RIGHT RESERVED.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Akasa manufacturer](#):

Other Similar products are found below :

[AK-174BK-B](#) [AK-174BKT-B](#) [AK-210-BK](#) [AK-4010MS-KT05](#) [AK-4020MS](#) [AK-5010MS](#) [AK-5010MS-KT05](#) [AK-6015MS](#) [AK-675S](#) [AK-8025HS-KT05](#) [AK-8025LS-KT05](#) [AK-8025MS-KT05](#) [AK-955A-BV2](#) [AK-CB002](#) [AK-CBFA01-30](#) [AK-CBFA06-30](#) [AK-CBFA09-50BK](#) [AK-CC1101EP02](#) [AK-CC1105ES01](#) [AK-CC1107EP01](#) [AK-CC1108HP01](#) [AK-CC6308EP01](#) [AK-CC6309EP01](#) [AK-CC6601EP01](#) [AK-CC6603EP01](#) [AK-CC6606BP01](#) [AK-CC6610EP01](#) [AK-CC6615BP01](#) [AK-CC7108EP01](#) [AK-CC7122BP01](#) [AK-CC7124EP01](#) [AK-CCE-7102EP](#) [AK-CCE-7104EP](#) [AK-CCE-7105EP](#) [AK-CCE-7106HP](#) [AK-FN062](#) [AK-FN063](#) [AK-FN065](#) [AK-FN065-BKT03](#) [AK-FN073](#) [AK-FN078-KT02](#) [AK-FN091-BL](#) [AK-FN091-GN](#) [AK-FN091-RD](#) [AK-FN091-WH](#) [AK-FN093](#) [AK-FN098](#) [AK-FN099](#) [AK-FN101](#) [AK-FN107](#)