



Adapter

Model: **AK-AD-20**



| | |
|--------------------------|--------------------------|
| Product code | AK-AD-20 |
| Product type | Adapter |
| Cable length | 2x 15 cm |
| The cable plug #1 | Male connector VGA |
| The cable plug #2 | Female connector VGA x 2 |
| Version | 15-pin |
| Plated plugs | Yes - nickel plated |
| Isolation material | PVC |
| Cable diameter | 8 mm |
| Material | ABS |
| Product color | White |
| Color insets | Blue |
| Temperature | 5 - 50 °C |
| Package | UniBag |
| Product size (L x W x H) | 145 x 95 x 19 mm |
| Package size (L x W x H) | 178 x 120 x 21 mm |
| Net weight | 114.3 g |
| Gross weight | 119.7 g |
| EAN code | 5901720131263 |
| Warranty | 24 months |



Description

Akyga® AK-AD-20 VGA signal splitter to split analog signal without loss of quality. It enables connecting two devices via VGA cables to one signal source, e.g. computer to two monitors or to separate the monitoring signal. Both displays have the same image.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Akyga manufacturer](#):

Other Similar products are found below :

[AK-AD-02](#) [AK-AD-04](#) [AK-AD-05](#) [AK-AD-07](#) [AK-AD-08](#) [AK-AD-10](#) [AK-AD-12](#) [AK-AD-14](#) [AK-AD-15](#) [AK-AD-16](#) [AK-AD-17](#) [AK-AD-18](#) [AK-AD-19](#) [AK-AD-20](#) [AK-AD-21](#) [AK-AD-23](#) [AK-AD-24](#) [AK-AD-25](#) [AK-AD-27](#) [AK-AD-28](#) [AK-AD-30](#) [AK-AD-32](#) [AK-AD-34](#) [AK-AD-36](#) [AK-AD-37](#) [AK-AD-38](#) [AK-AD-39](#) [AK-AD-40](#) [AK-AD-41](#) [AK-AD-42](#) [AK-AD-45](#) [AK-AD-46](#) [AK-AD-51](#) [AK-AD-53](#) [AK-AD-55](#) [AK-AD-56](#) [AK-AD-57](#) [AK-AD-58](#) [AK-AD-62](#) [AK-AD-63](#) [AK-AD-64](#) [AK-AD-65](#) [AK-AD-66](#) [AK-AV-01](#) [AK-AV-02](#) [AK-AV-06](#) [AK-AV-07](#) [AK-AV-09](#) [AK-AV-10](#) [AK-AV-11](#)