



## Adapter

Model: **AK-AD-40**



Product code	AK-AD-40
Product type	Adapter
Ultra HD (4K)	Yes
Full HD	Yes
The cable plug #1	Male connector HDMI
The cable plug #2	Female connector HDMI
Version	High Speed with Ethernet ( ver. 1.4 )
Plated plugs	Yes - golden plated
Product color	Black
Temperature	5 - 50 °C
Package	UniBag
Product size (L x W x H)	65 x 20 x 15 mm
Package size (L x W x H)	125 x 65 x 17 mm
Net weight	10 g
Gross weight	12 g
EAN code	5901720133403
Warranty	24 months



# Description

Akyga® AK-AD-40 is a high-quality, aesthetically-made angled HDMI adapter, used to connect an HDMI cable to the base socket at an angle of up to 90 degrees.

It applies to the installation of cabling for audio and video devices such as TV sets or home cinema sets that have a hard-to-reach HDMI socket. Gold-plated terminals and high-precision workmanship enable signal transmission in the highest quality. The adapter supports HDMI version 1.4.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [HDMI, Displayport & DVI Connectors](#) category:*

*Click to view products by [Akyga](#) manufacturer:*

Other Similar products are found below :

[1775247-3](#) [2-1932649-5](#) [30-1231](#) [30-528](#) [2069485-1](#) [30-504](#) [30-519](#) [30-542](#) [47648-2000](#) [2002-400](#) [769-103/021-000](#) [1932649-1](#) [233-368NFG6-17NH](#) [PJ-210A](#) [PJ-35825](#) [6321-026RDS1MWA02](#) [FDB0901-M0DB300K6KF](#) [3VD51203-3D6A-7H](#) [DV11201-H5R6-4F](#) [RPI-16337](#) [CC-MDPM-VGAM-6](#) [RPI-16338](#) [CCB-HDMIL-1.5M](#) [CCB-HDMIL-1M](#) [CCB-HDMIL-2M](#) [CCB-HDMIL-3M](#) [CCB-HDMIL-5M](#) [CCB-HDMIL-7.5M](#) [CCBP-HDMI-10M](#) [CCBP-HDMI-1M](#) [CCBP-HDMI-2M](#) [CCBP-HDMI-3M](#) [CCBP-HDMI-5M](#) [CCBP-HDMI-7.5M](#) [CCBP-HDMI8K-1M](#) [CCBP-HDMI8K-2M](#) [CCBP-HDMI8K-3M](#) [AK-AV-02](#) [AK-AV-03](#) [AK-AV-11](#) [AK-AV-13](#) [AK-AV-15](#) [CCP-MDP2-6](#) [CCP-MDPMDP2-6](#) [AK-HD-05A](#) [AK-HD-100A](#) [AK-HD-100P](#) [AK-HD-15P](#) [AK-HD-30A](#) [AK-HD-30P](#)