



Power cable
Model: **AK-AG-02A**



Product code	AK-AG-02A
Product type	Power cable
Output voltage	250 V
Output amperage	10 A
Ground wire	Yes
Cable length	1.5 m
The cable plug #1	Type G
The cable plug #2	IEC C5
Cable material	CCA
Wire gauge	3x 0.5 mm ²
Product color	Black
Package	UniBag, Unboxed
Product size (L x W x H)	210 x 70 x 50 mm
Net weight	158 g
CE compatibility	Yes
FCC compatibility	No
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720137043



Description

Akyga® AK-AG-02A is a high quality **power cable**. It has solidly made plugs and durable insulation, which protects the cables from damage. On one side of the **1.5 m cable** there is a **British BS 1363 (G) connector with a fuse**. On the other side there is an **IEC C5 connector**. It is used to power various types of AC adapters, such as power adapters for notebooks, monitors, printers or projectors. This is an ideal solution in case the charger cable is damaged. Instead of replacing the whole AC adapter you simply replace the old cable with a new one.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [AC Power Leads](#) category:

Click to view products by [Akyga](#) manufacturer:

Other Similar products are found below :

[YP-61+YC12](#) [YP21A+YC13](#) [6601](#) [FTP-629Y603](#) [1700001947](#) [IL13-EU1-H05-3100-300-S](#) [2217913-1](#) [P28976-M45](#) [BB-3271V86](#) [P29844-M5](#) [P29844-M10](#) [P28818-M6](#) [387005324](#) [387005325](#) [59903000000](#) [387007040](#) [IL13P-EU1-H05-3100-300](#) [PCAK2](#) [EM9169](#) [32004](#) [32002](#) [W-98979](#) [W-98980](#) [W-98983](#) [W-98987](#) [W-99183](#) [AM TO TYPE-C-0.3M](#) [HC-3C1.5MM-Z-P](#) [HC-CE1.2MM-W-K](#) [AK-RD-07A](#) [LPS275](#) [18049236](#) [LA0055](#) [HC-3C1.5MM-W-P](#) [NUFPWC-03PMMS-LC500](#) [NUF-MSAP-08BMMM-RJ](#) [BEST 053](#) [W-99469](#) [W2243](#) [W-99945](#) [W-99764](#) [W-98642](#) [W-98643](#) [W-99440](#) [W-97783](#) [W-99175](#) [W-97760](#) [W-99243](#) [M02411](#) [W-98692](#)