

Communication cord

Model: **AK-CO-02**





Product code	AK-CO-02
Product type	Communication cord
Directivity	USB -> RS-232
Cable length	1 m
The cable plug #1	Male connector RS-232
The cable plug #2	USB Male connector type A
Ferrite filter	Yes
Isolation material	PVC
Cable diameter	7 mm
Material	ABS
Product color	White
Temperature	5 - 50 °C
Package	UniBag
Product size (L x W x H)	160 x 153 x 26 mm
Package size (L \times W \times H)	260 x 180 x 28 mm
Net weight	124.6 g
Gross weight	136.1 g
EAN code	5901720132079
Warranty	











Description

The **Akyga® AK-CO-02** converter allows you to connect to a laptop or computer devices communicating via the **RS-232 standard** using a **USB connector**. This conversion is usually useful on newer laptops without an RS-232 port. This standard is most often used in printers, cash registers, electronic meters and diagnostic interfaces. **The cable has a length of 1 m** and is terminated with two male plugs. One USB type A and the other RS-232. The device is a **one-way adapter** and works only one way from USB to RS-232.

The drivers for the adapter can be downloaded from this address.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Akyga manufacturer:

Other Similar products are found below:

AK-AD-02 AK-AD-04 AK-AD-05 AK-AD-07 AK-AD-08 AK-AD-10 AK-AD-12 AK-AD-14 AK-AD-15 AK-AD-16 AK-AD-17 AKAD-18 AK-AD-19 AK-AD-20 AK-AD-21 AK-AD-23 AK-AD-24 AK-AD-25 AK-AD-27 AK-AD-28 AK-AD-30 AK-AD-32 AK-AD-34

AK-AD-36 AK-AD-37 AK-AD-38 AK-AD-39 AK-AD-40 AK-AD-41 AK-AD-42 AK-AD-45 AK-AD-46 AK-AD-51 AK-AD-53 AKAD-55 AK-AD-56 AK-AD-57 AK-AD-58 AK-AD-62 AK-AD-63 AK-AD-64 AK-AD-65 AK-AD-66 AK-AV-01 AK-AV-02 AK-AV-06

AK-AV-07 AK-AV-09 AK-AV-10 AK-AV-11