



Power cable
Model: **AK-DC-04**



Product code	AK-DC-04
Product type	Power cable
Series	DC
Cable length	80 cm
The cable plug #1	USB Male connector type A
The cable plug #2	5.5 x 2.5 mm
Plated plugs	Yes - nickel plated
Material	ABS
Product color	Black
Temperature	5 - 50 °C
Package	UniBag
Product size (L x W x H)	100 x 33 x 25 mm
Package size (L x W x H)	155 x 99 x 27 mm
Net weight	25 g
Gross weight	28.7 g
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720136213
Warranty	24 months



Description

The power cord Akyga® AK-DC-04 with 5.5x2.5 mm connector is a power supply of high functionality – it can power different types of network devices such as CCTV camera, router or access point. It is also a perfect solution for LED lighting. With universal **USB** plug, the wire can be powered with any power source with a particular USB port. The source can be your computer as well as standard DC power supply. **The cord is 80 cm long**, which makes it easy and comfortable to connect your device with power source.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DC Power Cords](#) category:

Click to view products by [Akyga](#) manufacturer:

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [21033836407](#) [2J-1865A](#) [2R7006A20A120](#) [426055400-3](#) [96CB-POWER-B-1.8M2](#) [2052KH2-BK](#)
[804001P03M050G](#) [2050KH1-BK](#) [216603-0037](#) [862545-5](#) [BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [DC.CAB.8000.0300](#)
[DC.CAB.6400.0200](#) [AK-ND-C07](#) [AK-ND-C16](#) [DC.CAB.4600.0200](#) [DC.CAB.8400.0020](#) [DC.CAB.4201.0150](#) [DC.CAB.8200.0300](#)
[DC.CAB.6601.0200](#) [DC.CAB.6601.0020](#) [DC.CAB.4201.0200](#) [DC.CAB.8010.0020](#) [AK-ND-C12](#) [AK-ND-C06](#) [DC.EXT.4200.0300](#)
[DC.EXT.6200.0300](#) [DC.EXT.8200.0300](#) [DC.CAB.8400.0500](#) [DC.EXT.8610.0100](#) [DC.EXT.4600.0300](#) [AK-ND-C08](#) [AK-ND-C01](#)
[DC.CAB.6201.0200](#) [DC.CAB.8610.0020](#) [DC.CAB.8600.0500](#) [DC.EXT.8200.0500](#) [DC.CAB.8010.0150](#) [DC.EXT.6200.0100](#)
[DC.CAB.8410.0300](#) [DC.EXT.4200.0200](#) [AK-ND-C14](#) [AK-ND-C11](#) [DC.EXT.8610.0500](#) [DC.CAB.6600.0020](#)