



Power cable

Model: **AK-OT-01P**



Product code	AK-OT-01P
Product type	Power cable
Ground wire	Yes
Cable length	1.5 m
The cable plug #1	Hybrid standard C/E/F (CEE 7/7)
The cable plug #2	Without termination
Cable material	Copper
Wire gauge	3x 1 mm ²
Product color	Black
Product size (L x W x H)	170 x 55 x 50 mm
Net weight	186 g
CE compatibility	Yes
FCC compatibility	No
RoHS compatibility	Yes
REACH compatibility	Yes
EAN code	5901720136992
Warranty	24 months



Description

The **Akyga® AK-OT-01P power cable** is used to service damaged cables. The cable has **specially prepared terminals for soldering**, which allow easy installation in the device. It is a useful solution for people who professionally repair household appliances and ATX power supplies. The long **1.5 m service cable** is ideal for repairing this type of equipment. It will not only allow easy access to hard-to-reach places, but also makes it easy to carry out the necessary repairs. The power supply cable is **quick and easy to install** and its robust insulation makes it ideal for service work.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [AC Power Leads](#) category:

Click to view products by [Akyga](#) manufacturer:

Other Similar products are found below :

[YP-61+YC12](#) [YP21A+YC13](#) [6601](#) [FTP-629Y603](#) [1700001947](#) [IL13-EU1-H05-3100-300-S](#) [2217913-1](#) [P28976-M45](#) [BB-3271V86](#) [P29844-M5](#) [P29844-M10](#) [P28818-M6](#) [387005324](#) [387005325](#) [59903000000](#) [387007040](#) [IL13P-EU1-H05-3100-300](#) [PCAK2](#) [EM9169](#) [32004](#) [32002](#) [W-98979](#) [W-98980](#) [W-98983](#) [W-98987](#) [W-99183](#) [AM TO TYPE-C-0.3M](#) [HC-3C1.5MM-Z-P](#) [HC-CE1.2MM-W-K](#) [AK-RD-07A](#) [LPS275](#) [18049236](#) [LA0055](#) [HC-3C1.5MM-W-P](#) [NUFPWC-03PMMS-LC500](#) [NUF-MSAP-08BMMM-RJ](#) [BEST 053](#) [W-99469](#) [W2243](#) [W-99945](#) [W-99764](#) [W-98642](#) [W-98643](#) [W-99440](#) [W-97783](#) [W-99175](#) [W-97760](#) [W-99243](#) [M02411](#) [W-98692](#)